

Digitized by the Internet Archive in 2017 with funding from CLIR

https://archive.org/details/speciesaccountsp00even







VO1.7

Evenden, Fred G.

species judex

Passeritormes



Observer Free Evenden, Jr.

Eastern kingbird

number of field trips on reich observed:

Tyrannus tyrannus

Late

Location and observations

June 14, 1969 Coolfor Wa Wheel our joing gracher place Gracinfth his up

Feb. 7, 1972 Sonoita Creek, 5 mil S of Sonoita, S. Cruz Co. Ariz.

2 nests from prior year in "small" 40' hi sycamore. Nest to 3' long and 10" dia. hanging and very shaggy. w/ Gale Monson

> 1/24/14 Hugher Holling, Mid. must well & fractical young in 5 he smillen with youth 4 do

Becard

June 23, 1964 Bantsten-R. Grande St. Fart, Midalgo So. Toxas. IF or inva. and nest in Audubon Sanctuary ar a.

7

- products where the contract of August 5, 1941 it. Tright yello bency should be volume volument or in milit of and has him b.
 - Mtn. Home, Idaho. Joan and I round a pair of them near the edge of town. May 7, 1944 Seemed slightly smaller than a robin, about 8" long. Grayish back, white along side of tail base, yellow below and on chest, and head was a pluegray or lavendar color. Bill broad and qui e long, head profile seemed quite flat. Tail dark. Gave no call notes. No rea patch coula be seen on the head.
 - Mtn. Home, south of town, ne r Crowells. A pair of them perched together May 11, 1944 on a telephone wire. Off and on they would both leave the wire, and utter a lot of courting notes, fly around each other and go back to the wire. One bina would arop from the w re and do a graceful "swan dive" to near the ground and then fly back to the wire. Chest was grayish. Belly under tail, and up on top of rump appeared yellow. Blackish tail with white outer-tail feathers.
 - June 24 1944 Mtn. Home 0930 a.m., Idaho. Saw a pair and their nest. One parent on a telephone wire near the nest, and other adult came soon, thereafter. The second one lit at the eage of the nest and sat on it. The nest was located on a short cross-arm of the telephone pole, below a transformer. It is at a height of 20 feet, and is made of grass stems and wool.
 - Marion, Miller's Butte was this bira perchea in the asaa top of ano May 17, 1947 oak in the center of a yellow-pine clump. Had sufficient opportunity to observe it from all angles, and there is no question about it. Several times it left its perch to take an insect, but I never heard a call note.
 - april 2, 1949 One Taking insette from wite fence alone C.S. Hiray 16, 1/2 mile Wood fet with C.S. 11:48, 5 Word Plymonth, anador Co. Co. 1. april 6, 1949 : CWillows to Williams & U.S. 99 w - fow many single + paired on ware lines along hiway + particularly along RR.
- april 19, 1949 Trinda yolo Co. Calif Millerton Lake, Fresno Co, noon: pair with nest on center of 15' one May 23, 1949 crossarm. No young. ? / eggs. Pole along puved road to dam viewpoint. Merced Fails - Coulterville, Wilposa Co: (10/mile. May 24, 1949
- Canvasback Luck Club, Noistilly ter, Churchil Co. Tevaca. Lave largeall June 24, 1:49 had reported nest on to, or lookout tower contained 4 east. Then I looked today there were only two. On July : he checked the new tagain and in the 4 eggs, the previous 4 having been buried under this second-layer neat. This double-decked arrair is quite peculiar. Thy "bury" the let meet rule. That will be their late?
 - July 12, 1949 near Honcut, Butte Co. Colif. Observed : cificient nests on cross-accs of poles, placed in pocket formed by 4 insulator brackets. Heats as at one road-mile apart.
- October 6, 1949 Yaquina Bay, Oregon. 1130 a.m. A good record. perched on top of bushes and on wire lines, and tops of piling on sand dume area near old southside ferry landing in open.
 - April 17, 1950 Cottonwood, Calif. 545 p.m. Saw a pair of kingbirds between here and Red Bluff, and then saw 6 more between Fed Bluff and Corning. They are a little later than last year, for none were in the valley, at least from Sacto, north, on April 11, when I went to Oregon. They have arrived since then. Still very few compared to same course 4-6-49.

*

Apr. 26, 1950, Tehama Co. Calif. Mostly paired - a total of 26 seen between Rea Bluff and Proberta; 4 between Proberta and Corning (power lines missing); 14 between Corning and Willows; 7 between Willows and Williams.

May 17, 1950, Blac k Butte Res. area., Tehama Co. Calif. At the first faint dawn I heard them giving 3-syllable notes from the surrounding tree tops. This a.m. I found a nest being constructed at 8' on the east side of a blue oak, in the open. 30-40/sq. mile. The 3-syllable call was not given after the sun hit the area directly.

June 13, 1950, Rice country, SH of fillows, Glenn Co. 1030 a.c. saw : kingbirds chasing and fighting with a California Shrike.

June 11, 1951, Derby Dam Forebay, Truckee R., Washoe Co. Nevada - nest at 8' in old cottonwood in water.

April 2, 1955 C.S.H. 152, San Luis Res. area, Kerced Co. Calif. 1 on fonce.

Jan 27, 1962 1 @ Gester Sed, South Co Colf by F.E.

June 20-3, 1990 U Ohla Conglus, Norman. 04. Next at 19 on Naide of Lion 600 in Courance

		·

1541-1542-1549-1860-2316-2545-2600-02-08-15-16-17-18-19-20-21-

Northern Cassin Kingbird

Tyrannus vociferans vociferans

March 29, 1950, After seeing several Western Kingbirds this date, between San Diego and C hula Vista and Lower Otay Lake, and noting that several didnit look quite right I checked and found that the differing forms were this species. They were always seen in pairs, as were most of the Western Kingbirds, but were not as common in this area.

Turinar in Litari (m. 1941).

The polar language to

Trajt Einchied

Key I rgs, Florida - no o'nsing a soullous-tailed site.

Herly Port Sickory Neuroda Flar 67 Const Copt.

1 N & 20' on the rode o' Rosymondady no it sign of you dead on my 1 to the 12' on the " of the look of the sufference of the second of the 12' on the " of the look of the sufference of the second of the se



rlimano lo Rum fi es rylambili del esmelifer

			•
		,	
,			
•			

sylarchus cinclaccine cincle. cens

_.te | Location and observations

- Mar. 18, '47 | Bill Williams R. Canyon; Ariz: 2 or 3 different voice calls. Heard everywhere. 15-20 were seen. They are quite tame, and one can approach within 8 or 10 feet of them.
- June 20, '48 Thurston home county of our Projett had a pair visit his room a few a yeargo, and they had aloue to some or a color of the room of the project a sittle letter in the room of the room of the term.
- April 24, 1949 Franklin Funch Sloughs, E of Courtland, Car. to pair I "chatted" with them and brought them in close. They were along raimroad, in willows and cotton-woods bordering the sloughs.
 - June 20, 1949 Near Golcoma Summit (51541), N' of Valmy, Humsolat Co, Nevada.

 At 8 p.m. I flushed this species from deep within silver mine sharts on at least two occasions, gust before out.
 - Aug. 3, 1949 Kerckhoff her. Son Joaquin L., hadera Co. 4 (1) a.m. One ver perched on the top of a bush while it were still too early to such out continuous of the such of the expension of 4-syklable notes, rather unmasical. I have never the entire of from this flycatcher.
 - May 19, 1950 Hogan Res. area. Calaveras R. Calaveras Co. Carif. several in blue oak woodland. Also quite common in foothirts from Placerville to Folsom on May 20, about noon.
- May 20, 195, Near Colombia, Calif. Nest at 4" son Noten 5" dia. ilderiery. No sygn . 1. Elderberry on New side of live ook + saftill, whale of the T. Abelt avoid natival time.

 Cyzil 20,1952 American R., at Fair Calso, bacto Co., Calif. + Incar Bass Lake, ElDorado G. Calq.
- June 13, 1954 Sacto. Weir, Yolo Co. Calif. 7 a.m. 3 pair one pair mating (?) in air-flying at height of 5 or 6 feet, finally landing awkwardly in willow thicket top bird had feathers of nape of lower in bill. Unusual notes given throughout this activity.
- May 9, 1975, Buenos Aires Ranch, Altar Valley, Aria. several pairs. 1 pr flew 100%; in tandam (meting???) noisy encoute.

The state of the s

Sayonnia phoebe Mastern Phoebe

Feb. 16, 1953, E of Clayton, Concordia Parish, Iouisiana. near wat erocol in open. Feb. 15, 1953 - U.S. 80, Lincoln Parish, Iouisiana. in grasslands, with scattered trees on hills. Perched in edge of leafless tree on lower branch.

June 14, 969 Cooffont leve. 2 week up young.

May 15, 769 Rosee Neck, Va. young as west cost dooring of abendened branch is site.

·	**	5	•

2495-2495. 2506-2520-2545-46-2589-2596-2609-2620 Observer Fred Evenden, Jr. Number of field trip on which observed:
85 - 374_538 - 578_573_5772_557-636_957-958-961-762-963-965-468-980-Black Phombe

\$5 - 344 - 538 - 543 - 543 - 543 - 543 - 461 - 462 - 468 -Bill Williams R. Canyon, Ariz: 5 seen. Feeding from limbs of failen snags. 3-18-47 10 feet from us. Markings were clear. I did not see any perchec very much above the ground. Lobbin Cre ek, across the S. Santiam from Cascacia State Park. Lob a.m. Lay 14, 1017 Phil bumas and I were walking down the west side of lobely Creek, And, I I under the priuge, looking for Jana boylii when I heard this bird's carl, and I immediately spotted it perched in the shade on the north limbs of an alder above the creek, below the bridge. It was preening his reathers and did have the feathers wet, as if it has just been buthing in the creek. . It did not call any more while we watched. I got hr. Cordon, who also got to see it at 30 fe thath 6% binocs. There is no question about the identity. Plumage was not a truely jet black, so it may have been an immature, or a female. Outer toil reathers may have been lighter?? Natoma below Folsom: "calling from snag over small creek, in open. Sept. 19, 1948 flew high with "butterfly" type of flight, and called, then dropped into shade of upper foliage of alder. Folsom Dam Site: several seen - one observed to hover continuously in a hatch of mayflies over the river, taking oneafter another.

Sept. 26. 1948

april 11, 1949

Roseburg, Oregon. 4.15 p.m. First leard one as I drove then the north end of suburte on U.S. 99. I slammed on the trakes & saw it perches on a wire fine along the liway in portof a small home, near a welding garage. I did not see any water nearby.

May 6, 1949

N of Oreville, Calif: fresh nest in curvert under road. Near Eugene, Stansfans 6, talige 245 p. m. Ofsered one lovering in such in of " onid gree" april 18, 1969 . 25.4.14 of min W of Alyonarth, arounder Co. Calif. On Darkartens Ranch. Next W/ of approached and a coverete brille. 4/2010

M-/ Nogales Cong - Charles a Cours is



76-284?-486-504-517-529-534-539-543-545-546-547-548-5-49 Say's Phoebe

Location and observations

Jan. 21, 1947

12-mile Swamp: A real surprise to see this one. Dave Marshall spotted it first on a weed stem about 15" above the ground, and incidently not over 10 feet from where we first saw the Cinnamon Teal a few years ago. It just took a moment to make out it was a flycatcher for it flitted out to take an insect in the air, and again to take one on the ground. We approached closer in order to get the color pattern. It : plain black tail, dark head, and pinkish-tan or buff under colors were unmistakeable. Te were even fortunate enough to hear its light, plaintive, two-syllable notes, several times during the 20 or 30 minutes that we spent in following it in its feeding activities from perch to perch. These ranged from less than a foot above the ground to scrub ash not over 10 feet up. It gave its call in flight, and on the perch. It fed over land, and over water. It was warm enough today for midges to hatch, and swarms were seen here and there. There was no shortage of food for it, even if it was turned cool by the time we reached the swamp. It posed nicely for us at less than 30 feet several times. Some times it sat quietly, and other times nervously, fanning its tail, etc. It seemed more intent on feeding than it did on evading us. (Seen near this same location by Phil Dumas and Bob Storm on 1-16-47).

Aug. 9, 1947 (12-mile camp: near the place where we like to wome last dates, I had ample opportunity to observe an in ature of the species. The bunch take was the only thing readly recognize able, the rest of the body being a buff to brown, strongly streaked, and quite light yet, on the head. No coll notes were given while I vatched, although it and il, to the ground to get an insect.

Aug. 20, 1947 Falem to Independence Francone adult bird fry but over a stupple field from

a wire line to catch an insect, and then return to the sire line. Lite

May 30, 1948

Luckiamute F., Polk Co. U state one perched or bridge raining in open area. Sept. 28, 1948 Owens Dam Site: Mariposa Co: a couple seen. One was very curious and while we were keying plants at the stationwagon, it flew up and

Dec. 11, 1949

hovered within 3 feet of me at eye level! Folsom, facto, Calif. - one in range land area. 3 p.m.

Nov. 29, 1949 Pardee Res. Amador Co. Calif. p- one hovering over pasture. Hunter-Liggett Reservation, conterey Co. Calif. - mountaine - in making the loop through the area, we saw about 23 of these. Dec. 7, 1949 Seemed quite common - raining heavily at the time.


Jan. 14, 1953 Jel. 2, 1953

Roadante S. Barbara Co, Calif · San Falipe L. area, S. Bento Co, Calif moon few seen

Jan. 10, 1954; Mite wock, J. sacto. Co. Clif. 1:3: p.m. 5 per 1.3 siles arevel road

Nov. 14, 1957, C.S.H. 16 and south thru Reservoir-land, in addition to those recorded on field notes of this date, this bird was well-dispersed throughout all the foothill lands covered from about Sloughhouse on south to Woodward Res. and Farmington, Stanis aus Co. Calif.

Feb. 15, 1958 Willow, Colif. - 1 on proceeding: Million G. Com to Japane



19-77-81-83-85-80-92-94-150-156-157-159-161-163-1667-176-237-242-24

li-mile sacray south or converge: Fore care care one, a line of -11. May 18: 1941 Case Climb yours of Willy.

Theatland Ferry Or Saw one that had a nest, man the river borm, June 24, 1946 but I could not get near it.

July 18, 1947 | Meconale Force to Journa need in Electric Control of the special reserve acep accus, some 15 through a crock,

June 23, 1948 - Ben Prutts place Thurston, Lane Co. O. Nest at 4'2' on N side of a Himleya Blackberry bock growing over fence. Open below next, + in shake all day. The adult was on the next. It contained 4 eggs. - a creamy white or fuffy white, spotted with resty-red brown mostly at large and.

Cottage Grovel convint of and have each and have even so on 75 of them.

June 23, 1948 Nound not just compute , but not anima no ecol. In high vice we clump of Longha and thite Min. in this fraction in a contlast a first love the pround, here. M. Hope, he is there is a booten to the fem-tit! The north had outside measures ents of the continuous majorities fraction of a burning 1 5/4" and invide to the cold ". That of small literated of two colds or Lichen. Time was troot hair tiese the new to the in crotten of the Tern.

Cottage Grove Feerryair? In at iour or visual a time ever by July 23, 1948 cuttle in the alone. I say to at 3' in willow by the i.w. Philorocker, On: Yagge angrass sent of plat down living. They on into branch of wild war. Mary conspicuous. F. on. Cultiese

June 28-30, 1957 Stony Ridge Lake, 7840' el. Eldorado Co.Calif. About the 1st caller in the a.m.'s before dawn, and the last caller at night.

.

m. wighte

august ", 'tau, more let ine, Churchill Co. 'vaca - just de perelec e te e l'elect management in oppose hon south ma mi municipat te ma more te impos

1941

, **4.4**

s,

:

us rver gree volution Ja. 1202-1244-1569-1583-1629-1631-1632-1650-1662-1663-1667-1893-1889-1923-1959-1971-3987-2131-2262-28/4-895-9/3-933-1186-1201destern 11, a to 112 1613 - 1690-A-Wrights on Hamounds - 874 - 1274-1627-1628-1666-1668-1690-1693-1696-1935-2262-Luté MacDonala Forest, Peavy Cabun area of one bira was being charea by a Little July 12, 1947 Flycatch. which snapped its bill loudly at the lestern. It was also

chased by a Junco, and a ren.

July 25, 1940

Apr. 30, 1949

May 21, 1945

Sand Crock Clayon, or a sy road junction. Lev. 50001. Loc too gain of woulds making feedbar toms to ment. Cometimes infine us. tay, others right after each other ! a lite , where is tune aparts - no name a then the little llycaterer.

The rest case on the firstuc of func Greck cases, 50% from cuasen botton, under "spring" overhanging bonk it. 8' or per canaptons, hest almostly under all overhals. Sold site. Tou a in not all table ??. coulon't be acter in a not respine for the All Crater Table ?. ?. 3 mi. U of Bruce Sta., Benton Co. (LBM). 1st heard one at eage of stream bottom in firs. Later saw one at ease of 1. r about 1 mile west of pond.

S of Carmel, Monterey Co: n st containing 4 fully-feathered to ng at 45" in twig aebris in dead branches of Lontere, Fine in a latter dense thicket. Fim of nest inclined to I. Bardeo young with nos. 41-25849-50 and 42-3901-2 (sizeO). Yo ng had nest of feathers and wing blis were a chestnutbuff. Acults had black irides, and valities wing bars and a pale age rang. Olive back, jellow-green belog and on the throat. About 6" long. Pair bola, carried crane fly and 2 moths to young while we natched within 181. Flicked tail upware irregularly. Nest divity law dec and haw eigmeter. Adults gave simple light "pit" during our sta, near the nest.

June 28, 1942 July 6, 1942 July 16, 1942

Carry Oregon: 3 aggs in next lined up wood. 12' up in Kazel - Cuttreso. Ninwauker, Ore: 4" " of grass livestey horedain + first down. I'mp: " horay . 1" this is and of ore. 4 eggs " " offishy course grass lind w/wool + plant down. 10'mp: . hoyel. " " Coues' Flycatcher

Contopus pertinax

June 29, 1959 - Walnut Canyon Nat. Mon. Coconino Co. Arizona - two or three in canyon area and pine woods above.

7267,1970 -10 (100 pole, a say - Chair of 2 12 the stance

Buff-breasted Elycatcher Mobidonax fulvifrons

May 10, 1975, Et. Huachuca. Arizona, Samuil Canyon ridge.

Unique calls. Fair in cure tall yellow sine. Distinctive rich ruf us buff color. Always close to trea trunk on branch or stub sidewise to surface of trunk, with tall onivering as they alight. The times 2 birds at one point. Di lit, 2-syslable note. Learned in its tis I is many nests are clased on too of stub or imb against the trule.



Observer Free Lvenden, Jr.

Location and objet vations

Avery Park of two or three or them were been perched in the time tops. Sept 17, 1.46

Two of them same ino their perches. They chased each offer, is .

July 27, 1948 | M. Brem of U. par Kharata Late Paramas " not to a local and a second of the same white i r in open. I'm as prome the important is. The conautorian eru gius sebeles. It de bes ve am um . San el se, an nergion. Les bounging, and the conduction of carbon conductions and proper lines. This can be also in the letter who have a single oi to- mari.

Woodburn, home: common in walnuts and maples. Call frequently, and Aug. 18, 1948 often pugnaciously chase each other, or other species.

July 16, 1949 Grass Lake, Luther Pace, I corner Co. Lacults and young seem to be the most abundant bird. They has call line long sates dark, and occurionally through the night, and at dawn, then I rose.

Sept. 27, 1949 Hogan Reservoir, Calaveras Co. - catching skipper-moths, and giving usual call.

July 21030, 1952 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. very common and pugnacious to each other and other species. Also curious, following the mountain bluebirds carrying food to the nest.

Carried July 3 and 2 a training a July 14, 1921 July 24, 1921 1 : 3 " 7" on bory line of deed grave tre. Of good + feathers. Sich and covered - Jiffice

June 19-20,1954 SilverLake, Amador Co. Calif. 7200 el. One of most common birdsin the area. Calling all day and last to call at night after 9 p.m. and first in the a.m., before 4 a.m. Chased warbling vireo. Nest-on top of limb 7' out from trunk to SE on a live lodgepole bine, atop a knot at height of 40'. nest under construction, webs co mon. I bird working. Nest overhands limb and knot. Tree in semi-open. Nest - at 18' on south side of lodgepole pine, live, on dead limb fork 3' out from trunk. Webs, too. Bird working on it. In forest canopy area. Nest - at 6:-65' on east side of live lodgepole, 8-10' out on fork of live limb, facing wide open area. One bird working, making at least 1 visit per minute with nest material (webbing) from nearby Jeffrey pine.

June 26,1954 Camp Harvey West, U. Echo Lake, Eldorado Co. Calif. Common. West on 25" dia. dead lodgepole pine limb at height of 551. Timb to north of tree trunk. Webs around it at fork on limb. Tree more or less in open on south slope. Saw one chasing a nutcracker all over.

July B., B. Ju, Jing in the group Teneral of Chile. But one The estimated helore limitali.

May 31, 1959 Pope Beach Marsh, Lake Tahoe, Calif. 740 a.m. PDST. Watched one bathe in lake. Sept. 1, 1959 Silver Lake, Amador Co. Calif. No Wood pewees in 2 days at this site.

July 28, 1960, Carnelian Bay, I. Tahoe, Placer Co. Calif. noisy family groups here and there - 1 pair with 4 young at Maltrio cabin.

July 2 -22,1462 Chapman Ork, Camp. Tahoe NT, Sierr: Co. C. Fif. called as comply as 440 a. . and as late as 915 . . . FDST. Longost metive. The Tobin was next most active the longest, calling a.m. to ?

Jan 10, 100%, Talages Janier 10, 100%

Eastern Dewee | - 7/16/66, Swhims Took, Mont. Co. Md. flyo tohin and to sit on nest at 15' on horiz. silver mobile limb on the side of thee over water.

sumber of field trip, on tale, printye :

.cc ti : 10 00 4 V bion rate

Corvelli, , ricon la nombre de la companione de la compan May le, me Till of the second of the seco

Fren and 2 miles west on Newport Hiway. And Wood's Creek. Some species Apr. 6, 1946 of flycatcher and the voice sounded like this species .. It was in the top twings of a tall Douglas Fir, and would sally forth from there.

Avery Park, Corvantis one adult and 3 young wire seen. 25 Aug 146

E of Co. 10:10. R. B. Age Of 1130 a. a. 2 - how for continuous con the river. apr. 4, 1948

Aug. 20, 1948 Pudding R., Woodburn: 6-7 in family group. perch on snag tops. 2 would chase each other viciously and constantly.

Aug. 15, 1961 Sulphur Works Camp, Lassen Nat. Park, Shasta Co. Calif. - 1st callers in a.m. Aug.16,1961 Annie Creek Camp, Crater L. Nat. Park, Klamath Co. Oregon - 1st callers a.m.

China Plat Caro, Silver Tork, Ellorado Co. al C. culled during botter June9-11,1162 part of der execut very entry and the.
The season shows the season of th

•

,

•

543 A-547 - 1839 - 2603 - 2609 - 17 - 18-19-20-2623 -

Vermilion Flycatcher

Pyrocephalus rubinus mexicanus

- March 18, 1947, Billiams R. Canyon, Ariz: A rare treat to me! Every bit as beautiful as it is supposed to be! Larkish line from the bill separates the brilliant head crown color from only slightly duller red on the body. Black wings. Male alone in the morning, but streaked female was seen in the afternoon (pinkish on the sides). Male gave call notes clearly. Fed from snag perches. Dropped to the muddy ground several times to feed. Remain less than a minute.
- March 20, 1947 Colo. R. Indian Res. south of Parker, Ariz: 4 pair were seen. Females brownish with pink sammon on the sides. Rales brilliant, younged ones not as much developed. Male can fly regularly, or in its singing flight it can use a "butterfly" hovering type of flight that is quite distinctive.



2604 - 2609 - 2611 - 2613 - 2618 -



Observer lrea wance, a.

I.C. te

number of field trace on mich encurved:

291-293-296-298-301-320-322-322-327-335-336-338-333-550-553-1095-15526-1561a-

1 300 toll 17 / 12 12 12 1

Skylark - Alauda arvensis 6/12/67
on campus, U of Victoria, B.C. 1 on wire line. 4 seem

on campus, U of Victoria, B.C. I on wire line. 4 seem. Watched them ascend and descend. 2 on sign board. I in air. Also at airport at 9 a.m. on 6/13. Trill lend, but much less melodius or musical than I expected. White outer tail. Stroked up or broad. Strong flyer. Watched flutter flight noward, then spread wing and tail in full fan and sail-descend. Tail notched. Ruff on crown.



May 27, 1947 | 12-mile Swamp of singing and sailing at height of over a freet above ground.

Plenty of pair seen along the way to the swamp from Corvantis, for this route pages through flat, grassland prairies.

June 15, 1947 | Newport Airport - colling and recaing on the Airport, which is a large, cleared, grassy meadow.

June 25, 1947 | 12-mile Swamp, singing and chasing each other at 250-300' above ground.

July 8, 1948 | 1948 | Perchipped a couple of actuate and one in the case of a fine page.

July 16, 1948 | Perchipped Servoir of actuate and one in the case of a fine page.

ro' virtically to made.



Deart - 1232-1235-1236-1238-1243-1404-1835-1849-1857-2248?-2537-2623+VatyPale) 2626-

Observer Freu Evenden, Jr. Sonoq-1860-

busky horned Lark


runber of lishe tripe or wrige objectives 76- 281- 286-287-323 ap? - 346 g? - 957-960-963-964-965-978-980-990-100-

inte nocation and observations

June 20 1944

Tinker Field, Oklahoma, City, Ohlahoma. 430 p.m. CWT I observed some species of horned lark in the grass just off the runway, to the left of the B-24 I was in. We were waiting to take off. As we swing the plane into the runway, this brought the horned lark into direct line with the full blast of the "prop-wash", bowning it over ! It recovered and sought shelter behind a large tussock of grass. It hugged the ground as closely as possible.

May 23, 1949 Madera-Friant, Ladera Co. Incon: averaged 34 Fude; Horsed larks/road rile-Aug. 23, 1951 | Friant-Madera, Madera Co. Calif. 1100-1130PDST. In 16 road miles, a total of 68 were seen. In the few miles where this species is usually concentrated, the following counts/road mile were made: 16/45,1, 2, . . .



Late eb. 20, 1941 Corvailie on file. Fiver: Office cozens of the section of any in the section of t ar. 24, 1941 circles over the river and then at distances of 5 to be but sen such other, they would dip down into the surface of the silver. The they were arinaing or outhing I do not know. There here were that actually ctayed at the curitice of the aber without algume for a period of a 10 seconds before flying off from the river. In-little , only north to community !! . ril ko, 1841 ci ammi-ci ca . s: tilta.. odivalui: 02 ada ja takan di angan angan ang Lux 10, 1841 $_{2}$. A $_{1}$ M $_{2}$ D $_{2}$ D $_{2}$ D $_{2}$ D $_{2}$ D $_{3}$ D $_{4}$ D $_{2}$ D $_{3}$ D $_{4}$ D $_{2}$ Woodburn: Most or all of these swallows seemed to have vanished all 16. 1942 of a sudden. None are to be seen in this vicinity. leb. 27, 1943 | Camus, Jasnington; saw one individual today and 4 months of a Tuey were perceed on so a witht wires on the counit of frunchial the flying to the from the wire; to take meter the course each other shile gaving their nameliar twittering a called piece. Mar. 2,1943 Philomath, 8 miles south. First I'm seen in O vegon this spring. March 6, 1945 - Today I state with with the state of the thump. The listered of the Tile of a our and the profession as perchasion the limbs of the bar on it took the solutions. a might as they all facture but the characteristic is near the continuous and the second bright water bry sunaway Lake - me Chord Field, Wash. Found's nest in a mail box just 2 feet from the highway, The . - if were in the read of the vox. The 4 young and and 2 min. Alle allowed to them of the alloged withings I start. Woodburn, Pudding River, Saw 8 or 10 of them along the river. First this March 1, 1946 year. Woodburn, 9 a.m. It was something to see them sailing thru Mar. 27. 1946 the air, and with a half-inch of snow on the ground. Stewart Lake, Corvailis. They were continually "hawking" low over the July 1, 1046 lake area alter insects. Avery Park and S. Cemetery fill: many seen, some in large frough 25 Aug 146 of up to 1.0 flocked on wire Lines, as it getting ready for the southward migration. 26 Aug 146, Stewart Lake, 9 a.m. 1001s of these circling over the lake, and out on the wire line by the railroad were perched another 2 or 300 of them. Adults were not as plentiful as the immatures. Tept 17, 1946, Avery Park one rly over the river; it appeared in abuse. 12-mile S wamp: plenty of them were seen over the swamp area, hawking for Feb. 25, 1947 insects this p.m. accompanied by a few Tree Swallows. giffer ie v. lie, Mrs - 6-4-21 5 eggs, 8' up in 15" natural county indeed again tree 6-9-21 4 11, 151 " all down woodpithe hale minday see Tree 6-9,21 4" 6' " " 12" net. co. in 6" 1-21-21 4" 41" " " 6" Note in face post.



- Corvallis They are everywhere at 7 a.m. in the air, onperches, April 1, 1947. etc, individually or in small groups, chasing each other, etc. One group of 8 were observed circling in a tight circle about 40 feet above 17th street. Two of the birds were joined, one by its bill to the tail of the other, and they more or less spiralled down like a leaf, while the other swallows circled in very close. As they reached 15 feet or so, the two broke apart, and there immediately began a jockeying among the other swallows for position with the bird that had been held by the tail or rump. Could it have been an estrus female? No others succeeded in hooking on while I watched, although several came very close.
- April 1, 1947, 12-mile Swamp: or none present when we arrived, but in an hour several dozen showed up from "out of no-where", and stayed till we left, at least.
- Woodburn, Whome: dozens circling over the yard all day, some searching April 13, 1947 for nesting sites in our screened ventilators on the house.
- Abiqua Creek, Tilk Fanch Foad several flying low over snag-and-pasture May 31, 1947 area. Young bird parched on snag at sage of the parture, prechibe its reathers. It dign't fly while I was there. The coult birds were continually swooping by it, and chattering, as trying to clax it to may.
- August 16, 1947 last side Cam, hading been. This sectes, and Criffs were squarted in the middle of the surfaced highway this a.m. in considerable numbers, and apparently just citting to re. It has been rather charry this a.m. and the birds could have been securing warmth from the pave ent.

11-24-47 - Hill Williams Reamyon, Ed Parker Lam, aviz. - in Jale Monum. dow 2 of them. It winter vector for the carlo. R. Valley

March 30, 1948 12-mile Svamp of 75 to 10 over the swamp at ea, same circling very high.

May 24, 1949 Woudchuck Cr., Coolidge Huws, N. Fresno Co. 79 a.m. rest et 131 on Sh side of dead yellow pine. hole It dia. Hoults carrying rood to not

October 8, 1949 Corvallis, Oregon: a flock of 25-30 over Martin's house this a.m. May 13, 1950 Glacier Point, 7200!, Yosemite Valley: / 3 or 4 going in and out of crevices

sat the point. Let seen the year. March 25, 1952

May 10-11, 1954 Asilomar, Monterey Co. Calif. Pair investigating nest hole of Chestnutbacked Chickadees each a.m. Chickadees aparently feeding young in it. Bellfow's in-chilorath, and Co. march. Il a.m. 35 march.

Mas. 15, 1957 Corvelles Organ - Very few around, later sain. By 3/19/97 Ahad cleared +

Copyrial of 1861 And the State of the State AT. Shesta - Weed, U.S. 99, Galif., and at Chilorein

August 16, 1961 "iamond Take, Douglas Co. Oregon 2p.m. 100's of them. Cumulating for migration?

8/3/55 - Gasterville to Shelter Cove Monderine Co Coly - 500-1000 of these place if up out of the format, + wif Ed & 2 hour later they were your ((15K+1916)

• ·« ·

```
Lumber of field to pe on said ob lived:
Lewport: Found Spain of the one relation to the planning
                                   holes near the top of old enume or poles.
                                 point \mathcal{Q}^{\mathcal{R}} . The second of the seco
August L. 1.4
  March o, 1940 ic reason from or sure me checks.
                                  been for the first time toil join in a mixed from the Willet
                                  green Same one. They would fly too ever him which make it
                                  into it.
  July 14 1944
                             Stanle, Idaho. Nesting on beam across top of garage door.
  March 10 1946
                             Yaquina Bay, Newport. First ones for the year.
                          12-mile Swamp - Lave and I watched one feeding continuously over the central
Feb. 4. 1947
                           part of the swamp, and saw its field marks many times during the course of
                          the afternoon. When we went to the far north end of the swamp, we saw
                           one there, which may well have been the same individual, altho, all the
                           time we were at the south end, it was seen there.
                            Oak-fir belt between Beaver Creek and Bellfountain: I had only a 20 foot
Feb. 18, 1947
                          glimpse of a single bird before it headed over a clump of firs, and it
                            did not return, so I cannot be too certain of the species.
                          12-mile Swamp: Thest 18' in willow, south exposure to note open. .
May 1, 1948
                         Ledbetter Penir, Port: Thoughout the area. The joung showing the washed brown underparts was observed priched on a list beside an adult tree
May 5, 1946
                         swamlow. The apult made revolut attem to at fedging the young one. It is
                        lis rather car. for young to be out, but on the otherwhold I doubt ver, much
                         bout the a ove bira could have been a Fend (West 2011.). Ben Prints's place, Thurstonly - Nest of 4 yound in six louse - last one left as we came to next.
 June 23, 1948
 Oct. 2, 1948
                         Suisun to Suisun Refuge, Solano Co: seemed to be quite a southward flight
                            across this strip today. Many seen.
                         Grey Lodge Refuge: Wintering here, the air full of them. At least
Oct. 23, 1948
                                750-1000 birds.
                                                                                Solano ...
                          Sacramento hiver near hic Vista, Yolf Co. many seen tour, and the past
March 12, 1949
                            week or so. Today I pair have nest hole site in stub of Frement poplar.
                         Avery ark, Corvallis, Oregon, nest in dead alder over water at 9.1.
  June 4, 1949
                           Hole to Sh.
    hug. 1, 1949
                           mendota Pool, Calif. 5-6 marked on power lines near the over the river.
 Sept. 27, 1949
                          8 miles W of Galt, Calif. 840 a.m. 750-800, mostly immatures, feeding
                            at plant top level over large alfalfa field.
 Jan. 30, 1951
                          Westley-Salida Road, Stanislaus Co. At 10 a.m. I saw 13 or 14 of them
                          coursing among cattle in permanent pasture S. of Tuolumne and E of
                          San Joaquin Rivers.
May 8, 1951
                        Stone Lake, Lambert, Sacto. Co. Calif. One nest in dead snag on SW side
                            at 17', with a flicker nest on NN side at 20'.
                         Slone like favint outs on right 55-420 - A . 3 of I wrong " We . I
jan. 11, 1952
                          S of Los Banos, MercedCo. Calif. 1,000's over green range lands. No
 Mar. 12, 1952
                          water nearby.
  Jan 29 1953
                          5 mi Wof tudor, Sutter Co, Caly- 1.
                        Banta Fe grade E of gustine, Marcel Co, Cary- 100. m. 100's grant . I'm unt in
  7.8.2, 1953
  Bot 30, 1953
                         C. Juniy historia L. Ja. 12. 1. 1.
  hay 30-1,1953 Lake Tahoe, 53 area. in and out of nest oles in aspen at Jily lake. At
 June 13, 1954 Sacto. Weir, Yolo Co. Cal. 2-300 adults and many young perched in tops of 20-
```

foot willows, and calling noisly.

· •

- June 27, 1954 Camp Harvey West, U. Echo Lake, Eldorado Co. Calif. Few seen. 1 pair taking over Hairy Woodpecker nest hole vacated by two young on the 25th at 1:30 p.m. Moving in about 9 a.m.
- August 8, 1954 Camp Harvey West, U. Scho Lake, Eldorado Co. Calif. Checked nest of pair they first took over on June 27 in Aspen. 3 young and 1 egg in nest at 1 p.m. 2 young at entrance hole, peering out, and 1 may have been out flying before noon, as tailless swallow, without much color was seen then. Caught and banded 2 of 3 young, the 3rd flying a distance 150% yards and up at least 50-75 feet above takeoff point. Both other young also left nest and flew almost as far after banding.

July 18, 1954 Sacramento Weir, Yolo Co. Cal if. dozens, and watched one adult feed young

perched on wire line, while flying.
Aspen Grove M of Fallen Teaf Tabo, Calif. nest in TEA side of Gead 6" June 1, 1958 diam . aspen at 81 in dying grove, and nest tree into 151 from think

9/11/68 Rebelote Say area, Del. 1000's in area.

5/6/71 - May area / Hill - coming wood Sack new Conce.

10/9/74 - Mankay Hoak NWA, Del - Jul al bino w/ degene of mornale. w/ / 10/9/74

Observer Fred Evendon, Jr.

Dank (Wallow 984-923-940-1512-1502-1563-1566-16133-1929-2310-2364-2493-2442-2462-2545-2629-2620-2642-

hiperia riparia maderia

icte

Location and observ tions

.pr. 1 25, 194%

L'edile de la complete de la complet

May 16, 1946

June 14, 1946

South Santiam Highway. Saw a few of them along the river. Niagura, N. Santiam R. A pair had a nest in a crevice of a man-made rock dike wall, just above the river; the nest was round and quite flat, because of the limited space. Grass stems were the main nest material.

5 newly hatched young were in the nest.

May 17, 1947 Marion, Miller Butte Quarry, "saw a pair of them - the first of the year for me ! They have a nest burrow at about 30 feet, on the wall of the quarry exposed SW. Maile I was near the entrance, the birds hovered chose to me, but I could affine nothing in it, for it was too dark, and too des to reach the ena.

May 18, 1947

Seal Rocks, Lincoln Cole a pair had nesting hole intand-stone cuiff by the ocean.

april 4, 1949

June 7, 1 157

- 1st of year - Cache Creek Canyon, Yolo God at hiway Bridge - 1130 a.m.

al outbrut edition in the set of the street of the set of a commission attribute from the color of the state of the TW 1 3 m 1 1, a d da a latter to the formation of the more to a latter by both and the more than the latter by a latter by the latter by thm m Tasis smilted to the homeway than the bank to them he than usu Fine sed at order con less that we have two particles and contract memory were 21, 10, 10, 10, 100 to be still a contract to a seminar were 21, 10, 10, 10, 100 to be as the contract to a seminar as a section of the contract to a seminar and the contract to a seminar as a section of the contract to a seminar and the contract to a s

april 23, 1958 June 11, 1958 Bear Creek let w/ Cache Creek, C. S. M. 6, SW Colore Co. Calif.

meric no. Sacraannto Gif. last year's colony practically mission because of bank slinpage, with only I occupied buryows there. Tound main concentration of nesting in banks of gravel borrow bits with many young about to fly. 75 adults total. On June 17, 12 adults: On June 10, Il adults seen, with young still in at least 2 nests.

\$4 \$7. CNS.

Fourh-winsec willow

16-76-147-152-161-305-386-398-590-541-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-544-542-513-543-666-632-651-658-651-658-661-666-632-651-658-661-666-632-651-658-661-666-632-651-658-661-666-632-651-658-661-666-632-651-658-651-666-632-651-658-651-666-632-651-658-651-666-632

	A STATE OF THE STA
Late	Location and observ lines
May 7, 1944	Mtn. Home Reservoir, 11 a.m. to 2 p.m. Saw them getting arinks by dipping into water of the reservoir, like I have seen Violeg-green Swallows ao, before.
June 25, 1948	Cottag. Grove Ferrivois Pont bring, in all bring parameters to be in
	of the illumetted., at u per one of the reliable North. Purious
	if above the court level, flat on the bottom, and over a chea. The ut
	8" deep, into makes chamber, but so extends some in a country of the
	next Locked vist. a cust in our of at 1115.
5/4/69	Willenty (+0 med - fr. of mest have, in the
/ 1	ment _ochec vist
2//	I have bank in meet on sadiely the arm
9/14/-11	y , was a second of the second

The state of the s 18838

Observer Freu Lvenden, 31.2639-40-41-42-44-65-2614-Milwarker, Oregon. 5 in up styred mind next attached to side of bare in hom. So I by for me Chord Field, Triona, Wash. -- 14:00 FWT. Large flock of approximately 200 individuals riad washirld on the comentage for about 300 year, from the wanger. One was an riving - Elvas of would size , win, ravite of project and a unnericuse of The wind my nor were a gray on suffer in. ndividual standard of a morely go in the owner tions amount has an of the mothery have that cause I way. (" and " and " . you try to for 'and real") July 14 1944 Stanley Baisin, Idaho. On Salmon River. One had mud cup nest under cement bridge across beave creek. Adult on the nest. April 22, 1947 12-mile Swamp, Corvallis: saw the first 2 of the year. Beauties. 12-mile Swamp, several pairs were seen, and one pair was found with a May 6, 1947 nearly concleted nest under a porch roof on the cabin wall. It is mostly of mud, cup-like, and attached to the wall along one side. Some grass stems woven into the nest, and Tiner grasses in the lining, with some feathers. May 13, 1947 12-mile swamp:" quite a few, and the nest being built last week was dry, and lined with red chicken feathers. In it was one delicately spotted egg. May 20, 1947 12-mile Swamp: nest had 5 eggs today, and more feathers added to the lining. 12-mile Swamp: severa son. The nest still has 5 eggs in it. May 27, 1947 June 1, 1947 Silverton to Stayton: 1030 a.m. These, in company with Chiti Scal ows were flying around the area during the heaviest part of a big storm. June 7, 1947 12-mile Swamp: several over the swamp. Nest had 3 young, and no sign of two eggs extra we bund last/week. Fir feathers communication wings up to 8/8" long. Danded the 8 young. Parestruttered singular notes as they swooped up to the nest. June 17, 1947 Ik-mile Swamp: several pair of adults, and the S young in the nest are about 32" Long now, and about reacy to Leave the lest. Page c. Loring aeveloping already, but no elongated tail, as jet. reces in large bive on floor under nest. June 25, 1947 12-mile Swarp - nest vacated, and fallen to the 1100r; many bilds around. 12-mile Ewamp, 550 a.m. many of them present. The hovering, of the July 24, 1947 circling over the taber or high an the air, and other, general although its and Violat-greens on time rine; beside the room. The same observed to probe in the rotting wood of a Tence post Low Idea. There are an ting with Tule rens and long flarrows in the road july a rect in front of the car.

-2420-2476-2525-7-2532-2565



- August 9, 1947 | 12-mile Swamp: 100's over the swamp, and adjacent lields. In June 15, the nest being watched has reported knocked off the wall, to the or une, but today, I found a new nest just 2" from the site of the original nest, and an addat was flushed from the nest. The nest contained free s. It could be the same pair of birds.
- August 15, 19.7 12-mile (wamp: the most common species this p.m. lie nest that contained two eggs the other any had a tradic end. The mest was empty, and I found one embryo (without the shell) lying on the board worch beads the nest. It wasn't ready to be hatched by reveral days. The parent bises here not neen around the nest.
- August 29, 1847 | 12-mile Suamp: stemed to be everywhere, obspotted a sume almiro a little quicker than I can it, and we observed it for a shout that, a it is a around, and was chosen by the other carm scalaron. It wish't swin 75 rest from us. This "persecution" habit or the normal blooms as need at heCord Field in Sapt. 1845.
- June 5, 1948 cochum: O'soming comens are discuin ever our block let aver an hour from 2-2 come, collain leucly and de demantaly. To her n.
- June 13, 1946 he mile Feerp: quit a for aire same e, the one of him win have next in the wall of the cabin again, even the coor que 4 come in the next. Both adults six and entother I first same the next.
- June 21, 1848 12-direct amp: several police in acce, a content of acce. Lest contained 4 very small, freehly between yours, the months. Too small to cane.
- June 23, 1948 | 12-mile (namp: A or a pairs fracting her over the pair, chairs continuously to each other. Y uns in mest still too shall to behave 4 of them, and one oss.
- June 20, 1800 12-miles (said: 1 years rell from not to labor. I do not 1 number it. bended other 2 prisaries not open, but limes to 1 lorg, isather-include.
- July 8, 1 In-rice Stamp: still h your on nest, but it includes I rechecked it. It chimosa high into the are no circles acree site the error, without the least difficulty, a lift it as seen flying our re. Maybe.
- July 10, 1940 la-mile framp: permal palis. Place, both doubts at movious nest, which was in clean condition. Seggs. took pie of it. Bestin care, tox.
- July 18, 1988 18-mile of hp: 10-45 in area. Province here are 4 completely a
- July 29, 1948 If-mails from a mount on most request large on a in terms of me. b.
- Aug. 30, 1948 12-mile Swamp: several adult pairs over swamp area. Nest found torn from the wall, broken in two, and 3 young, dead over a week partially eaten and strewn within 20 foot circle of nest site. Primary quills to 1" long, sheathed yet. None opened. Could have been Gray Digger, for one has been living down chimney of this cabin.
- Sept. 25, 1948 Grey Lodge Refuge: 100's over the area, feeding and calling constantly.


 One group of about 200 seen perched on Cyperus at edge of large openwater pond this p.m.
 - June 11, 1949 12-mile (Wamp, Benton Co. Oregon: nest on shed porch, within 4 feet of previous nest sites. Cartriage box gone from wall. This nest build close under the roof in angle between west forch wall and raiter. At 7 haght. Nest lined with red and white chicken featurers. Incontained 5 leggs. Adults not near nest. at 320 p.m.
- July 3, 1949 12-mile Swarp, Benton Co. Oregon: adults and young common over many. Fair adults at shed. Visited nest and the young were gone. Durge pile of reces on floor under nest.
- Aug. 12, 1949 Lake Tashington, Yolo Co. Calif: only blover lake, but many cruising over irrigated rice field and Yolo-by-pass.
- Sept. 1, 1949 la-mile Evamp, Benton Co. Drovon: 75-100 seen. next last resorted still present, but cmpty. Obsar. recont pile still present on laser bules.



977 arch 27, 1950 - Chowelicia, h. N. Nieres Co., Bak. 1810 a.m. 1 pt 318 220. Pice country, & and A of illows, Giore Co. 1025 a.r. watched June 13, 1950 2 swallows persistently dive at a green heron in flight long an irrigation witch. Grasslands, Santa Fe Grade, Merced Co. Calif. common, and also seen in Aug. 25, 1952 tight flocks on wire lines with cliff swallows. Sept. 6, 1952 12-mile Swamp, Benton Co. Oregon. Many present. Tore two of this year's nests from wall of building. E of Mather Field, Sacto Co. Calif- Pais new Culwest March 14, 1953 -I was a strong to the section King de contrary & in to if const was a first wife . I then in a not by many a see to my my my my a of Continue and I will in the p' wit Virginia C to , levade. Atched chasing each other virginity, and then watched mating and/or conduction take place on mound abovered out. May 19,1955 Carson Valley, .. of 'a drarville, 'avada. Intimentation to in hill-sir. Nav. 23, 1956 - 1 st seen, E of atras dets, Colif. June 17, 1957 - Pair will next is knowing Culvert over water at Pacific House, Eldowing 6, Califon 4.5.50. Sept. 28, 1957 - I. Wash. Yolo Co. Caly - 100-125 from avallows over water ton wive lines. Sept. frant they then, with the part to be placed to accommend the Depoe Bay, Lincoln Co. Oregon. common along the coast. Nest Aug.21,1961

Aug. 21,1961 Depoe Bay, Lincoln Co. Oregon. common along the coast. Nest with young over porch on dock building in Bay near all-night light.

5/19/11 Fouten Daw, 10 c. feding young without gother of the factor of the form of the for



254-2256-4256-2259-2259-2262-2310-2319-2319-2325.2347-2351-2-2361-658.2371-2420-2470-2525-2538-2545-46-2555-2536-2609-2621-2624 2637-39-Observer Fred Lvenden, Jr. My 13, 1941 creathous contact capur. April (0, 1.4% on on the second of the bound of the second Inake R. Bridge, near Pasco Un' found old nexts undersite of wings. Jan 18, 1944 Mtn. Home AAB. Idaho to Snake R. actually nesting under overhanging rock June 7 1944 cliffs above the Snake river. Stanley Idaho. There were 15 nests and 1 robin nest, in a row, under the July 14 1944 eave of an abandoned building. The robin nest was on a small ledge under the cave. Calapooya R., Found one lying dead along the bank of the stream, and so Apr. 17, 1946 far this year I have not even seen them flying around here ! 12-mile Swamp: were present in such huge numbers over the swamp and ad-April 8, 1947 jacent area this afternoon that it would be difficult for me to estimate the numbers, for they were feeding close to the water, as well as several 100 feet above the ground. I'd roughly guess at least 500 were seen, consisting of 3 parts V-g's to 2 parts Cliffs and 1 part Tree Swallows. April 11, 1947 Lewisburg - thought I saw them building nests already under a barn eave. Jefferson or a few seen, and I observed one female perched on a wire line May 17, 1947 with the male trying to mount, but the weren't too successful. Each time he approached, she stread her wings a little bit. July 30, 1947 ball to the ground alter I hit it Tairry nigh. I. side Camp Adair, δ a.m.: this species and Violet-Freens were squatted August 16, 1947 in the adduce of the surfaced highway this a.m. in considerable numbers. and apparently just sitting there. It has been maken a limit this as..., and the birds could have been securing wasmith from the pavement. Poison Oak L, Jinn Co: Saw just one beating back and forth low over a Apr. 4, 1948 green wheat field. It came within 25 feet of me, to the routh, so I had a good view. Camp Adain: Therting under I side caves of abundoned farmhouses. May 30. 1948 lern Hiero Les avoir: "O or more in smolles on a vello. Testl, immediate. Some just sitaire, others (violate, pictime or pile, art July 23, 1948 I'm not sure. Farmington hes Site: colonies under every culvert and bridge over rater May 19, 1949 in this area. Coast S of Malpaso Creek, Monterey Co: common. Mests on over-hanging cliff May 21, 1949 at head of quiet bay within 3 feet of 3 Bairo Cormorant nests. Some of the nests were gourd shape, others just cups or saucers. S. Fk. Humboldt F. 1ko Co. Nevaoa: 63 nests in small, open shed at 8-1/1. June 21, 1,49 Found 107 dead young in all grout, stages on the floor of cirt. 27 on these were live ones. Some nests may have been turn down by someone. Tune 23, 1949 N. Fk. Humbolat R., Elko Co. Nevada : 100's or ne ts o. critis at rivil's Gate. Ora Ferry area-Chico 487 on power iles over liver - a mismation libek? July 11, 1949 July 29,1949 Woodland - Willows, Calif. - dozensowe most fields. Mendota Pool, Calif. 19-1500 on dire lines need or over the river, not Aug. 2, 1949 associated with the tree swall on illocks.

Farmington Res. Area, Stanislaus Co. Calif. 200-225 nesting in recently May 19, 1950, completed outlet culvert (April 1950) for the Fock Creek end of Farming-ton Lam. They all circled close about me while I was at the culvert, giving their annoyed call notes, and some flying very close to me.

March 19, 1951 Hogan Res. Calaveras Co. Calif. First vanguard on March 13, and most arrived on March 18.

April 18, 1951 Morro Bay, Calif. 500% nests in east-facing cliff formed by slice,

July 1, 1959 - Sulter Co NW of facto Calif. Many small yeary still in 1 sets to dear over before the atte good Banded 11 - 2 gray 9 court Left eye of one wooding about them white.

June 13, 1954, Sacto. Weir, Wolo Co. Calif. adults and young - 125-150 closely perched on wire lines and dipping into water.

Carson Fuller, joedsford-lenoa, Hovada, 1:0's over sure and canture ores. May 17, 1955 Narch 18,1958 15 20 colo 16 2 St Corde, Comes. R. Juste Colf. August 16, 1958 - Literly Solutioner, North Riv Vista Cold-Silvan & - 1000 2 / Ceiffs

July 18, 1958 - Pone Reach, T. Into, Chill. Among a good y number of normal numaced

Cliffs was one with year back. gray tail and your light with

Cliffs was one with gray back, gray tail, and very light wings (buffy) June 29, 1959 Montezuma's Castle Nat. Mon. Yavapai Co. Arizona - nesting above castle.

Mar. 21, 1960 1212 of Nintes Dan P. M. Dite, and R. Sout Go Colf

aug 17, 1461 command of to go told nests, on Ne facing cliff, 5 art phinay, lef groups as told nests, on Ne facing cliff, 5 arts phinay, lef groups a saturate.

Observer Fred Evenden, Jr.

10-8-52 3-10-50

Ful ple he	artin 1596-2236-2239-261-
?rogne si	<u>abis subis</u>
Late	Locati na na observiti na
7-10-43	Tacoma, Wash . Lostof
	In notion was some conest in more in anotal cornect and
	old jarage including.
May 22, 1946	12-mile Swamp of In with hundreds of Violet-green and Cliff Swallows were a few of these, the first I have seen in quite a long while. There were some mature males, all purple-black, and there were females and immatures with considerable gray on the body, with a definite gray collar. The tail was plainly notched, on shawlowly forked. They were fast, strong, and graceful fliers.
	Claudamen & the Sant Marshall award ween.
June 7, '47	12-male (wamp: Tom accallister and I spotted 5 or 4 circling fairly high over the field, just east of the swamp, incompany with Earn anallows. have Marshaul reported them carlier from the mtra. or the top in a accumus h
July 24, 1947	4 miles . Si radire, have to 15 to 20 of the percess in dead to aranches of a very tall I. rir, in an old created correspondence. South. I the tree was alive. The pirus were carring continually, and some sature take wind, and chicke, and cour, higher and higher, eventually several and be together, way up there.
July 24, 1947	S. edge, Fern Lidge: a flock of the perched and lighted to and flow abstract very tall L. Fir write has the top heaf dead. The, souled more than they bear the wings.
August 8; 1947	Tern Fidge Lam. one immuture bird seen Feeding over later with Cliff and rain (wallows.
Aug. 29, 1947	Fern Hidge Pam and 4 miles Fof Flatine: both sites located shove, but this species has evidently left, for hone were soon at either 12 ce.
	12-line Cramp of those to said before must have been the vanguero for the crest of them, for today there were covens of adult males, resulting and immatures of past your present.
July 28, 1.48	(lavis Lake: On take of an instruction of the same light over the fact that the same of the date that the same the same of the same that the same has a same transfer.
	Cottage Grove, Oregon - At 530 p.m. there were about 25 acults circling about over the railyara and hiway near the building where they have been seen the past couple of years right in town.
July 9, 1949 Jaconnesto, Calij	of Vitte to the little of the intersection could hear their colle
Jaconneus, Cary	obove the din of the Sat. p. m. traffic & shopping mots. appeared to
	above the air of the variable of the
	be of or immatures.
Aug. 4, 1949	akab bro ave., Sacramento, Calif. 715 p.: . Two ware of the outside my window, and circling over the houses in this neighbrile a.
May 15, 1950	factorisato, 12 + K - 5 p. m. 1 pel. at sting to alling must litely a.
May 17, 1950	
. 1	creek. Some of them came in for landings with the wings nearly closed, opening them just before lighting. I also saw martins last evening in Orland.
May 9, 1951	
March 24, 1952	2 flew Hover P.O. why. Abison Sec. curvilen continued 22, 1952.
3 10 53	a to the state of

8 a.m. 2 pr. mes F.O. - Cityoffell area, Souta. also 3-16 at 8 a, m.

3.24.53 - facts City Hall, calif. 420 pm. 2 dozen active about comices, flying over AO. + colling - 1st time active this time of day since seen this year.

Park Commence of the Commence

PURPLE MARTIN

May 7, 1955 El Centro Road, Jacto. Co. just N of Garden Miver. Hawking inscoto over alfalfa fields - 8 of them with tree swallows.

June 16, 1955 C. Jv. Mus. 4500 YST - Sasts - 3 av Your area this p.m. Moetly silent.

11.5:22,1960 Many deventerent needing in contice marker with first & SETE Cycle of my Saite, Cety. 8 ann. With 1,14 feeding by goth organ Reference

June 22, 1960, Woodland Road, Yolo Co.Calif. 3LTp.m.DDST. ladule and 2 F or imm at Amens Landing beside Sacto. River. First time Ive seen martins away from city habitat in a long while.

		•		,		٠	

Obsciver line venuen, o.

Rocky Mtn Jay

unc i liele ura; on vie e .v a:

Parison us canadensis capatalio

Late Locata in name of the re-

- May 18, 1946 MacDonald Forest, Lewisburg, 7 a.m. Saw 3 or 4 of them. 2 may be immatures.
- Nov. 2, 1946, Machania lorest, Same to an our maio seen auto, in ...
- June 19, 1497, Maclonala Forest, 3 p.m. I watched a family group of a birds working thru the upper branches of the 1. Fir on the north stope of the mill I was on. The gun-metal coloration of the p/4 grown young was distinctive, as well as the lack of head markings. The dirds had a which-like note they gave every once in a while. They acted very restless, and her or less "leap-frogred" over each other from tree to tree, seldom heating their wings, but just sailing to the next tree, and then hopping from them to limb, upward, before capting off again.
- June 50, 1947 Maclonlag Forest a pair of acults and at least 5 your on a linear period in fairly heavy timber.
- August 7, 1947 Mclonald Forest: a troup of 5 flow "low-from" style tracker the surmous on a No slope, about 950 a.m.

16-43-132-167-168 169-170-171-173-174-155-417-419-420-421-622-723-725-770-771-772-837-910-914-1269-2635-

Graj Jaj

Perisoneus obnoulum missus

\	
rate	Location and object viting
باند و ند ۱۰ کامادد ا	John Jan 1994 Valle () and a series of the
د و بد • شند.	
August 9, 1946	Jorn Lake, or Acults and yong around the camp area. Loung still of bluish-gray color.
Nov. 28-20, 2047	
March 20, 1948	Hoodoo Ski Locge, "Santiam Pass - several ar und the Locge. Very tame - Many scolding and call notes heard.
July 16, 1949	Grass Lake at buther case, il lorado Co. Cali: although clear of the range for this species, I am sure that I beard a look ording through the forest out of eye-sight.
Aug.16,1961 Aug.17, 1961	Annie Creek Camp, Crater Take, Nat.Park, Klamath Co.Oregon. adults and a few young in camp area. Clear Lake, Mt. Hood Nat. For, Wasco Co.Oregon 5 ads and 15 young seen.
True out 9 11/01	. Ordar Hand, hold had ber, masco de on egen 5 aus and 15 young seen.

Blue Jay

Feb. 15, 1953, Greggton, Gregg Co. Texas. First thing this a.m. I spotted our first Jays, and of all places - had to be at a garbage can! (Reminds me of our first grackles in 1951 at a garbage can in Las Cruces N. Mex.) The jays were common in this part of texas, in town and in the woods. Have a variety of calls with which they thoroughly confused us many times. One particularly interesting call was a "mew"

Mily 7, 1970 - Sej comes Faceding, Med - meny light.

Segt 75, 1971 - they form, bill. They et 36.

5/2/19 De Faller Va - steady fieight N - money lighty - cold framely,

5/2/19 Muglos Hollow, 440. - 125 to N.



Observer Free Lvenden, Jr.

Coast Jay

Furber of while tri, on . it was 2-7-11-13-14-15-19-22-23-26-29-31-32-34-36-55-56-64-70-90-92-94-95-96

. ate lucting siver: Distence to Joy at a fire resource of the second October 15, 1940 wire and, lost in the thir my that I is ever a second law. Larch 18, 194% cosepuing Paya Rot. Seed: the darment being one at in the follows come the illustrated the one Header' the engineers are not come to

summer! orning. april 20, 1946 18 mi. N. of Corvallia. Stornach contained numerous Loap Creek area! sierce of grit, plus the leg & 2 chilonene thylor of a lost to family Burnestridie, the metablic wood horas.

Oak-fir belt 3 miles W of 12-mile Swamp: saw a couple in oak fence row. Feb. 25, 1947 Gave regular scolding notes, as well as the old "Red-tailed Hawk" call.

March 26, 1947 Lake Anza, Tilden Park, Berkeley 1400 PST - in evergreen Eucalyptus groves in fairly large numbers - I saw 10 or 15 of them in a short time

Oak-fir belt 3 miles W of 12-mile Swamp: we flushed about 7 of them from April 8, 1947 an oak-serviceberry fence row along the road at about 445 p.m.

S. Spur, Maclonala Forest. 5 p.m. quite a few seen and h are, siving many May 29, 1947 different calls one pair courting. One flow over, high, giving a sort of "creak", like a raven. Another did an outside loop. Leveral calls were given, that I never heard before.

S. Spur, MacLonala Forest 4 p.m. Again I heard this strange repetroire June 6, 1947 of call notes heard rast week. (aw 7 in one flock - all adults, I am quite sure.

MacDonala Forest, may in the area, some bosy pecking on stumps and tres, July 12, 1947 and others giving hea-tail carl, and one being chaped from a leptern Tanager nest it may have been trying to rob.

Sept. 15, 1947 Helick thats mak, can bo into a. . 28 from one in a line her struts iron media puele .

ino production, forver in Order Louis or -. Fire an are on a Oct. Loth. 1:47 Dotto recos, scould no sett acome no outs.

Oak-fir hills W of 12-mile Swamp: at least 6 of them in oak-scrub brush

Feb. 16, 1948 fence row along the road up, as last winter.

Milwaukee, Oregon, Clackamas Co. 3 miles S on Alder Road. March 23,1948 The jay nest was in the heart of a L. Fir area, 100 feet in from the edge of the woods (D. Fir and Cedar). The nest was 25' up, at the base of a limb against the trunk on the west sice of a 12" die. D. Fir. 3
The nest was completely shaded Completed Mar. 282, Eggs, apr. 222-1999

March 17, 1948 F. of Gervais, Marien Co. Fa couple in river-potton brush, near lir woods

april 3, 1949 When there I tomother use with you in at the test was a contract fort Exection, him wife, how the Burge is how to

Pudding R., Woodburn: Of a couple calling, I feeding on hazel nuts. Aug. 20, 1948

Tong Tom R, 3 mi. N of Monroe, Benton Co. Tone pair - cracking acorns.

Euroka Micros St. Lak for Sand in W. Transport (Transport) Transport of the formation of the first of the sand in the formation of the first of the firs Feb. 1, 1949

The state of the s

Observer Fred Lvenden, Ji.

Tate Locality and observations
Whareh 22,1950 Sownieville & fierra city, Sierra Co, N. 7h, Yubak of the only birds seen or heard

this a.m. Windy & RW-.

May 19, 1951 Yosemite N.P., Mariposa Co. Calif. When food was put out for birds and squirrels, these jays always bluffed the robins and the black-headed grosbeaks, and took the food for their own, burying it, and returning for more immediately.

Sept.8-9,1951 Manzanita L. Lassen N.P. Calif. Very few around this camp - unusual., when compared to other camps and national parks.

Oct. 3, 1951 Strawberry Cr., S.Fk.Amer. R, Eldorado Co. Calif - watched one flying between pines, taking insects on the wing.

June 14,1952 Yosemite Valley, Calif. These jays were bluffed out of food by black-headed Grosbeaks.

June 26,1954 Harvey West, U. Echo Lake, Eldorado Co. Calif. Saw chased by warbling vireo.

Now. 17, 1957 Robow Hopen Son along Glassoo R, Galasto G. Gelf. 17 sen in willow trees this gam.

Sept. 7-9, 1958 Zophyr Point, T. Tahoe, Tevada. On several occasions T watered these

birds chase Pigmy Nuthatches for the food their were carrying.

Sept. 1, 1959 Silver Lake, Amador Co. Calif. 1st callers in early morning. Red-breasted Nuthatches were next.

•

obcerva irea ovanaen, or.

slac. - here it ...

Umo i di Tiene tri, di Jene tri, v. 1011 e. . v. 1 281-328-333-417-421-422-423-425-426-7-0-124-725-726-730-771-1208-1210-1818-2683-

Cyanocitta to and sources.

Late

LOCALING ROOM VOL.



-1593-1595-1596-1547-1605-1607-1608-1614-1619-1620-1622-1638-1643-1645-1660-1661-1662-1672-1673-1675-1679-1684-1692-1698-1700-1704-Observer Frea Evenaen, Jr. AMARI OF FACILITY OF ECONOMICS The pent had one egg in it, wich the lay has broad upon. The next and 6 rect off the ground. woodburn: Desingle he came right into than and one out of a our nouse. and him control of the first the second of the first many is the interest. June 25, 1.41 ordered on the ordered and equally on the co. They have a real conthe charier. Corvallis: Of Saw four of them feeding on the berries of the Blue oct. 15, 1942 Elderberry (Sambucus couerulea) Fream (MB.T. C. 48 - Saw one chosen Calif. Mockinghing! 5-16-43 Woodburn, Oregon Rist, Nendel's back yard. May 22, 1944 Nest in a holly hedge. It is $8\frac{1}{2}$! from the ground, near the top of the hedge. It is of heavy twigs, smaller toward the inside, and with the fine rootlets and grasses just under the horsehair lining. The nest cavity is 5" in diameter and 24-3" deep. Contained 4 young. They are feathered slightly on the back, wings, head, few on chest, etc. Primaries \(\frac{1}{2} \) to 3/4" long. Scapular areas bare. Body feathers generally gray colored. Body about $1\frac{1}{2}$ " wide and $2\frac{1}{2}$ " long. Bill over $\frac{1}{2}$ " and is pinkish. Head to bill $1\frac{1}{4}$ " long. Eyes are open. Sept 17, 1946, Invery Park, Teveral in the Goods. Out in an open field deside the park, I came upon 7 of them feeding on the ground. The plant the plante very bright, withough they must have been your bines. This flow into one large maple, as I approached. ; "bachun," il wan. Fore, , call, call. In cit, ing ballier of Tec. 24, 1946 Pyrodantha in it: il. burie. another object under a Port Prior Genur, sp. soveres it with the serve, in "mus," used to.
"Poison the "Is, limm to "Is a subject to be the s, a subject to it the Sept. 17, 1947 ouks, a cuting account, and all in took that the them.). They tours to live class eithermore in their views, and it consider the tone, committened .. . och tary lam, corver i . ? ' Oct. 16th, 1947 revenal reduction, and others of served recurring deems, and lying to their special tree literates. Mar. 17, 1949 E of Gervais, Marion Co.: a pair in dense hawthorne and willow thicket Woodburn, home: at least 5 in area with 150 feet of our house. Adults Aug. 18, 1948 teaching young to fly. Young "screech" constantly & such times, as parents leave them. Birds are bold. At Nendels, they light on back steps, squawk, and upon being tossed bread crumbs, keep quiet, feed, and then fly peacefully away. just below Kings Campon hat. Park, Fresno co. at 400 jet in chapara. Mar. 22, 1949 April 30, 1949 2228-3rd Ave. Sacramento: pair have nested in vine on south side of Jude's house. Nest against the house, but built in the vane. Cup lined with fire rootlets and hair . Ver y well-sheltered by the leaves. This part of the house is shaced by large white oak over the house. Each time I looked,

house. Nest against the house, but built in the vane. Cup lined with lire rootlets and hair. Ver y well-sheltered by the leaves. This part of the house is shaced by large white oak over the house. Each time I looked, a parent was on the nest, even in the warm afternoons. The other adult came to the nest, and fed the brooding adult. No noises ere rade. Then the brooding bird saw me and left in a harry, tumbling very maked, still—blind, young about in the nest. One ended up up-side-down on the rim of the nest. At this moment, the adult that had been feeding the brooding adult just "froze" at the edge of the nest, and made no movements for quite

Pare :.

- April 30, 1949 continued: some time. There seem to be 4 young and 1 egg in the nest, although I cannot be certain from the view I had.
- May 7, 1949 2228-3rd Ave. 4 p.m. The adult jays have been around all week, and this morning about 515 a.m. one started calling continually till about 7 a.r. Most of the day they were very quiet. I decided to bend the young this afternoon. I found all of them still blind, two larger ones, and then the other 3 graded down in size to the smallest which was about half the size of the larger ones. This was probably the one's till in the egg when I observed them a week ago. Its skin seemed quite dry compared to the others, although the next to the smallest young s eemed to be the weakest. All of the young were still bling, though slits up to 1/8 inch long were developing in the two larger young. These two biros also were developing a few tracts of pin feathers, and these were also vointing out of the wings, as well. Fost of the body was still very naked, however, as was the case with all of the younger birds. All young had well-developed tarsi, and so I banded all 5 of them. Thile I was reaching into the nest the purents hung very close. and one remained reserved and more or less aloof, but the other (set?) made a pass or two at me, and screeched continually and worked through the vine very close to me. And to show its anger it would light on the edge of the roof, and interrupt its screeches with a few vicious, resounding pecks at the wood. It also did this to a limb of the oak tree. The parents went to the nest while I had all 5 young out at once to band them. They returned to the nest within 2 minutes after I replaced the young. At 7 p.m. one acult was on the nest, and the other was working toward the nest &thru the oak May 9, 1949 615-645 a.m. The pugnacious member of the pair benceforth called "pug" was
- May 9, 1949 615-645 a.m. The purnacious member of the pair benceforth called "pur" was perched on the wires peoring into my window when I woke up. Hen I began moving about "jur" became very excited, screeched at me, lecked viscitually on the wire, and then flew to the reof of my room, giving more attempt, rapid pecks now and then, usually in groups of three. Techsicually it made a pass at my swing-open windows. I checked and the other bird was on the nest.
- May 10, 1949 630 a.m. We parent on the nest, bug "pug" gave much the same percording as yesterday at the same time, but with more screeching. This afternion, about 5 p.m. "pug" came to peer in while I move about the room, and unen I turned on the floor lamp, I link visible from outside, he screeched a couple of times. The other parent came into a nearby fig tree, but did not come closer, later bringing lood to the nest.
- May 11, 1949 6:30 a.m. Again "pug" was on the wire outside the windows peering in, occasionally screeching, and more often giving those viscous, resounding pecks on the wire, or on the roof, or limps of the white oak. Pug even lit on the window sill. The other parent was on the nest. Int 7:15' I looked at the nest no parent on it, or in view, but as soon as I reached for the young, here came "pug", making close passes at me. The smallest young, the 5th one, just about has its eyes open and the gir feathers of the winds are about 3/16-1" long. The other 4 have the tips of the feather shalts breaking open some Their eyes are open. All have a dark gray skin.
- May 12, 1941 No sign of them this a.m, tho I didn't look. At 530 p.m. Pug proked on the roof and hopped to the wire and then looked in the room as I had the radio going. No screeching. At 7 p.m. one hault (pug?) was on the rest, lacing toward me (west).
- May 13, 1949 5-630 p.m. Although it was windy outside (%10-25) and I had the windows closed, "pug" would peck on the phone wares and insulators, or the root, and then hop over onto the dires where it could peer in on i.e. it alongs come lots faster if I answered by tapping the wall. This procedure was repeated 6 or 7 times in the 12 hours.
- May 14, 1949 8 a.m. Pug saw me get out of bed and came to the window and pecked on the top of the window grame.



Interior Calif. Jay continued; 6/

- May 15, 1949 Il a.m. Pug saw me get out of bea and pecked on the phone wire, made passes at me, and lit on the top of the opened window several times, and pecked. This was repeated again at 115-130 when I was reading in bed. He was very curious, etc. About 350 I spotted pug in front of the house, getting insects from the branches of the sycamore. I saw it pick up at least 4 insects, or catepillars. It's throat was swellen out so there must have been several more food items being held there. One worm and a catepillar were held cross-wise in the bill. I have seen the two doubts within a food-gathering radius of 125-150' of the nest site. This writing this note, "Jug" just came in and lit on top of the mindow, and jecked loudly. I have both the light and the radio on, either of which may have attracted it.

 May At 430 p.m. I checked the nest. All 5 young are in good health, even the smallest. All have eyes well open, and have a fine cover of gray color,
- May At 430 p.m. I checked the nest. All 5 young are in good health, even the smallest. All have eyes well open, and have a fine cover of gray color, except on the underside. 2 or 3 rows of wing primaries are up to 1 "-1 3/4" long, with partial veins up to 5" 5/8" wide. All 5 young were "piled up" facing E, with heads layed over one in front. Bug screeched louds, the whole time I had young out of nest, and case within 25 feet of me.
- May 16, 1949 6 p.m. No adults seen tile I was in room for a hour, then pug came, lit on wire and pecked at insulator, flew to window ledge, but dien't peck, and during next half hour made several pas ses at window, as I sat there, reading, bidn't see mate. No adult on nest.
- May 17, 1949 610 a.m. I had been stirring in bed a little bit, and pug lit on dire and pecked, off and on, pecking in. No calls. At 630 p.m. I was sitting in the rocker and he came gain and recked on the wire, but, like this a.m., did not make passes at the window.
- May 18, 1949 640 a.m. Pur pecked on Window sill again.
- May 19, 1949 645 and 715 a.m. Pecked and squawked other adult came from nest to join pug, but did not carr, etc. 550-7 p.m. pug pecked and made more passes at my window.
- May 21, 1949 5 fully feathered young in west. Parents not seem.
- May 24, 1949 Juda's trimmed vines today and said the nest vine gave way in the um.

 The young left it in the p.m.
- May 25, 1949 Pug pecked on the window and screeched at 515 a.m. and repeated this on till 9 a.m. when I left. I thought I could hear the young "ch rring", but did not see them. Adults were carrying food to them, however. 5 p.m. Litto.
- May 26, 1949 No pecking in a.m. The adult came and "peeked" in at 630 p.m. but did no pecking. I though I heard one young "churring" for foa. Havent seen any since the nest vine dropped down, though.
- May 27, 1949 7 a.m. Came to wire and pecked no call, though. At 550 p.m. pug made asses at the window and called and pecked. The mate sat by in a nearby shrub, but said nothing. Haven't seen the young sine they left the nest, but assume they are being fed by the arents I see carrying tood. Hear their "wheezy-churring" notes off and on, as they call for food.
- May 28, 1949 Il a.m. Pug came to wire and peered in no passes, call, or pecas. Heard "wheezy-buzzes" of young. 4 p.m. Pug pecked, passes and called at my window I found one of the youngin a Port Prioro Cedar about 50' from the next site.
- May 29, 1949

 930 a.m. Pecked on vire, then flew to oak limbs, and I waved and it made pass at window, and lit on top of it, pecking, then I waved again and pug made pass at screen between the two of us, and found himself trapped. He fluttered about for 15-20 seconds, like a butterfly, and finally dropped out through the opening at the bottom, flying to oak, and not long after making another pass at me. About 330 p.m. I was out working on my car in iront of the house and pug dropped down to a low limb of a sycamore to scola me. About 630 p.m. he pecked on wire line outside my room.
- Sept. 10, 1949 MARE-Era Evo. Pacremento: 5-6 jays in the trin white bear over the nouse every day, charing each other, screeching, and feeding on innects and the maturing acorms, which seem abundant this year. Causht whingses of Low bands on two of their (perhos my bands). Out no responds from their as I did during the nextling period. Also, the species is very conton all through town, in the tree and chrubbed areas.





543 -1238 - 1341-1546? - 1752 - 19350 - 2007-2020-2104 - 2108-2132-2352-2464-2525-2645-

Woodhouse's Jay

Aphelocoma californica woodhousei

2544-2546-2611-2613-2617-2620-

944-945-1007-1009-1036-1037-1038-1041-1058-1388-1389-1544-1631-1632-1789-1791-1792-1798-1799-1800-1806-1807-1808-1885-1886-1887-1890-1884-Southern California Text

Aphelocoma californica californica

Sept. 5, 1948 Griffith Park, Los Angeles: several seen and heard. Feeding on cherry fruits.

1098-1091-1116-1359-1361-1478-1480-1498-1499-1500-1501-1502-1503-1504-1685-1687-

Northwestern Calif. Jay

Feb. 22, 1951 Resaca at Olmitas, Cameron Co. Texas - heard them several times, knowing call from description in Peterson. After much searching I did catch a few glimpses of the jay in the dense undergrowth bordering the resacas.

			•
		•	

.

76-236-259-263-268-269-271-274-275-280-281-287-288-290-291-

293 - 294 - 295 - 291 - 365 - 301 - 303 - 305 - 307 - 309 - 317 - 320 - 321 - 322 - 326 - 332 - 336 - 337 - 338 - 339 - 340 - 424 - 425 - 922 - 923 - 972 - 1092 - 1096 - 1151 - 1217 - 1311 - 1312 - 1373 - 1395 - 1396 - 1373 - 1395 - 1396 - 1373 - 1395 - 1396 - 1373 - 1395 - 1396 - 1373 - 1395 - 1396 - 1373 - 1400 - 1401 - 1402 - 1405 - 1406 - 1407 - 1408 - 1492 - 1560 - 1582 - 1704 - 1745 -

iste Location in observations

Maaras Picked up young one cut of nest near here and run; of it ask summer. Record is in apparets report in that sincer. May 16, 1941

Mar 31, 1944 Mtn. Home to Boise, Idaho. Saw them feeding on a cottontail that had been run over in the road.

Apr. 7, 1944

Apr 12, 1944

Apr 17, 1944

Mtn. Home Reservoir, Idaho. Several pairs were seen and also nests. I found 3 old nests and seven new nests, 2 of which had eggs. One nest, at eye level, had 4 pale green eggs, heavily marked with dirty brown. The other nest, at knee level, had only 3 eggs. The eggs seemed to average $1\frac{1}{4} - 1\frac{1}{2}$ " by 3/4"-1" in size. The vegetation around the reservoir ranged from acres of bur-weed to scattered patches of shrubs (willows) up to 10 feet in heigh. (One old nest was in sagebrush). Nests were at following levers (the actual nesting cavity): 7', 6', 6', 4', 5', $2\frac{1}{2}$ ', $3\frac{1}{2}$ ', $4\frac{1}{2}$ ', 5', 6Mtn. Home Reservoir. On April 7 we found 2 wwith eggs in and today we checked those, and found 3 new ones. Enough to make a study, so here goes! Nest 1: Now has 6 eggs arranged: 222 On April 7 it had 4 eggs. The M & F were close by.

Nest 2: Now has 8 eggs arranged: So On Apr. 7 it had 3 eggs. F on nest.

Nest A: Has l egg

Nest B: Has 3 eggs See attached map showing nest locations.

Nest C: Has 4 eggs We measurered distances between.

Mtn. Home Reservoir: Black-billed Magpie nest study continued: Apr 17, 1944

Nest 1: 6 eggs - in dead bush, 4' high (The hts. are from the ground Nest 2: 8 eggs - in rosebush at 2: feet

Nest 2: 8 eggs - in rosebush at 25 feet to the rim of the actual Nest A: 4 eggs - in willow 44" high nest cup or cavity).

Nest B: 0 eggs - in willow 5' high - on Apr 12, this nest had 5 eggs. We

Nest C: 7 eggs - in rosebush 22 high /could find no trace of the eggs. Nest D: 1 egg - in willow, 3' high

(Nests B & D are in isolated Nest E: 3 eggs - in dead willow, 3' high /bushes open for at least 25'

Nest E was observed on april 12, and was a nest of around them). last year. Since then it had been rebuilt and occupied. As 3 eggs are missing from Nest B, could they have been carried by the parent birds to this new nest? The 2 nests are approximately 250' apart. We observed 6 pr of Magpies and there are 7 nests (1 now deactivated).

Mtn. Home, Idaho, Area II, south of town. There wer 30 or 40 in this area and we recorded data on 17 of their nests. There were several more that

we aid not go to this afternoon: No. eggs arrangement Ht. Nest (ft.) vegetation type

1	6 078 S	42 (over HOH)	hawthorne
2	0	5	sagebrush
3	2 00	5 (over HOH)	willow
4	8 ~5550	6 (over HOH)	sagebrush
5	8 08820	$4\frac{1}{2}$ (over HOH)	willow
6	7	4 (over HOH)	willow
7	6 388	4 (over HOH)	willow
8	6 000	6	willow
9	6 999	5	Willow
10	7	6(old crow nest)	hawthorne
11	6	5 ½	Willow WILLOW = 12
12	6	3	? SAGEBRUSH = 2
13	6	∠ }.	Willow MAWTHORNE 2
14	8 000	6	Willow UNKNOWN = 1
15	6 eggs small &	$4\frac{1}{2}$ (or en on to)	willow
15 16 17	6 eggs small do	7~	willow
TOTAL	4 80 88 79 Esses	84 = 4.941 = 5 FT. AVE. HE	willow WENT



B-30'



Pica pica hudsonia

Apr 22 1944

Mtn. Home Reservoir, Idaho

Nest 1: 6 eggs Nest

Nest A: 6 eggs Nest C: 7 eggs

Nest 2: 8 eggs Nest B: 0 (lined with Nest D: 2 eggs (horsehair lined)

fine rootlets)

Nest E: 5 eggs: 800

Nest F: New - $2\frac{1}{2}$ feet high, not lined yet, but has fresh mud in it.

Nest	Apr 7	Apr 12	Apr 17	Apr 22	Apr 27	May 2	May 7	May 12	May 17	May 28	Jun 15
1	4	6	6	6	2 eggs 4 yng	6 yng	6y	6 y	6y	-mpty	emp ty
2	3	8	8	8	8	l egg: 7 yng	8y	8y	8y	empty	empty
A 3	Bldg	1	4	6	6	6	6 yng	6 y	6y	6y to leave	empty
Вч	Blåg	3	0	0	0	0	0	0		0	О
C 5	Blag	4	7	7	7	4 eggs 5 yng	7 y	7y	7 y	5gone 2 ye t	empty
D 6	Bldg	Comp	1	2	4	4	4	?Ze?	?2e?	ly Oe	empty
E 7	Olá	Old	remod eledz	5	5	5	5	4 yng 1 egg	4y le	? <u>3</u> y?	cmpty
F 8				Blag new	Comp	1	. 0 ??	3	7	7	7 yng 1 week to fly
Total	: 7	22	29	3 4 4	36	3 7	36?	58	42		-

It looks to me as if the pair in Nest D are building nest F & plan to move there as the pair in nest B moved to Nest E. It so happens Nests B & D are in exposed open sites. Could be young birds learning their first nest-building lessons. I'll bet! 4-22-44 FGE Jr.

Apr. 27, 1944

Mtn. Home Reservoir 1030 to 2 p.m.

Nest 1: 2 eggs and 4 newly hatched young. They are naked and the skin is brilliant orange. They had skin over eyes, etc. but was discolored bluish there, where eye cours showed thru. Blind. Bill is quite soft ½ to 3/o" long. Legs and wings rounded and undeveloped. They move bodies a hittle bit. Head about 3/4" long, body 12" long. No egg shells in nest. The female stayed on till I started to look in the nest

Nest 2: 8 eggs - Female stayed on nest till we were 5 feet away. Evidently they will hatch in a day or so.

Nest A: 6 eggs Eggs seem to get darker & richer green as hatching nears.

Nest B: O eggs - rootlet nest lining torn up.

Nest C: 7 eggs:

Nest D: 4 eggs, 2 on end. Cup quite deep. %

Nest E: 5 eggs

Nest F: Completed and lined with rootlets.

			·
			•
•			
		·	

Pica pica hudsonia

May 2, 1944

Mtn. Home, Rservoir, Idaho.

Nest 1: 6 hatched, skin turning blackish. Have doubled in size since last time. Heads and bills more developed. Eye slits prominent.

Nest 2: 7 hatched, legg, female stayed on nest till we tooked in it. It seems that egg shells are carried away from nest, because there is never any sign of them around the nest or on the ground below it.

Nest A: 6 eggs (may be nest is deserted)???

Nest B: 0 eggs (evidently permanently deserted).

Nest C: 4 eggs and 3 young hatched (same condition that #1 young were in the last time.

Nest D: 4 eggs, eggs seem small and quite pale.

Nest E: 5 eggs, exceedingly large eggs.

Nest F: 1 egg, seemed quite small and pale.

May 7 1944

Mtn. Home Reservoir, Idaho

Nest 1: 6 young well along. Skin black. Tibia $2\frac{1}{2}$ " long, tarsus 2", feet well-developed. Body about 5" long $2\frac{1}{2}$ " deep and $2\frac{1}{2}$ " wide. Head and bill $1\frac{1}{2}$ "-2". Bill large and pale colored, much broader than long. Feathers developing rapidly: Wing quills on primaries and secondaries $\frac{1}{2}$ " long. Tail quills 1/8". Also some coming out on crown of head, nape of neck, chest, etc. Eyes open. Far openings developed all the way down mid-dorsal back line. Scapulars and pectorals, too.

Nest 2: 8 young this time.

Nest A: Has 6 young just hatched. Body is about 12" long. Skin is pink and naked. Parent bird left without a squawk.

Nest B: Still O eggs

Nest C: 7 young now about 2 long, skin turning blackish. Burd left nest as we approached.

Nest D: 4 eggs, 2 birds close by, on the ground.

Nest E: 5 eggs - no sign cf the birds

Nest F: Ø # 0 eggs (1 egg here last week). The bird left the nest as we approached.

May 12. 1944

Mtn. Home Feservoir, Idaho 8 to 11 a.m.

Nest 1: Head completely feathered, back feathered, but bare under wings.

Ears partially covered. Part of breast is covered. Primaries are 2½" long. Tail rectrices 3/4" long, eyes are clear and open. Feed are still uncontrollable, with the toes curled over each other.

Scales developed. Letg bones seem large and awkward, being over 6" long ??? extended. The bill is growing rapidly. The belly is still very large and out of proportion, soft, and not yet feathered. I took one young out of the nest to make these notes and the parents stayed in a bush beside my head, scolding all the time. When I sat down with the chick, they lit on the ground and hopped around at my feet and my side. When I left they followed me about 100' and lit in the bushes beside me, not scolding this time, but "churring". Oh yes, I put the young one back. It was all I courd do to hold it in one hand (it was about 5" long). The young one exercised its wings a little bit, too.

Nest 2: The young are about away in development and feathering between those in Nest C and in Nest 1.

Nest A: has 6 young in the "black-skin" stage.


Nest B: O eggs - a pr of shrikes were hanging around it, and may nest there.

Nest C: 7 young, feathering out. Head partly covered. Primaries 1" long.

Nest D: Has 2 eggs and 1 young (just hatched). It looked dead and it may be the nest is deserted. One egg is missing since last time May be moved to nest F.

Nest E: 1 egg, 4 young, just out about 3 days.

Nest F: 3 eggs (1 egg, 0 eggs 5 days ago!)



Pica pica hudsonia

May 14, 1944 - Mtn. Home, Idaho, Area II, south of town.

Took one from nest I took pic of on Apr 28. Booy well-covered by

feathers except for the Lbdomen. Tail quills 2", primaries 32" long.

May 1 7 1944 Mtn. Home, Idaho, Reservoir.

Nest 1: The 6 young are about to fly. I took one as a pet for Joan.

Nest 2: The 8 young are about a week behind the development of those in Nest 1.

Nest A: 6 young, no feathers, just a few quills.

Nest B: 0 - still torn up.

Nest C: 7 young, about a week behind n st 1, same as nest 2

West D: 2 eggs and I young, skin beginning to blacken 22-3" long.

Nest E: 5 young - skin is black-red

Nest F: 7 eggs, seemed light tan base color with sparse spotting; much

cleaner looking than most sets have been.

May 28 1944

Mtn. Home, Idaho, Reservoir. The magpie area was alive with magpies, most of the young having left the nest. The young were easy to catch, as they were ignorant of fear, and they couldn't fly very far. I caught several and released them. Nest data follows:

Nest 1: Empty, all biras being gone

Nest 2: Empty, all biras being gone.

West A: 6 young in the nest, on its edge, and in the same bush as the nest. All reday to leave.

Hest B: O eggs - still torn up.

Nest C: 2 in the nest, 5 outside in the nearby bushes.

Nest D: There was one bird in the nest, no eggs in the nest, and no sign of young nearby.

Nest E: 3 young (will leave in a week or so), and one egg.

West F: 7 eggs still in the nest.

June 7, 1944 Mtn. Home, AAB-Snake River, 9 a.m. to 3 p.m.

Young 1 or 2 weeks out of nest, appraached very close to them !

Mtn. Home, Reservoir, Idaho. June 15 1944

> Nest F: had the young to the size where they would be ready to leave the nest in a week or so.

Oct. 10, 1951 Washoe Lake, washoe Co. Nevada - well scattered over most of this part of Revada - nut bunched up.

2 mi. II of Chiloquin, lareth to. Theren. on U.S. 7 - h feeding on Jan. 2, 195h run-over black-tailed jack rabbit.

6 seen on U.S. 27 just north of Grass Take, siskiyou Gr. C.Hif. at TCO1.

1. 2,-6,105h

6 seem on U.S. [27 just north of Grass Take, siskiyou Ch. Culif. at TCO1.

2.-5,199h

The Ch. objection, itself to be the Chall the second control of the co

to. 640 grants and all followings to have mis. 21, 1957 Greka + South, Colif. Several even.

Doc. 72 1957 Mac Doel, fishing Co Calf 145 pm. PST. Only 2 seen kere, for entire trip.
13y 31, 1100, 11100.

May 30, 1959, Pope Beach Marsh, Lake Tahoe, Calif. 1 being chased by yellow-headed Blackbd. May 30, 1950, Carson Valley S of Genoa, Nevada. most woung gone- 1 nest with 2 2/3-grown



\$27-956-981-985-995-996-\$1020-1032.1035-1037-1041-1042-1044-1065-1066-1069-1085-1086-100-1102
1/31-1/33-1/39-1/42-1/7/1-1/81-1/91-1201-1202-1203-12/4-1247-1251-1255-1256-1281-1293- Yellow-billed Magpie

1295-1321-1322-/323-1339-1/42-1/566-1487-1488-1590-1372-1373-1374-17/312-1389-14/7-1421-1426-1412-1466-1487-1488-1496-15/4
1519-1520-1522-1524-1562-1585-1586-1581-1588 1584-1592-1549-1549-1549-1608-1604-1608-1

Mar. 15, 1947 - Sacramento to Stockton 0730-0830 PST saw 2, and several old nests.

Nov. 25, 1948 - N of Honcut, Butte Co. p.m. flock of well over 100 on the ground of fresh-plowed field.

Jan. 4, 1949 - Salinas Res, San Luis Obispo Co. - nest in top of 40' oak. Very common.

Mar. 26, 1949 - Sacramento R., near Knights Ferry, acto Co. ver more abundant than the Calif. Jays. Man, old hert. were observed in tall Populus fremontij at heights from 40 feet to 75 or 80.

april 8, 1949 Nofdunnigan on 99-W, Yolo Co. - 1240 moon.

Madison-Capay, Golo Co. 845 a.m. 3 seen april 19, 1949

May 19, 1949 Botween Ehornton & Franklin, Jacto G. Co + 30 p.m.

Red Bluff, Colifornia - seen up this far Friday (8-19) & This date, Metidian - Kept toding more sector of the team bout duck to roosts + me cotton bood as well-filled with them bout duck Aug 21, 1949 Nov. 22, 1949

Sept. 27, 1949 Galt, Sacto Co. to Clements, San Joaquin Co. Calif. 845 a.m. several seen, one perched in live oak, and ducked vigorously when I honked.

October 13, 1949 - Butte and Sutter Cos. 2-5 p.m. many seen, numbers ranging from scattered small grouns of 4 or 6 up to large flocks of 120-125 individuals. Flocks were mostly in fields and on barren, rocky pastureland W and S of Sutter Butter. Total - about 1200 biras.

Black Butte Reservoir area, Stony Creek, Tehama Co., about 75 seen in area. Nov. 16, 1949 Mostly in tops of tall white oaks and cottonwoods along creek beds.

Nov. 22, 1949 Sacto-Nicolaus -/abundant in cottonwoods, willows and feeding in fields. Jan. 4, 1050 - Aback Butte Ros. area, Johana Oc. Pahout 10/sq. mi. saw several flocks of 15-20 fooding on the ground. It dust flushed about 250-300 from Premort Vettenwood to a at a. P. Bridge. returned to same tree parches when flushed. Lust be right roost, but they were gene when seen at 4% a....

US 97W Nof Corning Tehama Co Calif. at thomas Creek. 540 p. m. 35 magries Reading west to white oaks & cottonwoods. Feb. 21,1950

Jenny Lina- allace, Calaveras Co. 41150P.T. 1.0's in the blue oak, Nov. 29, 1950. open, and chaparral areas.


Jan. 30, 1951. Manteca to near Vernalis, San Joaquin Co. adults and nest 2-3 miles south of Manteca and 3 mi. F of San Joaquin R. in this area - mostly in white oaks. Westley-Salida Road. adults and nests seen in Populus and Quercus along east-west road between Weltley & Keys (W. of Crows Landing Road).

Farmington & Vicinity: magpies and nests in oaks on Peffer Fangh 2 miles Jan. 30, 1951. NW of Farmington, and 2 miles NE of Linden and at Tully Road crossing of Calaveras and south of Tokay Colony School crossing of Calaveras.

U. S.101 Hiway at from Specito And Cara Co, Line, Colif. april 22, 1951 Espil 22, 1951 7.28. 12, 1952 Jan. 14, 1953 Jan. 15, 1953 7-18. 5, 1953 Sunol alaneda Co all.

W. of Inelling, Mercel Co, Calif. Oct.2',1756

Cottonwood, Calif. Several Seon. 9 Vlav. 12, 1957 Many it salt yergo val forthier Know. The 1,1970 at in the Production of Cap. Now can are how willed May 12 1963



American haven

lumber of riel trips on a idea to two. 57-75-76-199-210-212-219-266-268-288-290-291-293-295-298-301-305

20020-2003-2003-2034-2194-2249-2279-2511-2544-46-49-2554-56-63-64-2549-2554-6-63-2639-2640-44-42-

Wallula, Wook, along columbia t. - Wey word of the tops of the high t some were down by the river call count was a great real different.

Apr. 1, 1944 Glenns Ferry to Hammett, Idaho. Several were seen along the high cliss on the river. They appeared to have a nest in a crevice in a sandstone

June 15 1944 Mtn. Home Reservoir ll a.m. Saw a raven fly u, from a jack rabbit run over in the road, with the two ears and connecting skin of the jack rabbit carried in its bill.

Wren, and 2 miles west on Newport hiway. There were several of them April 6 1946 soaring lazily over the hills in this area. They were giving their hoarse and noisy calls, too.

South Santiam Hiway ! Heard and saw a few of them. May 18k 1946 May 25, 1946 Peoria Ferry, Benton Co. Saw one flyover us.

Greenberry flats: we found 10 of them on the ground, feeding on a dead sheep, Feb. 18, 1947 not very far from the road.

Feb. 28, 1947 Fern Ridge Dam, Lane Co: a few were seen, and we watched one attack a Bald Eagle perched in the top of a dead tree.

Sept. 13, 147 L. Side Coffin Butte, ment of (004) very circular the Buving Weele Wait. Fathir gar no he bit.

12-mile & amp? several seen and hourd. One chased a Vulture, and mud to March 23, 1948 flap wings rapialy to keep up with sailing Vulture.

Mar. 5, 1949 12-mile Swamp. Plarge flock intermixed with crows. They were all souring over an oak covered ringe. After an hour, this broke up and the ravens separated. ko counted as they frew towards the hills. Before disappearing, though, they hit an uparait and source upwards neural out or sight. Played together in this current for half-an-hour, soaring around in Wide circles and

engaging each other in aerial combats.
5 of Oilfields, Freeno Co, Calif. Pair observed carrying nesting material. Mar. 11, 1952

Taby Taller on title landwilde, The M. Levala. Read of the misct. 21-8,175h

Dec 27, 1959, hog Crain, begins a to by the hong & by 11 hong 97 . 7, 1959 Lookent Point Reservin Lane Co, Oregon - 1 grain

Mise. 12 1959 No of Klomath L, Klaudh &, oregon - 2 jair -Juny 4, 1459 6 am, Best Read Read leg le of Charten, total parode - 24, in 1919 55 *

*

1850-1851-1855-1856-1857-1858- 2216- 2747-2600-2664-07-10-13-14-15-18-19-24-

White-necked Raven Corvus cryptoleucus

Feb. 20, 1951 Carrizo Springs, Dimmit Co. Texas - several in the area, and their croak was distinctive.

June 20,1964, Boca Chica to mouth R. Grande, Cameron Co. Tokas. 20 feeting on road bills.



343-1851-1893-

October 13, 140 ruduana river:0 Touthwere ere mirration in groups of the S in V form tien.

lecember 28, 140 ht. Look at Timberrine Looke 👫 crest abundance of class here toj s

6-28-43 | Camaa, Wask.

watchesone chase a Red tail handle for some time. It dove at it many times.

Apr 17, 1944 Mtn. Home, Idaho, Area II, south of town.

Crow Nest #1 in willow at 8 feet. 2 eggs - greenish with bundance of prownish dots and blotches. $l_{\frac{1}{4}} \times l_{\frac{1}{2}} - l_{\frac{3}{4}} / 4$ ". Nest had bark fiber lining and sheeps wool in the bottom. Nest #4" deep and 8" across. Contained a yellow beetle, which is of the genus Calligrapha, according to H.A. Scullen of Oregon State, College, 4-21-44. He said they feed on willows.

Crow Nest #2 in willow at 6 feet. 4 eggs. Nest had bark fiber lining. 4" deep and 9" across. Contained a yellow beetle, Calligrapha.

Apr. 28, 1944 Mtn. Home Idaho Area II,

Crow Nest #1 was torn up. Evidently magpie work as there are several magpie nests in the same thicket. Egg shells on the ground.

Crow Nest #2 still has 4 eggs in it.

Crow Nest #3 had 5 eggs in it (took picture).

May 14. 1944 - Mtn. Home Icaho Area II.

Crow Nest #2 found on Apr 17, with 4 eggs in it, now has 4 young birds. Head and body about 8". skin black, eyes g-open, head is 1" plus across, bill l' long, ears developed. Wings 5", feet - tibia 25", tarsus $2\frac{1}{2}$ " - no control over claws, abodmen large naked, and soft. Anus prominent. Primaries 2" to 3/4", few feathers on sc pula, nape ptegium, and back (mid-stripe of back), and sides. Tail quills 1/8" long. As a whole, the young crows and their nest is filthy when compared to magpies. Have lice, scales, etc. etc.



L'andre

June 4 1944 Toll Gate, on road to Dixie, Idaho . one on the nest located over a small stream in an aspen. Elev. about 50001.



flight of 50 or so, and there were many, many more on the ground, farther down the valley, in company with a large flock of Brewer Blackbirds.

Squaw Creek, 3 mi. W of Corvallis, 4-5 p.m. I found the gathering place Feb. 11, 1948 for these birds on Squaw creek, just west of the college farms, and east of Baldy Mtn. They were in the tops of cottonwoods and also many more on the ground, feeding, etc. About 1600, one bunch of 600 or so were flushed and later resettled in the area. All the time more crows were beginning to come in. About 1630 they started taking off in groups, with stragglers in-between, climbing steacily, spiralling, and working due NW against a strong Nwind at that level (about 3000'). By 1700, the first birds could barely be seen with my field glasses, as they were approximately 5 miles NW, there being a nearly continuous line from that point to the starting point. Perhaps 3-4000 birds total - it was a sight to behola!

Feb. 15, 1948 4 miles SE of Monroe 1600 PST located another Crow flight line, and inabout 5 minutes of driving I nearly paralleled the route for a while. They were gathering from the direction of Harrisburg, and flying almost due W toward the coast foothills. Is w well over 2000 birds, I would estimate, and dian't begin to see all of them.

illiamette five and order a dity. 19. The contract of the land of the contract July 11, 1948.

Lovelock, Pershing Co, Nevada: flight of 260% to stockyard and gar-Oct. 45, 1948 bage dump before sunup, west of town. Saw alternoon gathering flock of over 500 8 mi. SE of town, at 5p.m. There were Brewer's toc.

April 24, 1949 Franklin Lanch Cloughs, I of Courtland, Sacto Co. one rest at 20' in unlested willow, lear slough. Lira on the nest at 12.5 noon.

Dec. 5, 1950 Cuyama B. Valley, Santa LarbaraCo . Calif. about 430 p.c. there were loose strings fligging acr is valley to, Caliente Hange on the north. long strings going P over Panta Maria At 7 a.m. (evidently night roost Dec. 6, 1950.

in willow thickets at mouth or Sant Paria River. Oso Flaco Lake, G. Luis Obispo Co. Calif. 645 p.m. one long string Dec. 6, 1950. flying a northweater y course from the vicinity of the lake; as we left the area, a string was heading southwesterly in two groups at about 500 feet elevation. In unison the two groups turned, Leaded north, turned again and headed southward on their original course, all by an unseen signal. They roost in the willow thickets in the dune areas along the

apr. 7, 1953 17 mi Nof facto. along gorden Hiway. I clasing about white Tailed hite.

Dec. 24-5, 1353, Corvallis, (regon. Observed evening flights in direction of Sonaw Greek as in 1948. Also more scattered flights from there is non. 0:30 o maso.

May 10-11, 1954 Asilomar, Monterey Co. Calif. Few pairs seen, and then 30 or so were called in with crow call. They really were exited.

June 5,1955 Dacramento Bopas , The Confalif. "Tasing re'-tailed 'wht.

Desting the property of the solution of the so

·

		·	

Corvus ossifragus

Fish Crow



inon Jay

.umber of fich of a charich operive; 531-560-2214-2249-2354-2-2549-2359-

Cyanoceph lus cyanoco halus

March 23, 1947

Joshua Tree Nat Mon, 5000' elev - a small flock was seen, in Pinon Pine, naturally! Quite noisy as they moved thru the woodland.

Octoba 29, 1952

Feb. 13, 1953

9 miles Si of Show Low in Mavajo Co. Arizona - 4x -50 in/trees and on ground.

E of Datil, Hew Mexico - 25-30 on ground w/ open juniper in of Socorro, New Mexico - 5 p.m. 12-15 on ground near junipers.

Feb. 28, 1953

Grants, Valencia Co. - Gallup, McKniley Co. N. Mex. 1 alog roan, and flock of BO-4x in field.



Late

Location are easery tions

Apr 25 1944

Foot of Bennett Mtn to Summit, Mtn. Home Idaho. Saw one carrying nesting material to a tree on the NT side of the mountain (elev. about 65-7000'). We couldn't follow because of the depth of the snow and 60 slope and 6' depth, at that. Trees in that area were firs.

August 6k1946

Temple and lavis Lakes, Linn Co. Several seen. All were quite noisy while perched in the tops of snags . Possibly they were joung birds. August 7, 1946. Camp Pioneer Not in camp except in early morning when they are tame. August 15, 1946, Wildwood Camp, ochoco Hiway summit. Saw just one flying overhead at 7 a.

Nov. 28,20, 1947 Tilburin hour, t. color very comment in him in the

The lating on the lating with the decidency of the lating dead area line and is reliably a term 50% red istance area in- in their

July 20, 10481

.5 to or inte Willamette Pass yet. with 4.5.97 - 930 a.m. I seen.

Legat 2, 1949

Oct. 9, 1950 Toulon Tink, near Toy, Lovelock Volkey, Nevaca. I nearly acult-sized but almost immature perched on fence jest in alkali area. Flew to greasewood where I got within two feet of it. Ian Stater took several pictures of it as it was intert or feeding in salt grass, and seemed to have no lear of us, except to keep just out of reach when amoyed. It pecked at burlap on an old board like my not black-billed magnie used to peck and probe at things. Never flew over ket from us and I also approacted within two feet of it while it rea on the ground. Appeared and acted weak, tho it flew sadily when it

Wanted to.

Aug. 22, 1951 Vermilion Valley, Mono Cr., Fresno Co. Calif. 7,5001 el. they seemed to be very abundant and were heard calling about the valley all day .

Sept.8-9,1951 Manzanita Take, Tassen N.D. Calif. Corron. flying overhead and calling. Oct 29, 1952 Mineral Co, Nevara, 5W of Hawthorne + Lucky Boy Mine. Calling + flying over stitum area.

July 24-30, 1952 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. 7 - 10 calling in mornings and especially in evenings and flying southerly after 7 p.m. from vicinity of Pearson Ridge to NE of our camp. Evening roost?

June 19-20,1954 Silver Lake, Amador Co. Calif. 4-6 about tops of red firs in area.

Catching insects there.

June 20, 1954 Summit, Kit Carson Pass, Alpine Co. Calif. Several flycatching from treetops. June 26,1954 Camp Harvey West, U. Echo L, Eldorado Co.Cal. 6 or 8 about, calling. Some

young seen. Chased by Pewee.

Nov. 3, 1958 MT Rose Hivery Washoe Co. Hereda. 3 by red med the read. I per. July 20, 100 Dickto Tails, (1201 St. 16 mais co. 2010. At a face with a of 2 adults and h young.

Aug. 15, 1961 - Lassen Peak Trail for 3/4 mi above L. Helen, Shasta Co. Calif. many pairs after insects on open, treeless rocky sloves, on SE side.

Sept.10. 1961 Jassen Peak Trail and Summit, Shasta Co.Calif. 6 or 8 along trail up, and 10 or 12 on and about peak and in the crater areas of the peak.



2131-2407-2432-2511-

Orego: Chickagee

14-5-6-18-19-21-22-23-24-25-26-29-30-31-32-33-34-36-41-44-48-Penthestes atricasi 398-403-410-423-425-431-432-435-437-452-463-465-468-471-476-482-483-481-496-447-500-Late

501-504-508-512-513-519-524-567-580-585-586-587-589-590-593-590-593-594-608-613-614-620-624-629-635-638-650-666-668-672-6-688-690-688-690-691-692-694-695-696-698-703-705-706-707-709-711-715-716-720-727-731-733-739-740-741-743-747-Tenetery while, lower his the condition of the condition to mpril 6, 1941 neith mer us had a newser-constraint bracks trop. The time to the trop-

June 14, 1946 - Niagara, N. Santiam River. Vatched a pair taking food to a nest of young ones in a hole, in an alder tree at 15 feet, opening NE

troisan Gulch, SV or Salem? One trilling and lanning and shivering its July 13, 1946 wings rapidly before its mate, as she continued feeding nonchalantly on the oak tree limbs.

Sept 18, 1946, every Park, Corvaille ? Ta ice ver smell mocks of tem, fredien through the arech and journ live.

Poison Oak Lake. Linn Co: a pair were nest building in an ash tree near April 9, 1947 the road. One sat by while the other busily attached the wood, making the lole.

Dixon Creek Ridge: a pair making plenty of noise in a rose thicket, and April 10,1947 later I came across a roving-feeding flock of about 18 biras, in oakscrub.

Poison Oak Lake - pair maing with wing-flutterings, etc. April 24, 1947

May 24, 1947 S. Santiam E., Foster, Linn Co. A pair with a nest on the linite of a dead fir snag at 50 fect on an open couth slope. The inches in same

Tern hidge lam: working an Oak-ash woods, and observed to give way to the July 24, 1947 Lavance of a Flender-willed Futhaten.

May 9, 1948 Leabetter Penin: Portiana: one mest in a cottonwood stub about 7' out the ground. It a cared empty so far as eggs and young, but he could see that it contained some nesting naterial and the actual were going an and out.

Themse to any of biros seen carry and common his to ment as a fine June 15, 1948 , and the tree of the vertices of a contract velocity of entraces. Evidental yours bires in it.

.

Tarus carolinensis

Carolina 'ickades

Thoppe I sight interest in the

MOUNTAIN

81-85.165-168-270-331, 421-426-643-72 2-723 977-929-420-971-9719-1023-1202-1210-1248-1259-1260-1261-1262-1273-1353 1569-1583-1584-1627-910-912-916-915-916-918-921-924-726-927-929-971-9719-1023
1969-2017-2018-2303-2218-2319-2320-2321-2722-2324-2332-2591-90-75-1753-71
Pentiles tel 1600-11 1000-11 tus

Location and observations

est por buln; religion to a sur common over the contract of th June 10, 1941

McCall Idaho, Saw young mountain chickagees today.

Hoodoo Ski Louge, Santias. Pass - 7 or 8 seen working a umb of lir March 20, 1948 during a lust in the storm.

hitemater coch with the first residue, that he had, the next on Society of 15 Min. The constant that it. hoth pure with I will be a second to see the second to seco July 26. 1.40

July 24-30, 1952 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. adults and young, some barely able to fly, common in vicinity of willow thickets. A variety of calls and songs heard this week.

May 31,1953 Lake Table, al Palos, Calif. con on in area, and core counting.

Aug. 23,1953 al raboo, Take rabe, O. if. several feeding on red cors.

June 19,1954 Silver Lake, Amador Co. Calif. 7200' el. Heard plaintive notes most of day. Nest - in 4' dia. lodgepole snag, in bare wood, to west at 20' height. Pair feeding young at about 1 visit/minute rate. Carried fecal sacs away. Nest - in live lodgepole at 4' on E with young in nest. Pic a.m. of 20th.

June 25,1954 Camp Harvey West, U. Echo L, Eldorado Co. Calif. Several pairs in camp area. Nest in dying aspen in thicket just SW of pine (lodgepole) forest area adjacent to clearing to SW. Hole at 14' on west side - apparently an old Hairy Woodp. hole. Only $\frac{1}{2}$ -" thick tree trunk shell at nest. 5 young banded. They were facing outward in circle lined with fine material, such as ling. Adults made many feeding trips while we were in area.

June 27, 1954 Pope Beach, Lake Tahoe, Eldorado Co. Calif. 1 pair on spit. Feeding young as we watched at 5 p.m. Nest in Jeffrey pine snag which had osprey nest on top at height of 25. Nest hole at 10. on west side away from lakeshore. Snag in open and just 8 feet from lake water.

Camp Harvey West (see June 25,1954). I spotted adult carrying food into same Aug. 7,1954 nest hole as before at about noon. On checking Cliff Curtis and I found 6 pin-feathered young in nest. Cliff has torn out old nest material, and this nest was about 3 inches lower and cupped about 3" deep. Same types of downy and linty material used. I banded all 6 of them, making production of about 11 from that nest hole.

intrantata iniro nel 9, lallin. I etchod one minimi ene entire i le como left in necessimo tre a la tomo como monte escaració estima el la electrica. Hay 17, 1955

Wright's Jake, Willors to Co. Calif. many, with nests in File young (1) at July 9,1955 12' in 20" dia. ledgerale to UII in certer of lightning scar in open area of east-facing slope. Wed out in all directions language of east-facing slope. (2) at 11' in 31 side of Weffrey same at edge of Dark Take - 2 gights footing.

June 30, 1959 S. Rim, Grand Canyon Nat. Park, Arizona - common and feeding young. May 30, 1959 Kingsbury Grade, Douglas Co. Mevada, 2nd fastest to W. Tanager in

resconding to owling calls, Nov.11, 1960 Pope Beach, L. Tahoe, Eldorado Co. Calif. 1:45 p.m PST. 6 or 8 feeding in lodgenole pine tops at middle of a snowstorm.



Chestnut-backed thick dec

stable of the bailth or lies - Ivas:

2-3-6-31-36-38-45-49-81-84-119-143-151-189-193-211-215-227-252-284-366-385-404-417-418-443-446-465-512-522-584-587-607-623-643-656-662 715-720-727-728-742-751-767-77/-775-178-784-8 20-863-867. 120879-882-893-903-989-1019-1112-112-1146-1165-1185-1186-1201-1329-1329-1638-1638-1638-1688-1701-1956-1955-2187-2258-2269-2270-2214-2111-2344-24-2684-4-2684-701-1856-1688-1701-1956-1955-2187-2258-2269-2270-2214-2311-2344-24-2694-4-2684-70.

Location and open vations

March 10, 1946 Nelscott, Ester Lee Cottages - 930 a.m. several bands of them roved thru the area hillside of lodgepole pine. They fed upon the staminate and fruiting cones of the sine.


June 14, 146 - Fincey & Japan Like, approached very close to uncuspecting young of this species, not long out of the nest.

Feb. 26, 1949 Yaquina Bay, Oregon (LBH) Largest flock of these pinds I have ever seen. In spruce along the road. Flock estimated at about 35.

Mar. 20, 1949 Gualala R, Mendocino-Sonoma Co. 10730 a.m. working red alder.

May 21, 1949 f of Carnel, robberg 60:74 per a pair a raise ordereg the cettane clittle bugs

May 10-12,1954 Asilomar, Monterey Co. calif. Nest with young. Hole at 11' on WNW side of 15" dia. Monterey Pine snag.



Black-crested Titmouse

Baedlophus atricristatus

Feb. 20, 1951 Carrizo Springs, Dimmit Co. Texas - several seen in mesquite forests.



Late Location and observations

- March 23, 1947 Joshua Tree N. Mon, 5000' Elev., Calif: Singing from low Juniper brush. Hard to see.
- Natoma, below Folsom: several working, with Towhees at heights of 25' Spt. 19, 1948 in the live oaks. Actually pecking at the wood.
- Nov. 6. 1948 Pardee Res: Calaveras Co:one very curious in cottonwood and pine. Calls very similar to the chickadee
- Lept. 15, 1940 1/16-5m. ve. acts. orl. Froch of district the opin the two later can outrace my row at the - very not, came of.
- May 5, 1951 Vicinity of Bass L, Eldorado Co. Calif. Paired and carrying food to young. 5.7k. amer R. - Calif - Varied calls. 7.8:28, 1954



Observed Free Evenden, Jr.

Gray Fith U.C Brolled Tilmouse

Leo ophus increstus rissus

Location and observations

2595-2609-2611-



Tarus bicolor

Tufted Titmouse

Feb. 15, 1953, Greggton, Gregg Co. Texas. Found them in the woods and brush. They have a very mellow warble call that resounded through woods and brush.

[[1969 - Gri Falls, UNd] and faring



Verdin

Auriparus flaviceps

- March 18, 1947 Bill Williams R. Canyon, Ariz: Many old nests were found. Many birds calling with 2-3 different calls all day. Had good look at a few of them. Yellow showed well on head. Chestnut on shoulder. Theri call notes mixed me up as much as the Hutton's Vireo here in the Willamette.W
- March 20, 1947 Cienega Springs, north of Parker Ariz: several heard and seen in the area. One nest in mesquite at 6' on the SE side. Entrance hole on underside of nest. Nest of dry grass stems. Lined with many types of feathers (one a Gambel Quail chest feather). One was seen feeding on dates, or the insects around the date clusters.
- March 22, 1947 Indio to 1000 Palm Canyon, Calif: nest with 4 young on NE side of smake tree at 6 feet height.
- Magr 2, 1960 Placenne to madic data simply dr. prim. Toot is great to the

green Alexander of the second of the second

· · · · · ·

•

Court -un - tit

Psaltriperu minime

2436-2649-60-

Late Location and observation

by 12, 1940

Payrent's at bookburn: "That description: utaine a covered with any, wiry, thir moso. In to be inches ions. Light the bottom. Residen is at the top. Coloret a in June 1., 16-

Ly 19, 1940

Kirschie at oslik Dan ? esch's at selle for !! I on forthe was for he 7, unp bice, but Were all wined up on the time line. I rept continuous chir o Mile thy wise extending its fire is the pure. The period of include

June 10, 1941

est occurre: or round nest in will charge to the a 7 or a in it. June 29, 1946 Pugging F., Joogburn P S.W flocks of them gaing through the woods.

> The peared to be young ones. 5. comelen stall Contilling need in rakes.

May 2, 1947 May 9, 1947

S. Cemetery Hill: On the east slope of S. Cemetery Mill we checked a nest reported by Bob Storm. The adults were in the area. The nest was at 62 feet in a very small oak, more or less in the open. The entrance was on the north topsiae, and went in 1 3/4" cerore turning downward. It was the smallest nest I have ever seen, not being over 75 to 8 inches long.



Observe Fred Lyender, Jr.

amb row fill trips an ien on view

Californic puch-tit

1043-1044-1046-1182-1213 J385-1499-1617-1657-16 2-1820-1469-1959-1971-2013-2017-2032-2062-2272
1043-1044-1046-1182-1213 J385-1499-1617-1657-16 2-1820-1469-19354-1969-1971-2013-2017-2032-2062-2272-

Psaltricarus siniau californicus ford-colorel: 531-

Lead-colored: 531-560-561-1668-2215 1. 2333-2352-2554-

Late Location ne observations

3-16-47

Clear Cv. Summit & of Bakerofield, Celf. - Lead-coloredo working willow + gine Trees.

March 23, 1947 Joshua Tree N. Mon., 5000' elev, Calif: flocks working thru the Juniper March 5, 1952 Auburn & Vicinity, Placer Co. Calif. 2 new nests of "spanish moss" and covered with bits of bark lichen. Nests each about 10 feet above the ground and on the north /side of live oaks.(Q. wislizenii)

May 17,1955 Woodford-Genea, vada. Nest in succ at 6' l'oicht. 3 errs 'est in nest. Sau several birds in succ.



2424-2429-2522-8-2528-29-2549-2607-### Paragraph of the first of t Observer Fred Lvenden, Jr. a. Par., lave lings of a month in the language of the line of the language of marinary and to the second of hole. I would be a wife of the second an the cover, to the second of the term of the late of the in the same of the Jea Bant 95)

1.5. N.M. Bul 1948

1.5. N.M. Bul 1948 to the within it /int met a trime. South Cemetery Hill, Corvallis: a clean male and drab female searching Mar. 13. 1947 a hole in an oak tree trunk "nubbin". Male calling and hanging around close, peering in now and then, while the female entered the hole to look around; Stay about 2 minutes at a time. Male kept talking, and when I moved it flew away giving 3 alarm notes. The female looked out and then flew giving the same notes. Form Liage I am Proporking the oak-ash woods with Ore. Chickagees and ob-July 24, 1947 served to drive a Chickagee away from one limb. Woodburn, home: occupying English walnut trees in neighbors yard all Aug. 18, 1948 summer. Call at varied times throughout the day. Black Butte Res. Area, Stony Cr. Tehama-Glenn Co. Calif. common in white Nov. 16, 1949 oaks and cottonwoods. Seem to be calling almost continuously. Jan. 4, 1950 Black Butte Reservoir aready sov. seen working the blue & white oaks and feeding in litter on the ground under these trees. July 24-30,1952 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. just 2 seen, and on one occasion 2 on yellow pine trunk incompany with 2 red-breasted nuthatches. which were very common in the vicinity.

Camp Harvey West, Echo L. Eldorado Co. Calif, an immature seen. Almost fully grown. Colors indistinct and dull. Nest at 13-14 N side dead lodgep. Forest

June 26,1954



Page 2. 7619 -

White-breasted Nuthatch

Sitta carolinemsis

June 30, 1959 South Rim, Grand Canyon Nat. Park, Arizona. Feeding young in elfin forest.



Hea-bre stea with tel.

1-2-4-5-6-7-12-13-14-17-16-165-74-36-65-74-81-96-118-114-120-122-123130-136-138-140-143-151-157-161-165 166-161-168-171-173-176 189-20c-279-21625-227-243-270-279-378-331-333-338-351-362-370-378-37825-227-243-270-279-165-165-165-165-168-171-173-176 189-20c-279-278-378
1itte c reacensis 6/4-623-625-627-636-668-669-672-686-169-672-686-173-679-715-720-172-723-724-725-754-760-772-769-775-177-8461248-1254-1353-1364-1484-1490-1569-1628-1668-1673-1693-1696-1904-1928-1936-1938-1936-1938-2607-2027-2374-2374-2374-2374

1ate bocative and opening

april 1., while bouth or at my minn, conven in pre historic ser the second in -pocker and upon involue to not found a pullboar to the district order to a construction of the model of the district order. southwest lice of the tier, at the and the top of the side were was more at an exercise of a metale of the form of the control of depth of thomas into the design terms of the state of the design and the design of the state of mil to, well a me: Novicito to read a setum to come or ever up in a constant

and roing tables to in the state of the characteristic connections to be might, think to the second of the second record to be limber that and north solver.

mid- 25, 184. n no tradition in the contract of the contract

La to the second on the second of the second 16, 1942

Apr 14, 1946 - Lixon Creek Ridge, Corvallis, Oregon. Watched one excavating a nest cavity on the underside of a nearly horizontal limb of oak tree 30 feet above the ground. Limb faces east. I hit a limb against the tree, but the jarring did not even make the bira stap its pecking into the wood.

The tree may be dead, I am not sure.
Dixon Creek Ridge, Corvallis? Nest I reported on previous field trip is fully excavated and the bird is evidently brooking the eggs already. Apr. 25. 1946

Camp Pioneer, and Temple and Lawis lakes, Line Co. Lovers of them seen Lug. 6, 1946 in the area. Adults, and many young. They reality rove thru in flocks.

Avery Park, Corvallis: one busy digging a nest cavity at 40 feet on the April 22, 1947 SW side of a rotten snag, on a tall, slim Big-leaf Maple tree. Deciduous canopy overhead.

T. Goto at San 1, francis Tale T. Of nertain in China all neo ali or o too wit m i e o


Golden Gate Park: N. Chain-of-lakes: very pale coloration. Oct. 30, 1948

July 12, 1940 Table Mtn., N. of Oroville, Putte Co. Calir.: in live oak beside one.

June 19,1954 Silver Lake, Amador Co. Calif. Several pairs in area. Nest - at 30' in southside of live Jeffrey pine in woods. Young in nest. Nest - at 38' on south side of red fir snag in semi-open. Obten both adults in nest at once, and seen carrying fecal sacs away. Evening rate of 2 or evern 3 or 4 visits per minute. Slightly less in a.m.

Sept. 1, 1959 Silver Lake, Amador Co. Calif. 2nd earliest callers in morning. Stellar Jays were firstçallers.

Sept 10, 1861 Bluff Falls Configured., Town N. P. S. Sharta Co, Calif. Freding in your ground in getting a saw.



.

Observer fred Evenden, J. .

lumber of it is that more production Sitta pysmuea meianotie

Thoe Mion and observe our Late

May 10-11,1954 Asilomar, Monterey Co. Calif. Several noisy pairs in area. Nest at 351 on NNW side of Morterey Fine - facing open in woods.

June 28-30, 1957 Meeks Creek Lakes drainage, Eldorado Co. Calif. small flocks and

probably several family groups observed in area.

Armante Cabin, Tabos Tallott, Calif. 2 nest olds

pine at 35-301 on south side of tree. May 31, 1958

irmante Cobin Tako- Tallov. Calif. Pair counting with ly? niege of collophane. ing and this Clitters - For 6 minutes his word. July 17,1958

Sept. 7-9,1958 Zonhyr Toint, T. Tahne, Mevada. On several occasions T watched Stellar I Jays chasing these nuthatches for their food.

June 30, 1959 South Riml Grand Canyon Nat. Park, Arizona. Feeding voung.

July 28,1960 Carnelian Bay, L. Tahoe, Calif. 1 family group of 7



Sitta pusilla

Brown-headed Muthatch

Feb. 15, 1953 9 mi. ESE of Marshall, Harrison Co. Texas. in hardwood forest area.

•		

Observer irec evenden, at.

Locky levit or a gent

humote of lick trape on lich on tweet: 278-279-331-2606-2607-

Certific I' in it is a 1 ton: Eastern - 2226_2228_2230-

Late Location and observations

of the state of t 6,419, Observor since . v ac h, e. .

1611 12. 17935 c - 1459 - 2321-2346-2498-2522-

Oesthin Taxille min 25.10top Tawny Coeyes - 1168-1364-1583-1630-1632.

inte | Locaina

June 26,1954 Camp Harvey West, Upper Echo Lake, Eldorado Co. Calif. Heard and seen often. Nest on east-rumning branch of Jeffrey on semi-open south slope. Mest in crack on south side of this down-hanging branch of 6-8" dia. Young in nest at height of 30 feet above ground. Adults made frequent visits in a.m. while watched.



Ubserver Fred Lysnaen, Jr. 2-6-33-36-45-64-68-70-81-106-168-122-123-142-143-149-156-176-178-201-206
209-216-227-242-341-432-435-463-16-465-522-562-587

873-893-895a-989-1024-1029-1029-1029-1138-1139-1145-1218-1219-1249-1499-1499-1499-1499-1498-1623-1663-766911111111 00:10111 1673-1685-1688-1686-1926-1938-1938-1938-2061-Culifornia tresper Late Location and abservation

Jack's price at putte and a onglet, description or creation of Sept. 22, 1940 nest round on sice of one sing. The second secon pril . c, 1841

Woodburn, Cregon. March 16, 1943 Next under the oak of an old fir stump street s'above the ground. August 7, 1947 Mcionala Forest: Tocatea a next behand a piece of aplit are and bank on an life 2. Fir snag, on the south sice at a feet, in a nan-made creating.

6/12/67

Beauen fell M. Vietoria GC, sep? Cel w/ 2/3 grown you

observer Freu Evenden, Jr.

Chamaco ilacciato in 12 Ruldas: 1107-1108-1145-1166-1167-

Intermediate: 1202-1320-1500-1614-1629-2628-2649-

Late

aug. 22, 1943 - O regen Coast Hiway - Fogsvty Creek, Lincola Co. - 10 a. m. We stopped at the bridge across the creek, on our return from the honeymon, and I heard a call that I had heard once before & said I wouldn't rought it! It was a Wren'tit in a hazel bush along the road. Reter a few minutes I had seen 2 per. of them.

June 23, 1940

Cottage Grove incerv in Corac. Gillie first normal as an it in a cente tracket on a northest trapper to the case of the information of earl got to view in nor a considerable. It has a city "cace per", and a imitated its call early, to have it within the real of a center. It has a lie a rich brown call, so I of a constant of the real of a center of the space. It gas with the items of the rich of the per over the eye. It flittle or a common to bruce limbs. The actomisation of and to me may return to a constant the bruce limbs. The actomisation of an also in which is also constant of the realist deep in which is also city, and in which it stay o, and circular along a usually case and the extension of very tition, having and so, in a, case of other limbs. Fir, Manlock, this waster, as a constant to be included to height our control. Y is not a real inches to a constant to a control of realist to height our control. Y is not a real inches to a very the growth of realist to height our control. Y is not a real inches to a very the growth of realist to height our control of the one bire.

Wholeyton thicking, had a control of the one bire.

Dec. 18, 1949 Valdport-Lewport of singing several mites south of long ort - DBH

The state of the s

Objet v i since v r si, si.

runder of the think in their

Location no observations

Sept. 5, 1948 Griffith Park, Los Angeles: calls quite similar to those of coastal Oregon but lighter colored. Quite common in the chaparral-covered slopes.

Aug. 13, 195

June 26,1954

Pardee Reservoir area. In blue-oak woodland - 2 or 3 calling, and seen working thru tops of blue-oak and live-oak woodland. about no n. Camp Harvey West, Echo Lake, Eldorado Co. Calif. 1 secn and heard on SW slope east of camp in brush area. Very high and out of range.



Observer Fred Ivenden, St.

7-12-13-14-15.62-62=76-154-159-195-224-283-315-403-408-491-609-613.637-1019-17 CT 1137-1144-1207-1244.1431-1448-1489-1569-1649-1667-195-195-224-283-315-403-408-491-609-613.637-1019-2556-

Cinclus meridana unherion

Late

Location and object viiting

me 2, 1940

Little north some or intiem? The property is a little to the bove. The were say; and almost lift unlessed than into the bove. The ciu a lot or test rise but I did not set than one se under a un.

ril 12, 1941

north form of hollala hiver? Report on nest study made united figuring:

nest was on east bonk of the river. It is specify the covered of the cago and were fiduced in the most that covered on east resource of the bank. The north and obtain deep in the sent of four, it is opening to the nest was on the botto and side. Botto 17% of the opening and small leage on which the prent binds lit. This longer is the fact opening were both under an overhanding lit. This longer is the fact opening were both under an overhanding indicate the first three or four young dippers. They were just cliently cracked that your roofs when it is about ready to leave the nest.

I watched the most are one so by for some time one I note that the sorms, indeed, etc. that the promote brings of firm both of there for the nest) had to be added in the old of before bring taken by the first one side to the other in the sure. From the and the first of the called directly to the lage below by the called time and private to the lage below by the called time and private to the lage below by the called time and private to the lage below by the called time and private to the lage below by the called time and private to the lage below by the called time and private to the lage below by the called time and private to the lage below by the called time and private the called the called

was a great deal of built winder a the jobs.

After a while I have in close spains at an it while with present ourse jon. I remain that he presumes about the note, what we ment they return a. The interpretate about the major which is about in middle than the total modes is an about the role. Then show went to the role in middle and no cave what must have been an elarm note, for absorbing a tell of a probability of the modives to a challenger of the factor of a probability of the modives to cold made. I help the a total a probability of the present and the present and its foot to their present from the respective of the present of the respective of the present in the present of the respective of the present of the present of the respective of the present of the respective of the respective of the present of the respective of the respective

il 19, 1941

Lout. I mile of dilver recht. Loc tea neat with young in it on a beam under the floor of the bridge.

May 17, 1941

Tych Valley from more mile above the techine hit liver on the side of a large rock deare it was entired dry.

May 26 1944

Abiqua Creek, 20 miles from Toodburn, Oregon

Nest located on the top and end of a large old log, overhanging the water.

Nest was of moss, in a dorsally flattened ball-shape, the nest cavity being lined with grass and leaves. Cavity was about 4" in diameter, and 2" deep. Entrance hole 3" in diameter. Contained 3 eggs, white, size 3/4" long and inch wide. Not sharpely pointed. Joan turned the nest over, taking it for a piece of moss.

June 14, 1946 Niagara, N. Santiam R. Saw them busy feeding joung birds; the young could fly well, but continually cried for food.

July 7, 1946 July 9, 1946 Abiqua-Silver Creek. two young and an adult seen along liver Creek. Abiqua Creek. Abiqua Creek. Young one preening itself. Almost adult pstage. Liun't teeter even once in the five minutes I watched. It fell all over itself once trying to scratch the top of its head, first with the last and then the right foot.

Jac Bant Bul #195)

il 19,

.

- April 27, 1947, Flora Dell Falls, N side Rogue R, 5 mi above Illahe, Curry Co. 2 p.m. 2 2 adults and 3 nearly grown young with light gray plumage and pinkish legs. One young flew off the head of the falls and lit in an alder tree 40 feet off the ground below. Adults were busy carrying food and still feeding them.
- May 3, 1947 Woodburn, Pudding R. one flew from the edge of the river, and what it was doing here I don't know for this river is not their type of stream, and it is about 9 miles to the nearest water likening to its typical habitat. 1030 a.m.
- May 24, 1947 Sheep Creek, S. Santiam liway: two acults and 2 or 3 nearly grown young in rock) gorge below the bridge.
- Sept. 9, 1951 Hat Lake, Lassen Peak Hiway, Lassen N. Park, Shasta Co. Calif.
- Sept. 9, 1951 Kings Kreek Meadows, Lassen Peak Hiway, Calif.
 Oct. 20, 1951 Merced R., Yosemite Valley Calif. watched 2 alight in deep prol, swim for a while, and then climb out on a log at edge of pool
- Feb. 23, 1952 Yosemite Valley, Calif. Merced R. two observed along snow-banked river, perched on snags or rocks, singing prettily, a full assortment of songs I hadn't heard before. Alos watched one fly downstream, light in the water 3 or 4 feet from the bank and swim on the surface to the bank.
 - July 24-30,1952 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. 3 seen, one with nest in end of tree roots in mid-stream of East Creek.

 Aug 5 1955 Silve Jok, Ame. R. above Kyling Calif.

 M. 12 1966
- dug 5 1955 5 ilva Jork, Ame. R., about Kyling Calif.

 dug 13, 1955 Cold creek, C.S. H. 89, Sof Sierraville, Sierra Co. Caly.

 " Yorka R., Delow yordyran Bar, Calif.
- Sept. 25, 1958 8 seen along ".Fk, Feather R. Chribou-Jct. with "Showlt. (7 miles)
 Sept. 25,1958 6 seen Jct. M.Fk, and Ta t Branch, Feather R. (11 miles)
 Clug 17,1961 Company of the Company of the
- Aug. 15,1961, Sulphur Works Camp, Lassen Nat. Park, Shasta Co. Calif. one was feeding on a stream thru brushy forest, with stream shallow and no more than 4 to 6 feet in maximum width.
- Sept.23,1961 W. Carson R, Alpine Co. Calif. above Hope Valley. 4:30 p.m. 2 seen. I was not teetering, but sitting quietly on rock attempting to cough up a caddis-fly case, which it eventually did. Eyelid blinked during process. Permitted me to approach at full height to within 15 feet of it.
- July 1, 1962, S.Fk. Arcrica R, ElCorado Co.Calif. 2 young. Nact on oren west face of ledge of 12' hi granice boulder. 1500 tel.

•

Observer Fred Evenden, Jr. Location and proservition. Late

July 23, 1948 London-Youcalla (untit in log pile are want lead of a married to Very pule colorer, ut must, be to lear.

March 26, 1949 Sacto R., S of Sacramento 10 a.m. Carrying nesting material

April 18, 1951 Morro Bay to Atascadero, Calif. offered mate a dead twig and leaf. Merched high in trees. Nest at 35' in sycamore stub.

July 24-30, 1052 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. about 5 pairs seen in area. One with nest in aspen, hole at 8 feet on south side. Adults got most of foot to north and east at distances from 25 to 200 feet from nest tree. All times I watched they flew to perch in fir tree just 5 feet across from nest.

May 24 1958 Knights, Landing, Sacto R. Celef, 93 cm. Witched shall house 5/14/71 Fortuna Undlage We - New Wyoung. 1/23/74 Haghes/lecanolist. 3 year logg on decounters 12/100 love of your



estern inter ren lat-Location in Jon iv view

Leadbetters Penin., Willamette-Columbia Sloughs: Dave and I heard this Apr. 5, 1947 one singing but did not think anything about it until I happened to notice that where the song was coming from - 30 feet up in the upper limbs of a young cottonwood. This is the first time I have ever seen at singing from a perch over a very few feet above the ground. Nearby were shrubs of various species, as well as logs, which it usually would select for a singing perch. It sang for over a half hour, too.

Avery Purk 9 915 c.m. sincing here and there. One pair strains and shivering Apr. 18, 1948 wines at same time, on like of arush just 5 in the more.

Dec. 23, 1948 Pudding R., Woodburn, Oregon: one on trunk of ash tree, moving over it in creeper-like manner. First, time I have ever seen this done. March 20, 1049 Gualala River, Sonoma Co 0730 a.m. singing from 30 feet up

in redwoods. 2 or 3 seen.



Baira's Wren

Thryomanes bewicki eremophilus

Nescasio - 1108-1478-1564-

Vigora: 1202-Eastern - 2220 -

And the second s

besent - 1839-19359-2545-2618-

Observer brea ivencen, Jr.

rumber of flore blin on riet helve:

Faysant's at Toochurn! Came cross so 10 very young resttle house in a group in a warm agot in the roots of an overbarna lasin. They were not able to Thy very weal. Took sheture of I joing.

Fuculing liver of the of the rather 5 is to the to be be advised treaugust 7, 1940 server a out bowl outs in the sides, of the lime. Calm.

Payzants at Woodburn, Oregon 10 to 3 p.m. May 24. 1944. Saw acults with young.

Apr 11, 1946 Corvallis, Oregon, Dick Hallock's, north of town. The nest was situated between the necks of 4 bottles of a case of empty bottles on a shelf in their woodshed. The nest was at the back of the case, against the wall, and as nearly out of sight and in the shadows of the shelf above, as possible. It was made of grasses, etc., and the lining was of Barred Rock and Fhode Island Red chicken feathers, mostly body and breast feather s. The inside of the cavity was about 2" across and 15" deep. The bird was on the nest at the time, and looking at it, all that could be seen was the bill, the eyes, top of head with white sines over the eyes, and the rump and tall, which was sticking up vertically at the back. I put my face within a foot of the nest and the bird made no effort to move. Up to yesterday afternoon, none of the persons in the house even knew that the nest was there, as the wrens had built it unknown to them. I did not lift the bird from the nest to find out how many eggs there were. Will do that later.

Corvallis - Dick Hallock tells me that there are 5 eggs in the afore-Apr. 25, 1946 mentioned nest. The bird is one the nest almost continuously he says.

Oak Creek Lairy Barn Area. Corvallis. May 19, 1946 Found nest with 5 creamy-white, rea purple spotted eggs in it. Nest in grass clump at 15" above ground Cup at least 2" deep and about 25 inches wide.

Peopia Ferry in the trees at heights to : 5 feet Aug. 9, 1947 Sept. 17, 1947 raiso has high the nest man treat of man, i the part and nestly mean nest, with a non- of he was over it.

12-mile Swamp: "Singing song new to me - thought was a part of Song Sp. song. March 30, 1948 Leabetter Panir. Fortham: young a yourca from the hore of hit is rest up May 9, 1948

in the dead top of a piglow while or adult pind was receive it.

Camp Regir, Benton Co. Charles stress found a nests nor here in lastr May 14, 1940 at 35-4). One as a casa fir.

la-mile (wamp: Ofnest on rafter under cave, inside old and). May 1, 1948

v vvi lice vancam, Ji.

2013-2015-2061-2084-2374-5-2364-271-2418-2429-

Tarion. De ic i 137 MOGOL 8. Diago . 1006-1040-1068-1201-

Lucia Lucia



Thryothorus ludovicianus

Carolina Jren

7805 English Way, Bethesda, Md. Montgomery Co.

A nest was built atop a hanging basket of begonias after we left for two weeks wacation on June 30, 1976. We found a completed, dome-rounded nest with tunnel entry to the north contained eggs upon our return on July 13th. The young were fed during our presence on the screened porch and they all left the nest by the afternoon of August 12, 1976. The nest-in-basket was under a transluscent plastic roof so no rain ever touched it.



Cactus Wren 262/-1623-

Heleodytes brunneicapillus

Fov. 7 1944

Mockingbird Canyon, Arlington California, 720 a.m.

Saw quite a few about 7" long, with deep harsh scalling notes. Blackish tail with white spotting, seen when in flight. Has a white stripe on the head. Black marking on throat and chest. Bufly spotting on underparts. The body is slightly speckled on the back. Old nests found near the birds, built in Learhorn cactus at height of Z-5', were made of grass and leathers and lined with feathers. One of the nests, entire, was gourd-shaped. The cup was about 4" deep and 8" wide. Open to the east. The hether these nests belong to the wren, I am not too sure, but I can presume, can't I?!

5-18-47

Bill Williams F. Canyon, Ariz: I seen and heard - an awful buzzing and gargling note.

-1-16-47

Jodina Tradestion, 121-5505 - 12 July - 12 July and July the

falloni i filologia (filologia). A grosen gita, sa selessa na massa gisa sa selessa ga sa sa sa sa sa sa sa sa sa

Suisun Long billed Markwen Estern Mark 12 en

W. March Wre - 1243 - 1309-1311-1552& - 1561; -15816-15816-1615-1846-1946-1945-201-2103-2108-2119-2334-2366-27-0-2407-Late Localin no observe viens

Nov. 2, 1948 June 4, 1952 Forkom Res. Area, Calif: one singing in Scirpus marsh.

SWMA, Lead Lake & Milan Units, Churchill Co. Nevada - Dave Marshall and I estimate about 8/acre of dense cattail in the deep marsh.

Late | Location and object three

May 184 1941 ' 12-mile change with or corved in: " charp in a firm this with the reco

April 26, 1946

12-mile swamp - Je found one nest with 5 fresh eggs in it.
There were other nests, but most were probably decoys.

May 22, 1946

12-miles swamp. Found one nest with 4 eggs in it.

Jan. 14, 1947 12-mile Swamp, we heard and saw about 4 of them, and we didn't hit all of the swamp, either.

April 8, 1947 12-mile Swamp: Lappeared to be more abundant, and I found a recently constructed nest in Carex objupta at about 8" above the water, and 15" above the ground, when the water recedes. It was made of last years plant stems, and was pretty nearly soaking wet. Entrance on underside.

May 6, 1947 | 12-mile Swamp - one pair close to us as we located nests, and one scolded us from a foot or two from us (near our feet) while we looked in one nest. It was at 4' in the open to the north and east, in a Spirea, and I found another nest at 5' in spirea about 6 feet away. Both nests were empty.

May 13, 1947 12-mile Swamp: heard many over the swamp area, and one nest had at least 3 eggs in it. Thile Tave was at the nest, the adult bird came within 1 foot of him without making a sound, and did not scole him till be was leaving the nest area.

May 20, 1947 12-mile Swamp: nest thathao 3 eggs last week now has 7 in it. While I was at the nest, the adult came within a foot of me, but didn't scold till I left.

May 22, 1947 Noti Bog, Line Co. in the dense Ledun growth of the bog, thought there was little free water.

July 24, 1947 - 12-mile (wamp - 580 s.m. .untime in the road alect of the cur, in company with Darn Laducous and Song Starrous

Oct. 7, 1947

In-mino thamp: with a zero hour cooldine, observe she to get a serior of note to the meither above a radius and reserve and packet to describe the formula to the cooldine, from the cooldine to the cooldine.

Feb. 24, 1948 12-mile Swamp - there must have been 15-20 singing and scoliding over the mid, and north secotors of the swamp this p.m. Some very tame.

April Eb, 1848

12-mile Suamp: scoleing and singing over most of the swamp at d, but with a particular concentration to the north of the north island, west of the beaver dam. Scemed to be at least one hird to every dump-area of searce.

Sany one nests forme, and one newly constructed one disconsular in Calcin oregonesis at about & feet.

April 20, 1948 12-mile Swamp: They seemed to be everywhere. Many old nests I und, and some new ones, too. One at 3' in Spirea in Carex clump. One in Spirea in Carex clump at 4'; 4 nests in 7' radius - 1 old and 5 new at 3 to 45' in Spirea, Carex below. Two 3' off vater in Spirea in Carex clump, complete.

May 17, 1948 12-mile dwamp-1030p.n. Linguig off on - sometimes only fast of a song.

June 11, 1948 Ferr Fig. +: Preveral usts Loc tea in a utalis at 51. But a similar most on the tax.



Paro 1. Toma ren

June 15, Loc. 17-male (.c.p) " 12 - me" in the sto. Person all mosts - a checasa over 15 of them. Torny, alufa, blice all every here.

June 11, 1948 la-mile Swamp: . inging very less - mart have been over 5 of them.

Aug. 30, 1948 12-mile Swamp: few seen, and only fragmentary songs heard, none being full.

554-983-483-499-1064-1132-1137-1324-1378.1463-1491-1515-1779-1792-1971-208:-2139-2179-2334-2442-2484-254-

7545-2546-2549-254-5-

Canon Wren

Catherpes mexicanus conspersus

March 22, 1947, N base of Chuckawalla Mtns, Calif: singing a "bouncing" to high and low notes, slightly plaintive early this a.m, before the sun hit the rocky slopes.

Aug. 22, 1952, Hogan Res, Calaveras Co. Calif very common this summer and tame at Ballards - 2 Apairs raised 2 broads each this summer.

Feb. 28, 1954 Rattlesnake Bridge, F. R. per. River, Placer Lo. Skiif. wireing.



Dave | Location no observations

Mar 22, 1947 S. Foothills of Little San Berdu Mtns, Calif: They have a high buzzy note. Also early the following a.m, their call came down from the rocky slopes above. There was a pair of them.

Nov. 16, 1949 Black Butte Res. Area, Stony Cr., Glenk-Thhama Co. - a loose group of 5 or so in crevices and on tops of basalt rimrock on SE end of Black Butte above

7e8. 5, 1953 12 mi. W. of Gogerstown Stanislam Co, Calf. at Rock Rive-Bridge.
Feb. 28, 1954 Vigger Vill, between 1 3 Fks, mer. 1. Theory To. Colif.

June 20,1954 Elephant's Back, 2 mi. S of Kit Carson Pass, 9100' el. Singing on slopes with a variety of songs at 3 p.m.

Aug. 7,1954 Folsom Jct. (W) U.S.50. Rock Wren along road Till in rocky areanear creek. Oct. 31,1957 Folson Dan, and R, Saits G. Glif. Level in rock fill wing dame.

July 1, 1959 South Rim, Grand Canyon Mat. Park, Arizona W of Desert Center local. adults with 6 young which all appeared larger and grayer than adults.

Mithe 30, (96) of 5 90 ment of fine man I received to 120%

The state of the s

• · ·

Tubba farifat, and it is

231 - 232 - 233 - 344 - 528 - 529 - 530 - 534 - 534 - 534 - 543 - 546 - 548 - 556 - 551 - 552 - 563 - 564 - 966 - 1006 - 1031 - 1032 - 1043 - 1057 - 1059 - 1064 - 1069 - 1070 - 1074 - 1020 - 1125 - 1130 - 1199 - 1202 - 1251 - 1283 - 1283 - 1283 - 1339 - 1340 - 1352 - 1366 - 1392 - 1363 - 1728 - 1728 - 1733 - 1763 - 1865 - 1851 - 1850 - 1851 -

5-10-43 Fresno, Calif. - B.T.C. #8 ...

Calif. Mockingshird -Has a feartiful sony, a long tail, is irownish I has a fairsijed fill. They would perch on a roof top or a telephone sole & sing for long periods, just timaly in the morning rigore 10 n. un. W. surel bring corrifice remarkation during to sind.

5-16-43 - Saw neget chased by a Calif Say at 3.T. C. 48 grows ".

Riverside noon. One seen on a sidewalk beside a paved stret in March 24, 1947 the residential district.

Fall & Winter, 1948, Fruitridge Road, to Signal Depot, Sacramento, Calif. A pair seems to be established in the brush along the fence rows near the depot, for individuals have been seen on several occasions.

Dec. 29, 1948. Gray Locge Refuge: one at headquarters of refuge is quite pugnacious, and defends a richly-berried Pyracantha bush for itself against all comers.

april 8, 1949 Nof Dunnigan, 99-W, Golo Co. 1240 moon.

7:30 a.m. Lacramente of Heard 2 singing 2 mile apart - 1st of the year. apr. 15, 1949 Valley Springs, Calaveras Co, Calif - 30° p.m. - One, quite light beige colored body. Feb. 8, 1950

Yosemite Valley, Calif. 1030 a.m. I seen in apple orchard west of May 13, 1950 Government Center.

Feb. 21, 1951 Caterina Dimmit Co. Texas - seems to be most common bird - sometimes 5-6 per road mile.

Jan. 12, 1953 armstrongo, 154 croclos Rd - Young left next today Next enp over 3'2" deep, Heavy sticke.
In their very against factio out, under cave werding at 1' Rt. Facing S. Open approach

"Next under construction at 4'2'-5' let. on 5W side of approach tree in Jackyard Rawn.

Heavy stick may, but 2 birds to it it to 30 pm. May 17, 1954 May 18, 1954 Mills Road, Sacto. Mockey next at 6' in Proposathe on east side of stake fince. Open count ask tree to east. 3 y gotting position. Eyes aloud gapes with + pollows. Bonded 5-19-54 484 Crocker Rd, Facts. Overstrays. Jan 30 1 cg; Il, 1 - 2 sages; July 2 - 3 egypty 9 a.m.; July 3 - 4 egyp by 820 am. First Hatcled July 16 + called July 18. July 25. Nest broken up, 11. June-July 1955

Pecerna Ave, Sacto. 21, Talif. It form. UST, I hashel from Tales tree in front of house from 12-15 coclingbirds. Sept. 18, 1956

3437 Maylair Dr, Soito. 25, Calg. - Nest w/4 yng @ 4'z' on W side of Orange in a. May 9 1957 38 10 Army grande DI, Soito 25, Caly. - No to The film by flood True. 4 - 15 16 May 10 1957 1100 cl for, Sade is taly. It to 3' in a grantle & was four. May 15, 1957 1080 La Sievra Drive sacto 25 laig. - Next built in I day in former at 4 on E and - 6/10, 1 77 July 13, 1957 2 3990, 6/17; 3 0990, 6/18; 4-990, 6/19; 000 0 00 DT led 7/2. 4 lett next 7/12 / ster.

+ bould 7/13. It was expeated flight, but a ded sickly.

EModest
6/1/19- Go Falls Mil altyria.
6/1/19- Go Falls Mil altyria.
6/1/11/11 portion sees, see, Common in open down a troubless areas
6/12/11 portion sees, see, Common in open down wear

Observed Free . venden, Jr.

C.t.i: a

The both of Michael trajectors and conserver:

lumetell cholinen, la

Late

Locating me observations

Walla Walla Wm, 19434

7/23/14 Magintain, 141. Jugar minory 1. . 18 1. 12 19 Kreek Flaket



2726 -2229-2234-2237-2242-

Toxostorie milion

Prom lings m

2/6/63 - Even X. Courts A of try Doren For Party of -/ water 5/2 8/91 strong to week the form of the first of the form



Feb. 21, 1951, Caternian Einmit Co. Texas. This bird was perched in a bush near the hiway, calling loudly. Seeme a little larger, and was much more darkly spotted on breast than the Curve-billed seen in Arizona.



1843-2600 2610-2612-1614-2621-22-

Bendire's Thrasher Toxostoma bendirei

Feb. 19, 1951. NW of Chandler, Maricopa Co. Arizona - in open country, scattered shrubs on fence rows, and with grain and sugar beet crops.

165 4, 1960 Jandan Lata Impar. Programmed 1 1 00 0 , 50 impart. Pit. Programmed 1 1 1 margar.

				•
				•

Curve-billed Thrasher Toxostoma curvirostre palmeri

Feb. 19, 1951 SE of Phoenix, Arizona - on wires adjacent to citrus trees. Noon.



•

Toxostoma redivivum redivivum

- March 23, 1947, Joshua Tree N. Mon., 5000' elev: long bill, curved, and I was first attracted to it by continuous mockingbirg-like songs coming from somewhere I finally located it partially higgen in the top of a Pinon Pine. Later one sang within 50 feet of us where we were getting breakfast!
- Nov. 16, 1949

 Black Butte Res, Area, Stony Creek, Tehama Co. Calif. a couple in the river bottom tangle of willow and grape near the creek. Silent, except for the noise of moving through the brush
- Mar. 21, 1950, Garst Ranch, No Butte Co. along Sacto R. 945 a.m. one calling or singing from 40 feet up in white oak near tangle of grape vine.

 April 26, 1959 De Martin Roy. 4mi wf Phymorth and Co, Calf. Z provided toy chapter.

Le Conte's Thrasher

Toxostoma lecontei lecontei

March 21, 1947

Bouse to the Summit of Quartzville Road, Plomosa Mtns, Ariz. Nest just being built in a Lycium andersoni at heigh of 3' on the south side, with Palo Verue aajeacent on the north. Nest construction ab ut completed on \(\frac{1}{2} \) of the body of the nest. There is no lining in it yet. Both birds were pale brown and smaller than the Crissal Thrusher. Very, very shy, but even so, the nest was within 5 feet of the State Hiway Route 95!



Toxostoma dorsale dorsale

March 21, 1947, N Foothills Plomosa Mtns, 9 mi SW of Bouse, Ariz: Flushed a pair of them. Larger and darker than the LeContes, but with curved bill. Found a nest at $4\frac{1}{2}$ feet on the west half side of Lycium andersoni (as the LeConte's nest along the road). Adjacent to the west was a large Palo Verde, as with the Leconte's, too. Nest of small dry twigs and fibers. Lining of grass pulp, etc. Inside dia. $4\frac{1}{2}$; inside depth $2\frac{1}{4}$; outside diameter 7" to 8", and quite bulky. Two young were in the nest. 24" to 22" long. Skin black. Downy plumes gray. No pin feathers yet. Gape white; Bill and legs blue-black. Eyes still shut.? 4-5 days old, I'd guess. No dirt in nest. Parents came to the nest when we left it, and were fairly close all the time, although they were quite secretive. A nesting record date and locality for Ariz.

Obscivet Fred Lyenden, Jr.

Sage Thrashor 2563- 3553-

dibli of liet this of the objectives: 543-546-5-52-561-1230-1278-1561a-15816-1839-1852-1932-1933-2108-2109-2132

Orgondo stes me torum

Late Location and object vide .

3-18147 Bill Williams R. Canyon, Ariz: calls like a Long-tailed Chat, too. Had only a brief glimpse.

Feb. 21, 1951 Laredo-£tRoma, Starr Co. Texas - common at eage of road in bushes and on the ground.

July 30, 1952 SW of Eagleville, Modoc Co. Calif. at 6,500 feet, in juniper.

June 30, 1970 : Hutton Lake NWR near Laramie, Wyo. several pr. in greasewood on bottomlands and open range. No sage anywhere.



661-663-664 - 666-667-668-667-6672-676-677-684-653-659-679-647-647-647-703-701-705-707-718-722-724-723-723-724 661-663-664-666-667-668-669-670-672-676-677-684-688-689-697-697-697-697-697-701-705-707-718-Company of the company of the compan Corvallis: "This meeting in turn provide corn to the being and. May 10, 1941 ondburn, Populant's would: remain to be wise a set of them out here. Leot. 17, 1941 ut there aren't any in town. Colvanic: " itial mire lubin; eedin o . . . lec. 5, 1941 111 F.C. Astenda in Francis Lt & fig. The Late Contin L. The type of et el to a constant of the i. European de la companya della companya della companya de la companya della com well in a new contract. As it is made in the ties of the Either the control of the control Lit to real first little of the language of th On a service of the Control of the service of the s reb. 5, 1.4% for valid: a to be directed their budit of Dec. 8, 1942 Corvallis, Er. Gordon's Office in the Ag Building. Observed several partial albinos today. One had whate on the crown, another has white at the bens of the left wing. A other has a large white ar a on the tail. They didn't seem to be solitary like some of the albino robins which I have observed before. Dec. 28, 1942 Corvallis: I came from Woodburn today, where there were very few Robins, but south of Albany and over Corvallis I saw 100's and 100's of them. Evidently the largest concentrations I have seen. Also saw two albinos on the campus today. One with white back. Canas, Wash. - Next with 4 cage in it. It , making of 6-28-43 Maj 23, 1944 Jah. 10, 1946 -Woodburn, Oregon. Nest in our Arizona Cypress at 12' above grouma. Woodburn. On the ground outside our breakfast room, Lad found a hobin, dead with a broken neck. The mishap was either by the robin hitting our house, or connecting with two electric wire lines that run into the house at that point. The body was partially warm, but small ants were already crawling over it. Apr.21, 1946 Woodburn, Oregon. Two pair were busily building nests in our yard this a.m. Both nests were freshly mudded and the birds were still carrying grass stems into the nests. August 1, 1946 Stewart L, Corvallis. Satched two of them chasing a Bed-tail Hawk. It retreated in a hurry. nugust 21, 1946 Corvallis, Poison Oak Lake, Lime 10.00 Feeding on Cascara berries. Aug. 26, 1946 Poison Oak, Lake, linn Co. atched one cutch and carry a small yellow-green True Frog to its young. Sept 18, 1946 | Avery Park, Corvallis: a new and a mete needing on insects in the to. of a l. lir, in company with 4 Va x (wints, I This er, and 7 teams axwings. Dec. 9. 1946 Corvallis, There has been a decided absence of them this past ments, but they were present today, in arever and alocar, in a half nor I saw at least 4th of them here and there in the in the face of corv. Toolburn, In 's oil lebion in the local now; evidently that her theore iec. 14, 1846 and resent one have promitted in the first.

Jage .


One collected Feb. 24, 1947 on 0.5. C. Campus Rod brack fill of angleworms. of 2 elytra of beelles init. a larval distan was " I within 3" of The end of the large intestine - roport 5,8" cong. on I was arrest

One collected March 3, 1947, near OSC callege Vet Barns and Castodes the Mill say the I'the Artestine . The Party we and man awall me one of the

- Jan. 16, 1947, Corvallis, plentiful in the country, and more than abundant in town - everywhere !
 Beaver Cr. Benton Co., common in open fields and pastures.
- Man. 21, 1947,
- Mar. 12, 1947, Corvallis: for the first time I noted that 100's of them, in singles or small flocks were flying high, from all directions towards the hills NW.
- April 7, 1947 Corvallis, Poultry Bldg. female setting on completed nest in fork of elm tree near the poultry building, at a height of 15 feet. SE exposure, with a higher canopy of oak branches, to the north, south and west. 4p.m.
- April 13, 1947 Woodburn, home: seen carrying nesting materials into Colo. Blue Spruce. April 18, 1947, Ag Bldg, OSC Campus ? 9 a.m. female on n st that had 4 eggs on April 11th. Nest at 23' in Cascara tree on east side of building -About 4 feet from the wall of the building.
- Avery Park, Corvallis Prest on south side of an 8" north-leaning April 21, 1947 Ash tree. Nest at 6 feet, over the water in the pond, where the ash was growing, supported by small, upright coppice growth. Pond on north side of a tall fir grove, well-shaded.
- April 24, 1947 Corvallis, OSC Campus: 1815. I climbed to the robin's nest previously described in the cascara tree. I banded the four yougn, 3 of which were getting down covered and had pin-feathers developing. The 4th one was about ½ the size, and did not have pin-feathers yet. The abdomen was the predominant development. Bands # 41-224296,97,98, and 99 were placed upon the birds.
- May 5, 1947 Nest on west side of L. Fir, NY corner of Kiacer hall on the campus, with a T and N exposure, getting the afternoon and evening sull. It was on a horizontal limb at 5 feet above the ground, and this limb more or less protruded out into the open more than the other limbs. There was a canopy of twigs over the nest, too. There was one rather aiscolored egg and two young of about equal size in the nest. They had readish skin, with blacksih down coming out, mostly down the dorsum of the back, and on the wings, the head still being quite bare. Pin fathers were about '" long on the wings. They would not open their eyes while I banded them (41-231051 and 52). The adults were present, and the female continually given at my head, scolding viciously all the while. She had been at the nest, but not on it, when I found it. Girls gym classes are always around this tree all day, and so there is no end of activity around the nest. This was at 1815

Found two other nests in locust trees on the W side of the armory. One was at 9 feet, and the other 11 feet. Both on norizontal limbs, and on the south side, from the trunk, both being well-shaded.

Corvallis: a nest is on the inferior cornice leage above the top May 14, 1947 of the window outside the north windows of the Ag 229 lecture room, and it just seems to be hanging there, about 1/3 off the ledge. Occupied???



May 28, 1947, Corvallis: Nest with 4 young ready to leave in 4 days - nest at $7\frac{1}{2}$ feet in Hazel, in lawn area between two houses. Emposed to the south, and the entire area.

Nest in cherry tree at 15 feet, on a limb running SE, nest shaded by immediately leaves and twips, but no other shade E, S, or .

- Feb. 28, 1948 Oak Creek, 430 p.m.: in field, and about 1645 we watched 50 of more flying straight for *cemetery hill north of Corvallis, a course of miles away, as we have seen robins do before in helaing for the winter roost there.
- March 19, 1948 Woodburn, Ore. 93° a.m. I observed 2 volins on the ground fighting inciously for over 5 minutes on the ground. First one + then the other would dominate fighting. Occasional rate was taken.
 - 1948-0.5. C. Lower Campus: 0 reg.

 agr. 8 Juilding next at 6'z' on 5 side of large Eng. Laurel hedge.

 agr. 18 Next complete dry grass lined. No eggs.

 agr. 25 3 eggs in next. Both parents nearby

 90 ay 5 3 hatched

 90 ay 11 Banded 3 young 9 at the rest 7a.m. Cool.
 - 0.5.C. Lower Campus 100' from foregoing next.

 Ages. 30 at 5½ on lovy. limb of Pine S. side, well kildent 15' from townk.

 May 7 1 extra large eyy

July 26, 1948 Tritehorse being on set neance low, states being to be the low process.

- Aug. 18, 1948 Woodburn, home: few adults and many young birds around, particularly in cherry tree. Do lots of squawking, and fighting.
- Aug. 22, 1948 Woodburn, home: about 15, most, if not all immatures. Some showed spotty albinism, and others showed coloration mutation like tan, instead of gray on head. Feeding.
 - Apr. 13, 1950, Woodburn, Oregon: many robins around some paired, and one pair started building nest in English walnut at 18' in crotch nest started on April 12, and although it rained much of the following days, it was about complete on April 16.

- 2219-2225-2226-2227-2229-2229-8232-2203-22-311-2235-2238-2209-2-42. Observer Frea Evenuen, Jr. Tumber of writes or which to cave : May 2, 1944 Mtn. Home, Idaho, Cromwell's yard, south of town. Our robin's nests with 4 eggs had the female sitting on the nest, continuously while carpenters worked on a house within 10 feet of har. The rest is 6g feet high in a lilac bush, and is all by itself. May 6, 1944 Mtn. Home - the nest still has the 4 eggs in it. May 8, 1944 Mtn. Home - Nest had 2 eggs and 2 hatched (evidently yesterday). Length 24", head and bill 1". Black eyeballs large and visible through the skin. Eye lias yellow and developed. Eyes closed. Skin is pink, or flesh-colored, covered by a white or gray down z-2" long (very shaggy). It is on wings, head, back, and chest. Mtn. Home 730-830 p.m. The nest had 2 eggs and two enlarged young. May 11, 1944 Boaies about 12" and head and neck 12" long. A black color is developing down the middle of the back, and on the scapula and wings. They seem to have the same amount of fuzz. Female stayed on nest during very heavy rain showers, thunder, and lightning, from the Co and Ns clouds. Showeres arenched her for at least a half hour, as the nest is in the open, and the lilac leaves don't keep off the water. June 1, 1944 Mtn. Home, Area II, 530 p.m. Saw a robin feeding on red-black ants on their own hill. McCall Idaho, Robins feeding on Twinberry, here. July 26 1944 facromento, Calif. -2228-3rd ave. - 7a. m. Heard spring song this a. m. Losted couple of minutes; from sycamore trees. Sept. 26, 1949 Ston Creek, below Fast Fark Lam. Tany f-eding on tild graves growing Sept. 20, 1950. on white oaks along a lane. this afternoon. Silver L., Amador Co. Calif. nest at 22' in 25' lodgepole pine. Of rags Aug. 9, 1952 and twigs and grasses. In tall fed fir and lodgepole pine area. Young in nest very loud when fed. June 19-20,1954 Silver Lake, Amador Co. Calif. Several pairs in area. Still calling at 9 9 p.m. Nest in top fork of 10-11' high red fir in semi-open. Nest at 9 or 10 feet. Centained 2 eggs on 19th and 20th. F very skittish, on and off. Base of nest of fresh yellow-green lichen with mud on side and lined with dry grass and needles. On nest at 7 a.m. Nest - at 8' on south limb of live lodgepole along paved road. F on 5:30 a.m. and 6 p.m. 2 eggs. June 25-7,1954 | Camp Harvey West, Upper Echo Lake, Eldorado Co. Calif. Common -only 2 nests found. No young seen. Nest with 3 eggs, fine grass lined, in leaning lodgepole pine crotch at 6' height. Another nest in crotch of live lodgepole limb running south over open ground at 11' heigh. 3 eggs. In pine-fir forest area. Hittle Furboldt, our Valler, John Collegal. This Landarson City, Nevada. Astebed them chasten seconomically. Ma-1,1755 1000's heading to vost new Villey tord, Sonowa to, all from conder bloomfailt 5 d. orgol. 5 to Feb. 4, 1956 IN . Roman de matel 1 at t 12 would start a wind som it May 17, 1957 June 28-30, 1957 Stony Ridge I, 7840' el. Eldorado Co. Calif. I nest at 13' in top of small lodgepole pine. Young being fed. Under taller trees. Jan, 22, 1958 Comickael-Fait Oakes, Calf. Non - Noon. Carmichael - Fair Cales Calf - 250,000 a conservative of for those seen in result

av-16-19,1958 Argante's Cabin, Tahoe Viller, Calif. They were chasing Stellar Jays and allso carrying mud for nests. Jily Take, Pallen Teaf, Tionado Co.Talif. Ton cest at broken limb of willow this p.m.

t. 28, 19⁻¹

Tay 31, 1958 Kingsbury Grade, Douglas Goldevada - Flat 7th most will emps against tr

July 18, 1958, Pope Reach, Take Tahoe, Calif. L young in lodgenole pine nest at 25' elev. on south side of tree.

May 30-1, 1959, Tahoe Valley, Lake Tahoe, Eldorado Co. Calif. several pair. 1F feeding 2/3-grown young. Also F on nest in Jeffrey Pine, SW side, 20! aboveground.

July 28,1960, Carnelian Bay, I. Tahoe, Placer Co. Calif. very few around, but 1 nest on a high ledge of Sugar Bowl Lodge, with young. Nested there 3 years in row. Sept. 10, 1961 - Blufffells Comp, Tassen N. Ph. Shasta C., Calif. - 2 al +4 Thy grown young.

Juall, 1969 - go Faxer Rid. - and tyng.

July 6, 1970 Caffe Muars, and Fred you

5/5/20 Morgantown, 100 Yyang as alreading by most back of Fired.

Pacific Varies Thrush

187-192-196-197-198-199-200-201-202-203-204-305-206-208-209-

Sept. 22, 1940 Uct. 15, 1940

reb. 7, 194% Larch 14, 1942

Oct. 10, 1942

lan. 31,1943

April 6, 1946 May 17, 1946

Dec. 29, 1940

Jan. 21, 1947

Jan. 27, 1947

March 14, 1948

Feb. 2, 1950.

First Observed this winter at Jack's in core rudding liver: the time they one can have a mer a man and a. Cometer mile, corver i or In deep out. In a live ment to more Modernate, service of the service of

Woodburn: Saw two Varied Thrush in the neighbors yard. Attracted to them by their call notes. This is exceptionally early for them. Jewett said he saw one at Jennings logge on the 5th.

Corvalle, Einis a come a common this year the same us it was two comes a come to the inter the contrary and were Could they proceedly in cyclic of serhand the aline to use against Them luring summer of 1941 or Mewinter 41741-42. 13.

Corvallis, Oregon - They are still hanging around the campus Alsea Fish Hatchery 2 p.m. Spotted an adult carrying food in its bill. Followed it into the woods from the fish hatchery pools and found a nest in a small cedar at about 5 feet, on the northeast side of the tree. The nest contained 4 young, perhaps 4 days out of the egg.

occburr City Part, Dalv. Troot Temp. . Mr. That were recardy on the givene, the fit in company that in company the fit in company Oak Grove south of Philomath: probably more than 50 of them, for they

seemed to be everywhere, mostly in the oaks, high and low, and on the ground, and in the brush. One was dominated and chased from its perch atop an oak by a Lewis Woodpecker. "Churps" heard all the time, and once and a while its "rusty" call note was given.

Jack's Bridge, Butte Creek, - 37 of them feeding on rotting walnuts among molaing leaves in the orchard. They were actually pecking thru the rotting shell.

Incense-Cedar - Yellow Pine on foothills E of Harrisburg Many were in the clearings of the inside of the thickets of this incense ceaar tres.

Monroe-12-mile Swamp, Penton Co. Freezing weather - lots along road. ricked up 6 dead ones which had been hit by cars. All giz ards of these biras contained poison oak berries. DBM



Observer like venden, Jr.

Borthern Varied Thrugh

1051 - 1064-1069-1072-1084-1087-1100-1112-1114-1125-1136-1138-1144-20%

Loret n.evius metuloisss

Inte

Loc Vaca are object v Si ri

March 12, 1949 Franklin Fanch sloughs, east of Courtland, Sacramento Co. Several seen on moist, shaded ground among willows at eage of water.

March 15,1953 4:45 por on who will were I say 10 1/2 2 months are



<u>Implocichla</u> mustelina

Jood Thrush

oop ? 2630-H. locichla guttata guttata

Localies and observations

January 10, 1942

Coretar dille, corvers. the contract is a section which is the Very julet an iculo, but but in the common the control of the cont ACOVE. 120 OF WEIGHT BELLEVILLE . THE Le vei, to a like the letter.

December 8, 1942

Corvallis, agric. Building at 2 p.m. lr. Gordon and I noticed a small bird energetically driving the robins and valued thrush away from it. Upon Looking at it throung the field glasses we f und it to be on mlassa mermit Thrush. Why it should want to drive the other binds away, I wouldn't know.

April 10, 1947

Feb. 6, 1949 Feb. 12, 1949

Dixon Creek Ridge, Corvallis orking the underbrush at the eage of the young L. Fir, and Oak. Seemed quite tame this time. There were 2. Folson Res. area, Sacto Co. Wor 3 on posts and in pasture, fields, in open. Nigger Hill Area, between forks of Amer. P, El Lorado Co Very Common in oak woodland and pasture areas on the ground, feeding in the open.



Easter, - 2211-2-12-

observer Fred Evenden, Ji.

lwarf Hemlit Thrush

Rocky - 2554-

numb ros sire tange on ic. de voc:

366-378-446. 475-481-495-715-722-737-1016-1040-1069-1065-1066-1068-1072-1073-1165-2070-2084-2311-2326-2344?-234/-2401-2-2498?-2573-

Hylocichia guttata manus

I to

Loc view and observatures

March 10, 1946

Nelscott, Ore. - one in lodgepole below the cabin. It ilicked its tail frequently, but it was a oull rec-brown. Have seen several around Corvalis this week, also.

Feb. 19, 1949

Woodburn, Oregon, home. Some subspecies of this thrush seemed to dominate the English Sparrows, Juncos, Varied Thoush, and clickers at the feeding

May 14 1953

trays. Laty State Fai gods - Sacto - noon. I adult in shrubby



2368-2437-2529-

igraceical to the second

:010

June 19-20,1954 Silver Lake, Amador Co. Calif. 1 heard in p.m. of 19th, and about 11:30 a.m. on 20th at least h singing loud and clear near camp.

June 26, 1954 Camp Harvey West, Upper Joho Take, Eldorado Co. Calif. many singing on ridge north of camp at 8:30 p.m. Heavy woods of red fir there.



lumeet of link traje en lich sections:

Fusset-backed Thrush

4-5-6-7-15-18-19-77-81-90-92-150-152-154-155-156-157-159-161-163-168-171
176-178-237-243-312-314-315-395-397-398-405-437-440-443-590-614

620-627-634-639-642-643-649-651-652-658-661-657-662-668-669-672-673-5... 679 -8... 685-686-588-691-672
Hylocichla ustu ta ustu ta 649-703-204-705-705-705-733-8831-884-377.876-880a-883-883-986-888-490-892-893-895-895a
1937-1938-1936-2134-1218-1246-1268-1288-1629-1631-1632-1649
1937-1938-1936-2134-1218-1246-1268-1288-1629-1631-1632-1649-

Late

Location inc observations

Many times, I have renained motionless in some brush + whistied individuals of this exercises to within . or 3, set away.

Aug 2, 1943

Pt. Defiance Cark, Tacoma, Wash. I adult + 2 young

May 20 1944 Camas, Washington. Found a last year nest at 6 feet in a Hazel bush. on the hill behind Palmers.

Apr. 12, 1947 Butte Creek Grove, above Monitor: found an old nest in Ninebark at 52 feet at the eage of a clearing in old fir-cedal grove.

August 7, 1947 McDonald lorest Offiche gegrown young was been an a naire, being see an increase Sept. 3, 1847 every furt, torv. - 1 is there is the on the a erbotting

Apr. 18: 1948 Every Park: last year's nest at 8; feet in maple in open old abouth lin, quite a brunk thicket just below the nest tree.

Pudding R., Mt. Angel, 730 p.m. singing in woods. Aug. 12, 1948

Pudding R., Woodburn: adults calling, and tail-less young, 1/3 grown seen. Aug. 20, 1948

June 25, 1950 Monterey Calif. 1st bird to ain in the a.m. Rany manula before caylight at 4 a.m. The nu bers and trequency tapered out juite a bit by 6.

april 3, 1961 Soile Calif. Ver ST +14.5.



obteiver free evence, J.

Live-buckur Truch

Jumper of lientage on a new on a we:

-1-ocicra try - in di

10to 10to 2, 1960 20to 2, 1960 20to 2

Loc tion and observ tions

John I halin otto, im of a die or, in the or in the or in a son just on the control of the contr



Observer Fred Lvenden, Jr.

illow Thrush

Number of field trage of which I served:

Hylocichla fugcescen. chicicola Loc wien and observations Late A CONTROL OF THE STATE OF THE S

Sialia sialis

Eastern Bluebird

Mar. 23, 1975, Angler Inr-Tock 16, Wont. Co. d. 2 pair, 1 or ir and ut of 2 holes in 5" snag over capal above Wid water

·		

Observer arco ivenden, Jr.

huder of time set. on tid orderve:

oocbun ol . _ of the modern who country to the at the first the first modern ond on the ires the sence of the

12-mile swamp: adults and immatures were very common everywhere around Feb. 4, 1947. the swamp, and we found one flock "hawking" in company with Audubon Warblers, over a flooded area of pasture. Call notes were heard constantly, and once we thought that we heard one starting to sing.

Apr. 12, 1947 Near Scott's Mills: a nest at 3 feet on the SE side of an apple tree in an orchard beside the road. One adult seen entering the hole.

Abiqua Camp Milk Ranch area several pair seen. One pair had nest in April 12, 147 a barked fir snag at 30 feet on the NW side. Hole $l_0^{\pm} \times l_{\overline{A}}^{\pm}$ " in size.

S. Santiam H., Foster, Linu Co.: A pair with a nest at le feet in the May 24, 1947 east side of a acad fir snag on an open south slope. Chickagees had nest in same snag.

Abiqua Carmp still going to and from test hele described previously. May 31, 1947 No young seen in the area, yet - still in the next, I guess.

July 24, 1947, Fern Fig e ranger young ones novering at I -1% rest over one grown for perious of minute, etc.

Aug. 48, 1547 Glenbrook and vicinity: young now havering ever sield of belieft.

12-mile Swamp: Quite a few (20-25) adults and immatures, M & F in area, Jan. 20, 1948 calling, feeding on the wing, and on the ground, and hovering at a few feet.

12-mile Swamp: 15-20, of which I saw at least 7 hovering at 10-15! Feb. 24, 1948 elevation, at the same time.

April 2, 1949 Hogan Reservoir, Calaveras K, Calaveras Co. fighting for territories.

In Wool Fanch, Hamilton Fange, 2000 to, Sunta Clara Co. Pair bar nest May 22, 1949 in elderberry tree - 37

Near Ice Louse - 5300! elev. several observed Nov. 1, 1949 Silver Creek, El Lorado Co. hovering above red fir tops taking insects? (air temps about 75°F)

April 17, 1951 Tres Pinos-Pacines, San Benito Co. Calif. 1120 PST. several pairs - one with nest hole $l_2^{\frac{1}{2}}$ -1 3/4" dia. on underside of horizontal 5-6" diameter Fremont cottonwood limb at 22', on the SW side of the tree, facing field.

May 14, 1951 Tulloch Res. area, Stanislaus R. at Obyrne's Ferry, Tuolumne Co. Calif. pair with nest at 10' on N side of live locust tree.



Chestnut-backed Bluebird
Sialia mexicana bairai



Late Location and observ tions

July 14 1944 Stanley Basin, Icaho, Saw several adults, males and duller females, and also a few young ones were with them.

July 26 1944 McCall, Idaho. Saw adults and young here, toc.

E of Sacramento: 3 p.m. very common on the open old gold-areaged flats Jan. 9,1949 of sparse grasslands. Adults and immatures. I saw at least 50 of them.

Oct. 19k 1949 Woodward Res., Stanislaus Co. - 1 observed on a fence post in open range. Jan. 30, 1951 Near Thornton, .. Joaquin Co. Cenii. 200 p.s. Several deren seen in vineyards in this area.

Mar. 11, 1952

it get litt, W. Caron R. Office 'o Colif.

SE of Oilfields, Kem Co, Calif. 3 p.m. Line ...

July 24-30,1952 Patterson G.S., Modoc N.F., 7,2001 el. Modoc Co. Calif. Nest in aspen near our camp. Hole at 81 on south side of trunk. Open parkland of grass and aspen, yellow pine 50 feet away. Young in nest being fed by 2 males and a female. Banded one male on left leg (1A) - 41-152124. on July 25, 1952. wood Pewees followed them to the nest sometimes - curiosity? They would chase juncos away from the nest tree. Chipping Sp. ence brot food to hole.

Saw one male fly 37' (ground distance) from 9' perch to pick up green cate-July 25 pillar for young. Adults often brought food to nest faster than another adult could vacate nest - they waited in line to feed the young.

July 26 At 3:30 p.m. M and F feeding. Watched F bring l"-long green Geometridae caterpillar, fly from nest to perch just 3 feet from nest hole, and fly 31' to ground to pick up grasshopper lim long and took it to nest. All within one minute. The adults would perch in the shade of the aspen trunks when not feeding. They always seem to till food on ground or limb before going to nest with it. Both M and F can hover over possible food, about 2-3' above ground. Also observed adults occasionally carrying out fecal sacs. Call of young quite weak these two days, when fed. Very young?

July 27 The Oregon Junco chases chipping sparrows, and the mountain bluebird chases juncos. Right after a thunderstorm this afternoon, the F fee young 2 grasshoppers. So did male. Also, F brought a Sand Cricket (Stenopelmatus) and green caterpillar and 2 more grasshoppers and many other trips were made that were not studied. Feeding active in morning, quite through mid-hours, and picks up again in late afternoon unless disrupted by rain and our actions.

Adults still carrying out fecal sacs. Nest deep, for I couldn't reach adult July 28 on nest with my fingers. Adults fed young inbetween heavy thunderstorms this p.m. About 6 p.m. I watched the 3 adults bring 1 sand cricket, 2 grubs or larvae, and 5 grasshoppers (one still kicking) to young. The male I had banded was very nervous while I was near nest, but would go directly to nest hole. Other male would go to it, but not in to feed the oung. F was bold and scolded me and came close and fed even when I was there. The 2 males were lined up on adjacent perch waiting to get to nest, they being not 3 feet from my head. Quite a view of them. The F was observed to make 5 attempt s to secure food, the last one being successful. Their hunting success varied from 1 in 1 to this 1 in 5 tries, at 6:30 p.m.

At 9 a.m. the adults were waiting in line to feed the young. The adults July 29 range at least 100 yards downhill to west or nest; 300 yards uphill to northeast and north of nest; 75 yards east and SI of nest, uphill; and 75 yards south of nest, across aspen glen. All boundaries seem to be determined by coniferous forest-open or aspen border. The adults did use some of the firs for perches while looking for food. Observed that centipedes were added to the list of foods taken to the young.

Dac. 13, 1952: N of Remnington, Butte 6, Calif. Several seen at 320 p.m.

the state of the s

Geb. 5, 1953 - 6 2 in W. of Commercial of Attack of all - 4 agent will early early and their food well early early and their bound food well early.

Effectived.

6/21/69 - Missoules / Halkada Cos, Mille 6-7 Dia. Sissidi & 9 2 At

Next in black clary stub 6-7 Dia. Sissidi & 9 2 At

2/4/20 - 4 feeding or row hyper balon look 15, (+c (sur), And some symm.

5/2/20 - Morganton W. West er old aggels tree, of a feel of

1/19/20 - Mor cas, fighting wind lied reflection ?) a Lock 10, (+0, 16).



Observer fred Evenden, Jr.

hyadestes tommendi

Late

Location on our vit in

il 20, 1941

Peoria serry of triac: 4 or E or tier. ' . . . The last tree the application of the control (as). It was to to be an emain includely in the contract the same of the The control of the walls of the product to wing built, the

il k , 1941

Lar, to Reals: Or an access to of them there in the Lo Loon

Nov. 15, 1943

Walka Walla, Wash. 3-4p.m. very cold. I Fout Thong. orally year below. Black bill. tight sing around eye. I be det body, been vinge. Quelouses in non. ingo. White outer tisk jeathere. Dark state above.

June 14, 1946

Humbug Forest Camp area. 930 a.m. Had an obliging individual alight on a snag a few feet from the road and we took its picutre.

April 26, 1947

Iron Mtn. Coos-Curry Co, NW of Rogue R., pairea up and songs could be heard everywhere in the valleys. Quite grosbeak-like in character.

Spring, 1046

Kermeth and I be a second with rade, much for I have been hert on the type is an raver in one within a wall of a by one The nest that he challed in the list of the united to the care rangen . . The tree in the post of allers.

July 200, 1.40

included the control of the color of the following the property of the colors of the c The result of a state correspondence are considered as ϵ_{ij} , ϵ_{ij} is a regularization hard car in the

July 22, 1950

W. Carson F., W. of Moodfords, Alpine Co. evening. several seen feeding on insect hatches among the creek, and agro watched one b thing in sharrov auter at sure of rilfle.

June 27, 1952

Stumpy Meadows, Pilot Creek, Eldorado Co. Calif. heard and saw one speckled young. Nearly full sized.

June 9-1: ,1962, Chine That Carr, Silver work, Olderade Co. Chif. Inchet flucted from nest with disterly ox cours on Masla signt of five small area's in heavy fir for at case, will and fallen delate on the large of in the creek. Hest or a mail 13 example, but mostly under Mattend Hab careforn. 'lest I de l'usile d'unete ref 16" en se, messeum en curie est berk. Cup inside disactor 3 and kept about 2". These has the temperature and seed onnest held from cors with a common barr color, and eigh heavier birtchd and suctifying rod (s) -brown at large and of orm

Jane 10, 1979

Prays hard Ore. West in uplewed to The roots, Nel fresh in well enter, ment roul, about the growing beautiful many.



557 - 563-1838-1858-2092-2464-2544-2546-2540-2546-2609-2613-2618-21-22-

Western Gnatcatchers

Polioptila caerulea amoenissima

March 22, 1947, S. Foothills of Little San Bernardino Mtns., Calif. Black tail with gray crown. In creosote and smoketrees. May 31, 1958 Carson Taller, Unurlas Co. evada - nest and mount in little same.

4/30/10 - 17EC, Tana - Java/ mest.

5/2/11. C+O Cand a some long los Ment lo Mil.

Nexion forte at 12 on Francis of feeling young There as 6/22/71

•				
				•
	•	·		

Plumbeous GnatchatchersP Polioptila melanura ssp

March 18, 1947 Bill Williams R. Canyon, Ariz: several singing and seen working in brush 1 pair were attempting mating, while I watched.

5/2/30 Seucea, 148. Nest to 17 in selver suggles over water.



E. - 2226-2233 - 12365a- 2487-2491 Josepher Free rvencen, Jr. Western Golden-cromed linglet Walla Walla, Wash. - a small flock of about 15 yolden-rownet one fiero creeger, working a sintree in the and the south son cay is sport and the sine we say the Kingsets. The way or and some is he has been a from the line of the time to the time of the time. Usin the vig so and so willer 12, 2 to 10 Jan 15, 1944 rollied "his are action on where a cosions. May 29, 1947 - S. Spur, Lacronald Forest - a small flock of 7 seen infir area. MacL onald Forest of in small groups in the firs. Calling continuously-June 19, 1947 Movem.12, 1956 Southside Park, I crame to, Calif. I or a seen in tors of elm trees at the name - largest on centration of them Time gent in Electer Engest hold, Dr. Govern Joshon, in pochecile in the 2011 am. Est. Deg 27, 1974



July 25, 1040

where of white the

song of this bird tonite. I was very pleasantly surprised.

Dixon Creek Riage: One plenty heard through the oak and fir this p.m. One April 10, 1947 pair were busy feeding, and fee on insects in a hazel with 5' of me.

Maclonaso lorest - in small groups in the iis. June 19, 1947 12-mile Swamp: Several scolding from brush area. One singing beautifully. March 9. 1948

> Sand Creat Conyon, See 1, Crater Lake . . . I could be a conjunt e "Lyc na" ato ily into a can per il managhine. Il a can en the particles of the Crest of we or the with the power of probate one the south to some a characters, it is not a few and

The hot of the another est bide of the, I tay to be established thin to be and a substitute of the contract of ent bain an annata

Post lines who have all colers, where be a line of the mississist, one seems yellow the restriction of the second Therefore that into the late of the public times of the late of the second times and the second times of t

Inside that the put to a "the contract to the contract to the

 \mathbf{c} youngers of \mathbb{R} to more than $\mathbf{c} = \mathbf{d}$ for $\mathbf{c} \in \mathbb{R}$, $\mathbf{c} \in \mathbb{R}$ in the first form in the first terms of the

Nov. 16, 1949 Black Butte Res. Area, Stony Creek, Tehama Co. Calif. scattered small groups working brush, and oaks and willow tangles. Heard one singing from white oak at lower edge of woodland.

July 24-30, 1952 Patterson G.S., Modoc M.F., 7,200' el. Modoc Co. Galif. watched one bathe, after which the red crest was very much erected, practically covering the entire crown.

Thisten is income force in faith. Intel in owner in firm to bitten Dec. 5. 1951.



Observed into vencer, 5.

it. Ainglet

186-193-195-197-200-201-566-567-


contolic concern that her

Lute

Location and observation.

Oct. 9, 1942

Corvallis, North Cemetery Hill: Many females and two males with red crown patches erected and very brilliant. They were feeding on spiders on the scrub oaks.



Coserver Fred Evenden, Jr. #8-5/-56-103-104-106-107-112-113-114-122-130-131-132-168-174-198-199-200205-208-210-212-219-246-247-257-276-281-288-29/-293-301-336.

338-339-464-470-481-483-486-491-493-496-491-796-501-508-511-514-522-527-5

inthus scinolette repercent respective repercent respective repercent respective repercent respective repercent repercent respective repercent respective repercent respective repercent repercent respective repercent American Pipit y's liver south of Corvallie! e came into the liels to the lie that hiterally sot up and then usey. There were the vessel hundreds and hur roug of the pigit; in this Paula. Jan. 16, 1943 Corraction Cake Crack, 1. mile west. was the first firm, he year for me. It is now were to an in them two of I weekings, but not me. Me Chard Field, Tacona, Wash. a few Pipins seen & heard or a secondly . m. The 15 to the 17th. The u.m. of the 19th whites largely work was peresentaround #2 ringer, They like to process of the hanges, &, when no raing, were continually vorking by to down Peori: Priy as him at the reading and all left, but not so, st. 30, 1946 April 22, 1947 for we saw a flock of 3 and a large flock of over 50 birds in the field next to the swamp this p.m. 12-mile Swarp ? saw 15 or :0, most very tame, and just walked away from March 23, 1948 me in the stubble riela. Also saw 5 of them in a tree. april 14, 1949 Sacramento, Call - feeding on the lawne Sacraments Signal Depot of flocks of 10-65 feeling on lawns of administration april 18, 1949 jan, 1950 October 6, 1950 factorists light of the first of the first find for the first find for the first find of the first find the fi building sald month. Sails. Home + Sig. I gootlet several usen on women in raight will in Mrs. 13, 1950 in a second disting it in the are 144 feeling at 1050 a.m. with a few hell seens towardow larks; it Sacto Lignal Depot Walnut 87 on some lown area this por with annuy to wine Nov. 16, 1950 Oct. 9, 1950. Lovevdock Valley, Pershing Co. RNevada. First 14 seen perched on wire line Have been from 30-120 outside the office of figural Digest They say to now Tim December. Jan. 3, 1951 0840857. a single on grass at decreased it part Depot Colf March 28,1958 0820 PST. Sacto Signal Depot - 1 can. Coly. april 2+4, 1951 June 20,1954 Atop Elephant's Back, 9500' el., 2 mi. S of hit Carson Pass, Alpine Co. Calif.

June 20,1954 Atop Elephant's Back, 9500' el., 2 mi. S of hit Carson Pass, Alpine Co. Calif l on top of rock pile.

Oct. 16, 1955 | To Farallons - Int Sar from Widtship this four were back and forth over beat. Movem. 3, 1958 Outlet, Echo I, Aldorado Co. Colif. at Chalct - 3 pipits perched on mocks.

Sept.10,1961 Summit, Lassen Peak, Shasta Co.Calif. 30-40, individually and in small flocks on rocks within craters of peak, and at edge of water and snow fields too. 5 seen along trail up



Sprague's Pipit
Anthus spraguei

Feb. 20, 1951 So of Las Cruces, New Mexico - no streaking on breast.

.

Observer fred Lychuen, et.

bohemian and h

.umper of field thays on Lich energies:

Domoyelize to that . Thicle o.

Late Location in contractions

2 July 127

Observer frea lyenden, Jr. 11-18-32-33-78-81-92-93-45-17-16-152-156-161-177-184-186-188-189-205-215-237-BOCHTION AND OUR 17-0101. 2687-84-Corvallis: " La cription notes on plunes of in about a remade October 10, 1940 Mt. Angel: A large flock of them feeding heavil, on Blue Elderberries. Aug. 23, 1942 $exttt{Corvallis:}^{ heta extstyle extstyl$ Oct. 15, 1942 of the Blue Elderberry. May 23, 1944 Moodburn, Oregon, our back yard 330 p.m. Large flocks of cedar waxwings have been flying around this vicinity all day. One group of 40 or so we watched as they fee in an apple tree. The tree had practically all blossomed and the birds were observed to be eating the white petals, and also the stamens and psitils of the blossomed flower. Several pairs were observed to be courtingin the following manner: One would pick a petal from a blossom of the apple tree, was it into a ball, and then put it in the bill of the other. Then it would hop to the side and the first bird would then hop that way too. Then he would get the petal back and hop back to his original position, and then the other would hop back to its first place. Diagram of procedure below, to simplify things: The wings were never opened on these side hops, but held close to the body: P= PETAL £7(#1) 18 (#c) May 14, 1946 OregonState campus. Saw several of them feeding or gracuntha. Sept 17, 1946, Avery Park, Quite a few small flocks seen here and there at the park, and in town. Avery Park, Splenty of them everywhere. There well a fiveding in the Sept. 18, 1:46, top of a F. Fir on insects, in company with a holder, 4 Vaux swifts, and a flicker. When so I water so one arop from the way of an our bot fir, almost to the ground in pursuit of an insect which I couldn't see. every gara, of very there in the cases where the river. Thus w.m. at 045, I Sept. 18, 1:47 saw core greater on the ach service is that. Toodourn, home: flocks around the last day or so - first in a long time.

1: -mile for the bound to be very now - moving a respective or charter in the contract of abuse miles to the time. May 23, 1948 July 8, 1948 Sucto, Calif. also agr. 25, 27, and 30; May 17, 6a.m.; april +23, 1949 Orland, Colif. - ga. n. Flocks I to to 45 Mying stort to a. May 17, 1950 Kings city weig . Arguns on olorensked octive of which as the april 18, 1451 Sonora Wolume's, alif - Flordes 115-40 over town were May 14, 1951 June 17, 1921 Covallis, One. Esgo, 15' agi in agale time juffer. Milwake, one. 4 eggs in motif grown, notice to have fines to what the Transfer of the State of t June 12, 1939 June 24, 1945 Jan. 12, 1953 Jan. 2,1954 Hundreda at Cally, Jr. Minimum. Oct. 26, 1955 yuma, aring. Florites around today, of The monsey wend Young Cofore Nov 3 1961 Cowans gy C.G., Pa. w/ Rolins on wid cherries green, red & clark 8/31/63 To Plumers Ist, Mid. Many feeling on wild graph him tree topin 10/26/74 Callaway Georges, Da. General of fuelle on fewed roadway.

. .

7111-2212-2440-2506-2557-2600-2609-2628-2621-22-23-24- 862701

Phainopepla nitens lepida

March 18, 1947 Bill Williams R Canyon, Ariz: M & F seen frequently. Call notes plain. Perched in tops of trees usually. Both hang close together. Watched them feeding primarily on mistletoe (Phoradendron camifornicum) berries which are abundant now, and seemingly all thru the year.

March 20, 1947 Colo. R. Indian Res., south of Parker, Ariz: 44 seen, usually M & F near each other. None seen until in area where P. californicum was found

March 20, 1947 Cienega Strings north of Parker Ariz: M & F's together. About 25 pairs seen at the ranch. Flushed one F off a nest located in an Ironwood, at 8 feet height, on a horizontal limb on the NE side. There were 2 young in the nest. Each 25" long. Tail and flight feathers just breaking out of pins and developing. Skin black. Eyes redaish-brown. Bill dark with pale yellow gape. Age between 10 days and 2 weeks. Handled young out of nest while measuring them, and parents kept over 20 feet away and made continual annoyed chirps while we were there.

> The nest was of short pieces of dry grass stems held together by cottony plant fibers. It was lined with pieces of string, cotton, etc., and outside had Ironwood leaves on it. A very compact and well-made nest Outside diameter was 32". Inside dia. was 24"; depth at center 1 3/4".

Excreta of the young birds contained just mistletoe berry remains.

March 24, 1947 Lower Morongo Dry Canyon, 1 mi S of Riverside- San My Berdu Co. line, 1000 PST. Phor. californicum present on mesquite and here too was a pair of Phainopeplas I found a nest at 42 feet in mesquite on the NW side of the bush on a horiz.

> I flushed the female off the nest and found 2 eggs, light blue-gray and brown (lighter toward the poles forming a band around the middle). The spots were very fine. Egg size was about $\frac{1}{2}$ " x 3/4"

The nest lining of fine plant fibers and cottony

material. Outside of dry grass stems. Inside di meter $2\frac{1}{4}$ ", depth $1\frac{1}{4}$ ". The parent birds stayed nearby and returned to the nest within one minute after we left.

Folsom Dam Site, Sacto Co: saw 2 chasing each other between 2 live Sept. 26, 1948 oaks. Approached within 10' of one in another live oak. Mistletoe is very scarce in this vicinity.

lardee dos. and Camp area, Calavoras Co. Calif. 45 0.4. 2, each perched in top of blue oaks heavily lader with r. villosum in oar woodland. Frest prominent, and ensire body a rich glossy blue-black. Even the re-brown eve was plain. Had to throw rock at it to rake it Tly. Gearb greas and little, if a y mistletoe.

US50, 5 of Folsom, Sacto Cold I atogs the oute near alker Creek at 2 ps. m. May 6, 1950 May 20, 195, One at Columnia Colif. May 14, 1952 Muldy R. Wash, N. of Moaps agency Clark Co., Nevala - Fartherest N. we observed

limb, with another horiz. limb just above it. heavily spotted with purple-

Dec. 30, 1949

(A) . • 3554 ٠. . • , •

Feb. 28, 1954 Just 1 of Timbus, near Ader Gr. on U.S. 50 at 8:30 a.m. "ale perched in eak treetop and then they about \frac{1}{4}-1/3 rile at 1 of the sout", ever hims.

Mai. 21, 1959, Nand, Parker Res. 2 ps. in blue oaks Kearily infactal up mistlater.

Observer lee vince, e. .

111 (1129 2- 274-496-511-522 627-647- 682-754-758 -761-)63 -766-767-768-Lulid 185-786-794-796-799-804-809-810-814-817-823-839-844-1093-1096-7093-2195-2247-2332-2402-2517

Exactis invicous Northwestein garile

Nevada: 1226-1229-1230-1231-1233-1235-1237-1239-1395-1399-1403-1405-1408-1546-1549-15526-15816-1743 1745-1747-ate Location in a concive den 1748-1749-1752-1929-1932-1949-2000-2001-2003-2747-D ate

Feb. 4, 1947

12-mile Swamp: the first thing that greeted us when we neared the bend in the road at the swamp was a view of an immature Shrike, presumably of this species. It flashed so much white in the wings and in the outer tail feathers that out first thought was of a Mockingbira. The black wings and slightly hooked bill soon dispelled that hope. The general body color was a dark gray, lighter below, but not white, as on the adults. It perched in low trees, and on fence posts, and gave chase to passing insects, and when we first saw it, went to the gravel in the road several times. 15 minutes later it cid the same thing, while under fire from my "wide-of-the mark" B B gun. Sorry, I couldn't collect it.

Feb. 25, 1947

12-mile Swamp: a single one, in about the same plumage as that one seen Feb. 4th. It flew up to a wire line beside the hiway, as we left the swamp. This was about 2 miles north.

near Peorie, Ainn Color one perched on a ware rence, and a king frequent feeding sollier to the grand, and back to to he wint joit, or another one

Oct. 21, 1.47

Tence row reverse I got a fig., and it is not be a first toward the mount of the limit of the state of the st hater it is a back of a second of the prior () and a second of the area area te sat one have been initiate and only continued to a sixther - the

Lec. 16, 2047

This is the limit till Equate that is, only by the contract of the property of the contract o MANAGERIA (1966) Domining Complete (1964), word in the

Jan. 20, 1948

12-mile Swamp of in full plumage - chased once by a Fedwing, and otherwise observed feeding at various points around the cabin area, flying to the ground, and back to perch.

Feb. 3, 1945

12-mile Swamp Of bluebirds flushed from feeding when it flew in.

Feb. 16, 1948 12-mire Swamp: Saw one in fence row, watched it hover at 20' for at

Feb. 29. 1948

least 50 seconds uttering call notes at same time. 12-mile Swamp; 3 p.m.: Ken Jalker and I heard the strangest set of call notes and song coming from the Hawthorne thicket, we were really surprised. First I thought of Mockingbirds, and then of Thrashers I had heard in the Pinon pine country of S. Calif. I couldn't begin to describe the notes, From quite a pretty little song to singular notes, and also harsh buzzing notes, etc. The bird didn't want to fly from the center of the thicket, but final_y worked its way up to the top twigs where I had a fine opportunity to observe its finely barred breast.

[WR. Jung. -1837-1838-1839-1840-1893-1845-1846-1847-1848-1849-1850-1852-1853-1857-Observer Fred Evender, Jr unber of trip, on which or it :

76- 235- - 293- 305- 305- 307- 309- 317- 319- 321- 324- 343-California Shrike 425-529-536-537-77 /538-539-540-844-545-546-550-carrying something in its bill as it flew over us. I watched it, and tren we hiked over to the approximate vicinity. One shrike, not so brilliant flew away, giving scolding notes. We walked directly toward one sush, and this first white one came out of it, and perched on top of it. We watched it for several minutes. Bill seemed all black and no barring on the chest. resently she dipped low off the bush and ilew low to another bush 150 feet away, which later proved to contain an old nest. The bird didn't seem over 9" in length. We found a new nest in the first bush. The nest is of twigs in a sagebrush with nest cur 34' above ground. Cup 4" in diameter and from 32-4" deep. It is lined with any thistles (leaves). It is partly domed over by large sticks and trigs in or so. The old nest, mentioned above was in a sage with cup at 3', and about 150' from the new nest. The two nests are located within 25 feet of a dry creek bed. All this area is just scrub sugebrush, antelope and rabbit brush. None of it is over 4 feet high. May 12, 1944 Mtn. Home. The nest is still about the same, but is now linea with sheep wool. Cavity is 3" in diameter, and $2\frac{1}{2}$ " deep. Mtn. Home. The nest has 4 eggs in it. They are a builty gray with small May 17 1944 brownish blotches, denser at the larger end of the egg. Egg is "roundlypointed". 3/4" x $\frac{7}{2}$ -5/8" is the size. Arrangement: The nest is linea with fine feathers, wool, and grass, now.
Mtn. Home Reservoir. The shrike nest now has 7 eggs in it, arranged May 28, 1944 thus: 800 (took picture). If not previously noted, the nest is lined of string, wool, and thistle. There was no bird on the nest. Temperature of the air was probably 85-90 degrees today. Lia see I adult. June 4, 1944 Mtn. Home Reservoir - nest has 1 egg and 6 freshly-hatched young (1030 a.m.) The egg shells were laying on the ground, below the nest. The young are naked, blind, (skin over eyes), no ear openings, no bill or mouth, skin still over them, and they are just developing. Body and head 10" long. Skin is pale orange. The mule came within 3 feet of me, while I was at the nest. He aidn't seem a bit scarea. He acted as a decoy, and the female then slipped back into the nest! June 15, 1944 Mtn. Home Reservoir. Adult had no barring on chest and no white or pale color on bill. The nest contained 6 young. Evidently the one egg, that hadn't hatched last time, was no good. Description of young: Head and bill 14" long, bill is hooked. Body 2" long, fully feathered with gray color and fine white bars. Wing primaries 1-12" long. Tail quills 2" long. White feathers sparse on belly. Far opening partly covered. Food $1\frac{1}{4}$ " and grayish. Claws 1/8" long. The pair of auults stayed close, the brighter ones was very bold, and when I would put my hand near the young, it would approach within 4-5" of me. However, I couldn't seem to maneuver the sun, the bird, the camera, and myself into a satisfactory setup for picture taking. June 24, 1944 Mtn. Home Reservoir 9 to 11 a.m. I visited the nest that had the 6 young in it last week. They were all gone, and the nest lining was well-torn up. I saw the parent birds, nearby, but couldn't locate the young. Another mystery, like the hawks???? ! ????? Sept. 8, 1948 Sacra. Wildlife Refuge: perhaps 5 to 6 seen every mile of raod. They would drop down and fly low as we approached, swooping upward at the end. Nov. 15, 1949 Williams, Colusa Co. labout 5 seen per road miel Nov. 16, 1949 Orland Irrig. District, Calif. 4/mile
Rice country of Thiames, Clenn Co. Materice : 1. Lingbirds June 13, 1950

chasing and fighting with a shrie.

- July 3, 1951 Abandoned orchard, N of Sacto Signal Depot, Calif. Located nest at 5' in pear tree. Heavy, big nest with deep cup and 5 eggs. Gray sh buff color with chestnut-brown spots, very small, and all eggs with band of pigment concentration at large end of eggs. 2 adults near.
 - July 31, '51 Same place went to nest, and found the young had just left, and I tried to catch them, but they could fly well enough to keep away.

Only 3 young seen. Churred constantly.

Nov. 29, 1991 - Imas Johns, Date to Della, Horoca I thing by the trip wy mouse in wite cage, Kiracher & J.

Aug 28, 1954 - S. Sats Co- Franklin - Sheldon wilton. Calif. Using Sp. the. trip wy mouse in wite cage, Kiracher & J.

brought shrikes to trap from distances & Ata. of 56 yele + 201. 45 yele + 251 + 55 yele + 151 against the

sum with fishe.

Aug. 22,1954 - Sacramento By-pass, Yolo Co. Calif. saw them chasing sottled towhee, brown towhee, yellow-billed magpie, and flicker, etc.

•

Rise In Starling Count Alarms State Officials

State department of agriculture officials have noted an alarming increase in the population of European starlings in California.

"The starling has a very high nuisance rating in urban districts in several eastern states where it prefers to roost on buildings and chatter incessantly at night," commented Rollo Talbert, district supervisor of rodent and weed control.

"Agricultural depredation is credited to this bird in other states when its presence coincides with the growth and harvesting of crops."

Observed Since '42

The movement of starlings into the state has been observed since 1942, the department said, and a definite increase took place between 1952 and 1956.

Reports received from the San Joaquin County agricultural commissioner's office state the bird is present in the Thornton and Lodi region in numbers exceeding 100,000. A report last November counted only 3,000.

"There has been no agricultural loss," Talbert said, "and no immediate difficulties are anticipated this year although the activities of the birds will be carefully noted."

Depart In March

The starlings first arrive in October and usually depart by mid March to some other clime.

Talbert described the starling as a short tailed, robust, cocky appearing black bird. In winter it takes on cream colored spots which, from a distance, make it appear gray. The starling's flight is more direct and in groups more compact than that of the blackbird.

Linda Darnell, Flier Get Wedding License

LOS ANGELES—AP—Film actress Linda Darnell and he fiance, airline pilot Merle Ro (Robbie) Robertson, yesteday obtained a marriage 1 cense.

They plan to be marrie Sunday, March 3rd, in the flers' chapel of the Mission Ir in Riverside, Calif.

For Results Dial GI 2-501—to place your Want Ad. (ac

SAN FRANCISCO Down Town • Jones and Eddy • All With Baths and Showe Family Rates • Write For Illustrated Folder DRIVE-IN GARAGE \$3.

HOTEL ROOSEVELT

HUGE BLIC AUCTION

APPROX. 500 NUMBERS
ROM VARIOUS ESTATES

RROW, SATURDAY, FEB. 23RD

AT 1 P.M.

ntion, Apt. House Owners, ealers and the Public

and dining room suites — oc.; — maple pieces and dinette — sofas and chairs — office mirrors — pictures — China ireplace tools. Table and floor ts — antique cut glass pieces vice sets — silver, pianos and , etc.

TIL TIME OF SALE
IF DESIRED



Stockton College

3301 KENSINGTON WAY

TELEPHONE HO 4-7341 STOCKTON, CALIFORNIA

ON UNIFIED DISTRICT

D. PULLIAM OF SCHOOLS

D R. SHELDON TY SUPERINTENDENT

I. MCCANDLESS SUPERINTENDENT

. BORTOLAZZO

SUPERINTENDENT

JULIO L. BORTOLAZZO PRESIDENT

BURKE W. BRADLEY VICE-PRESIDENT

2/15/57

Dr. Fred Evenden Sacramento State College Sacramento, Calif.

Dear Dr. Evenden:

I've noticed your name connected with leading bird trips occasionally thru the Bonanza of the Sierra Club Mother Lode Chapter and wonder if you have been noticing large flocks of starlings around Sacramento this winter.

We've been getting hordes of them just 8 miles north of Stockton, blackening the sky just before sunset. They've been here for a number of winters in smaller numbers, but last week 5 County Agriculture observers and I figured that there were between 60,000 and 100,000 starlings around between 4:30 and 5 p.m. one day. Other days just as thick. They fly west to roosts at those hours, hence are concentrated. They feed on the ground in stubble fields and among cattle the rest of the day in smaller groups.

I've reported this to Howard Cogswell, who is the collector of info. for Audubon Field Notes, as far as I know, but I've been wondering if Sacramento area is experiencing the same flux as Stockton, or if the birds just happen to have picked on us. What do you know along this line?

Cordially,

Verna R. Johnston

Biology Dept.



ONE SIV. I LIFO V Compate Sturnus vilgaris vuigiri 2653-54-57-56-60-71-2702-Luvi Location and observ less gen jidds y scartins. Council Idaho - ulso various places in India - 1945. 7-30-44 Colucen Remine joint gray bodge Rifin Penning toward, Bite (City 200 pm. 1 was - it male. along C. S. Hiway 104 less than I am 5. of C. S. M. 16 on Ins Road in cleared departed facture area. One gooded frowish bird being preening on a series good on west side of road. I copyed the are tocked up that de it till it sew ye devend some cattle. 2 g.m. Sec13, 1952 Dec. 18,1952 I male starling 4-4's mi Weaf Mercal-El Nilo Hiway, on road to in red define Then country with bant cottle good 7 8, se present newly, was in with ine. Free to free! I will such it is flushed. flusked. Feb. 14, 1953 Anson, Jones Co.-Ahbany, Shackleford Co. Texas - 2:10-3 p.m. CST. 5 at Anson, and flock of 350 10 miles V of Albany feeding on dry grasslands with scattered shrubs. Also seen in Albany. Feb. 14, 19.3; 9 mi. E of Albany, Shackleford Co. Texas - 60 f in a flock. Corpus Christi, Nueces Co. Texas. At 6 p.n. they were coming into town Feb. 21, 1953 by the 100's from all directions, apparently to roost. Greggton, Greeg Co. Texas. 35-10 in fence row and on wires near field. Feb. 15, 1953 Singer Tract, SW of Tal ulah, Madison Parish, Ia. 1 or 2 seen in field Feb. 16, 1953

Feb. 28, 1953

near the hardwoods stands or Gralf. aparil 3, 1953 I ad male w/ Br. Elebha at eattle yard.

April 20, 1953 I mi N. of athlow Rd along U.S. 99, Marced Co Calf. 10:40 a.m. - 1 pair ween. Dec. 19, 1953 I seen (male) N of Worden, Hamath Co. Tregon, along Y. ... Dec. 30,1 53. HI seen 12 miles H of Toledo, Jewis Co. Askington, along H.S. 99.

Jan. 10,1954 0.8. i. 16, 2.20i. 381 of walsh Sta (Bradshrw Pond), 1. Lanto Co. Colif. To Sa of the higher intersection with gravel real to south, it pasture lands used by Drahua cattle, and with fonce rows liked with sage range, illdred and I found Stantings abundant near a ranch settlement, but in open fields and perched on poles, wire lines, and esage tree tens by the Ference. Upon further investigation we found 100's, berhans totalling ever 1, 0 feeling in the ground adjincent to osage fence row. Inhit of leap-frogging ahead was evident. Saw then is mixed Chockswith redwir s, is well as brewer's. This betwee . 2:15 and 3 p.m. Tots of noise emitted from a cse perched ir fencorows, but so many brower's and redwiles mixed in will thom, that

I still have not heard their call notes to low that.

C.S.H. Beri. For alsh Sta., Sacto. Do. Dall' 1. 1. 1. 5. seen by Pickett and I in psture-plowed field, and in walnut tree. erobot erect. The lips and Jan. 12,1954 tail about sale length, miving ragged mamb. Saw so a soll forth from perches f r insects.

On Excelsion toad, Sc. of C.S.P. 1 , we saw, in 30 minutes well over 5 $^{\circ}$ Starlings in scall mouns of 31-50 to 150, jost y flying acress read in front of us, or occeled on fouces, or feather of mond in matures and in cattleyard. Fow blackbirds seen with them. Away from this co ter of population we did see 3 small flocks of blue birds, without stable to, but the rest were starlings with few Grewers. To redwin s. Each as time of day made this differ from Jan. 10 when many reduings and incurrs seen. Aso observed 125-15 perched tightly on fe ce a " onst, uping too a feed wire. Saw 4 on Floria load, build wef excelsion oud, at noon.

Jan. 14,1954, Excelsion Road - Hildred and I saw of Tyrd on I for sure at Jan. .
Jan. 2h, 1354 Cn Franklin and, A-mile Nof - elder and on east tide. 35-70 is immigated Jan. 30, 1954 On C.S.H. 16 about 4 mi. E of Sloughhouse, o cto. Co. Trif.

Saw about 150 starlings in with like no. of Prewer Blackbirds in horeford pasture north of road and across from large lake on south of road. Fore seen on Excelsion Road at 11 a.m. or at 3 a.m. today.

N. and, Parder Rec, amador Co. Calif - 4 seen. Lathrap, I Joaquin Co. Calif. I seen by Milled Feb. 22, 1954



7/28/54-(ASA) at Tibely, Moder Co, Cold - Stall feeding 2 yes g, by 2 children Dec. 2, 1996 Tive Table to Terminator, in that to the state, his office of the office of the state of the state of the state of the office of the state of the st Nov. 14, 1957 - Conner Rd. at C.S.H. 16, SE of Sacto, Sacto. Co. Calif. 10:45-11 a.m. In fields with cattle (and infrequently with sheep) and in trees and on huge barn nearby, at least 2,000 starlings seen. Dec. 20, 1967 3 of Lincoln Places Co call along U.S. 99E. Many emall flocks of 5: Dec. 14, 1957 - 100's in small flocks in southern Rutte Co. Calif. today.

Teb. 8, 1968 - Seen in small flocks most everywhere in secto - assisked area, Caly, past matteres. Apr. 9, 1958 - Sev. E of Bradshaw Road. C.S. 1. 16, and of Sloughhouse. 9 a.m. Carmichael Cely- 1 tm. Eng a @ gartield - 2. caring on Lawne w/12-15/headowlerker Nov. 18, 1958-Carnichael, Caly-10 am. Cyperaso a Pasadera - 4 plan acres ord in frate cor. Nov. 20, 1958 also 2 at Mission & Marconi at 4 pm. No. 22, 1953 - Line 4 - Property Cop - 126 Nov. 22, 1928 . In 2 2 / 16 2 Day Cotfee 9in 8 1959 - Wastell + Old Court Blod N face to try 25 min organism Feb. 6, 1959 - 106-150 w/ BBC, Moder, crow, + Magain in walnut or chard - Walnut + arkabilary Saste. Feb. 15, 1959 - Sacto + 5, bagain Cos. 10 cm. - 1 pm. PST persony 600-750 Ed wighten Sand gravel on Manlove N of Jackson Rd.; sew on Excelsion Rd. 25-50, man Wiston; 35, 50 & Chariton I all along procedule Rd from vicemond Rd Nits of Pleasant Road of Engineered. Feb. 16, 1959 - Beaut your rd & Santy old + a Riego, Juite Co. Carif. France 15-35 20 con - 1 and of the Co Colf. 20 + 150 4 8 dang 4599 W @ Grandery sta, - 11 millis Benton & a toghi. Mar. 30, 1959 - In rest hole of tall estlonewoods due En Genore, Dorigins G. Nicerada. 9 yav. 30 1959 - Near Fredricksburg, Calif- for 22 Memoriel wing - 1958+ 1959. 1959 - Genoa, Nevada - Many present. Testing intall cottonwoods along him by east June 28, 1959 - SW of US 466, Arvin-Caliente Road, Kern Co. Calif. 11 a.m. Saw one carrying food into white oak tree. Dec 1, 1959 - Claridge Drink, Factor 30-46 seem. ales 5 m antilige Calif. 11 - 10 Dec. igner 1, 1960-7eb. 1711000 - Trop & in and jug this in a will the contract of a contract Feb 18, 1961 - Jew new Vicsville, John G. City. 2500 tol more gwof Fairfield Golano G. also in & Theye Feb 19, 1967 - and 2 ... 160 - 2 me by Seta topol, Sommale Colf. I 150 was Not Tree, US 40, by Viceoch, Colf. June 27, 1961 - anteige Caif 770 pm 1995 Oct. 16,1960, Davis Sewer Pond area, Road 102. Yolo To. Calif. lp.m. 1000 or more bathing in irrigated alfalfa field just north of bonds. Betty Wimball June 22,1961, Woodland Hiway, Yolo Co. Calif. 1 adult parallel to car SW of Taylor Monument for 3/4 mile at 40 m.p.h. sincery Pary & Con Ep. a. I see 45 496. Finds Sof Anielle. The 9/1/1/1 9 T Klansty, Warsty Co gragon. 3 way 0,3.4.62 co 639 pm. Plife. Cicco 15, 1961 Four Coners, Sun Bornovine G. Colf. 3 son Soften at 230 form Nov. 2, 1961

anteloge Nof Grand Hall, Colf- 100's w/ solies a 11 am into jan, 1962 - End Seement Complete Korning angest, Seet Co. 10.666 sincedings a med time on 7-427+28, 1962 980,000 - 1,000,000 & Stillage + 50,000 solms every sing server Luce out fill night west styling from to I see Italingson in high from all desertions 5/5-6 from 1957 38 3845 What I 121 12 22 W Long - Road file. May 23, 1963, US 99 north of Lodil, San Juaquin Co, South of Bakersfield, Kern Co., at Eort Tejon Road, Los Angeles Co. - some starlings at each site. May 25, 1963 - US 91 at Arlington Jct, RiversideCo. 6 p.m.
'ov. 13, 1964, Lef Tayongred 7d, officient, reinflax Co.ving. bli-124 n.m. TSt. Clear and cold. For a 3-1, 10, 101 to recat, monthly for 1 and 37, some lines from 1 W and 3. Forman crackles and abardings mainly, but the combirds and redwings.

Observer Fred Lyonden, Jr.


Tumber of bright on United dependent

(rested linch

sethioseca caistatus cai, tatella

Loc vion or ob vions

10 100



gray line - 2609-

Vireo griseus

white-eyed Vireo

May 30, 1965, Poccmoke St. Wherest, Moroesto Co. Md. carminum food to how nest, variable calls

Slack-whistered 7 rec

May 21, 1969, lantation Mey mear Tavermich Fla. I feeding in 1 " grasshop on bringe Ta. ...



Tutten's Vines

81-169-184-465-504-506-512-522-587-589-596-609-649.656-679-672-686-699-704
1061-1/67-1174-1/79-1/85-1190-11944.1202-1244-1491-1518-1568-1644-7650-1688-2761-2689-1084-1086-1108-1114-1137-1/38-1/60
Vireo huttoni huutoni

Location and be envations

73 - 0.

Nov. 2, 1946 Recionale Borest, Corveille: Portice are the formal and the

Feb. 18, 1947, Oak-fir Belt, 3/miles/% of/12/mile/swamp: called from top of oak, and then we watched it set near the top of the tree for several minutes, before it moved. We could not be certain but what it might be a cassin's


Feb. 25, 1947 Oak-fir Belt, 3 miles W of 12-mile Swamp: seemed to be quite a few in the area today. I learned three different call notes of their's today. One is a buzzing scold note, I believe. The call notes are crystal clear, and seem to carry quite a ways.

April 10, 1947 Dixon Creek Ridge: 3 were in about 1 acre of timber, busily calling to each other, and working toward each other at the same time. Two different call notes were used,

April 12, 1947 Woodburn, Pudaing R. 2 of them calling at the nte of about 65 notes/minute

Vireo belli arizonae

March 18, 1947 Bill Williams R. Canyon, Ariz: 7 seen and heard. A rather low melodious serious note. Faint wing birs, and a light eye-ring.



Payrant's at coaurn: "est in crote on community in the main brace. Laurt and on the reat, in the court which is a first and the coarse giving a great which call and only one of sing each other."

pril 10, 1.-1 Feoria term, "test ide: limit limit i have seen toll ja a.

ones for the year.

Mar 26, 1947 Berkehey Hills: \3 were heard in the oak-eucalyptus woods.

May 1, 1, 1 Mill offen that we also I had seeing hard in with a

July 16, 1900 li-mile Tan : intature case tame buts in ay sine. I to minerate sides - giving out-ton diverse on t-line toute. T.

May 1), 1975, Sawmill Canyon, Pt. uachucz, Wrizona, Gevera' - c me charing each other with inusual scale roles neither urray Tenser in Trev.

·		

Observer Free Evender., Jr.

heu-eyeu Virto

turber of field trips on stach op, erved;

Vireo oliv. cau;

7/13/67 Cambrill dt, Gred. Co. Nd. 11- ...n. min december 7 or 1 mmn, smelded combines, 20 x bize of direct.

5/11/80 Grallold- Texting on text calopillors

The second secon .

Late Location and object time

may 8, 1941 | Brock Lang, Corvallin: That several of them in the transfer assets. They are any the rotal air libers are .

May 24, 1946 Kiger Island, 9 a.m. Heard and saw my first ones of the year.

July 20, 1946 Stewart lake, Corvallis 9 I sat next to an open thicket of willows and "squeeked my lips" and before long I had attracted well over a domen of this bird, and Yellow Marblers, both adults and young. It was a thrill indeed to have them all perched there in front of me with that "curiosity-pitch" to their heads. They were feeding everywhere from the mud under the willows, in the willows, and out of the leaves of the lilies.

Mar. 21, 1947 | 1 mile SW of Bouse, Ariz. Saw the 1st one of the year for this area.

Very tame in bush beside the road.

May 13, 1947 Stewart Lake - watched two courting, and the male left and likew into top a hawthorne where it continually sang, soft notes barely audible, along with the typical notes usually heard.

Aug. 18, 1948 Woodburn, home: sing beautifully from twigs of Eng. walnut trees around our place.

June 25-7,1954 Camp Harvey West, Upper Echo L, Eldorado Co. Calif. Common here. 1 seen chasing Stellar Jay.



Observer free .venein, or. Funkci or sieku trape er mie manervec: crange-crown c arbler

1838-1839 - 1886-

Vermivora celata calata

late | Location charges by diens

Warmedfug Warde, Grant Toll, Un.
5/27/40 - picked offgreen calefullaco eyo kevel

frothere tryle to li.





Observer Fred Evenden, J.

Peoria corry the state: First Lutercont Garage 1. of we are meril 20, 141 corvellia, Compute ou two a those is to a fit to an in its to a March 1, 1943

a rung their call arem near the are taken .

Corvallis to Poison Oak Lake: seemed to be plentiful in both fir and oak-Apr. 9, 1947 ash along the way.

Aug.22,1954 Sacramento By-pass, Yolo Cc. Calif. couple in each tree - 75-100 all told. Had been there the week before, too. Bo Fichett saw them.

the cuspus Dualeing of each to a set the other to the by

2 bolow alexandria tellaver Va

Vermiyora ruficapilla riagwayi

- Poison Oak L, Linn Co, 4 mi east of Corvallis: 1st of the year, feeding April 9, 1947. among Poison Oak and Service bery. Yellow breast and sides were plain. Also could see the eye-ring and gray head. Quite tame allowing my approach within 15 feet of it. Feeding at 3 feet. It sang.
- July 26, 1948 Tunson Vailey, trater line, not were and in course polo na se knok. Po polí in al o blica o attibute do mese -
- July 17, 1.40
- April 23, 1949 Skunk Creek, N. of Corvallisto LBM heard a familia, song from the Fremont, which I though might be a Calaveras warbler. Gure enough, one was discovered singing from a big maple tree. Later traced down another song which turned out to be another one singing a different song. The latter song was similar to the Lazuli Bunting song. The former something like an Augubon Jarbir. The first one sang for an hour, stopped for about a half hour at 1030 and began again at 1100 and continued often on until we left.

april 26, 1942 - Milwanker, Ove. 4 eggs in next of dead leaves t moss on outside, then prosess this work is at we have in Let well into ground under poison oak. Wird flushed from rest. - cutting? april 26, 1944 - 5 E of Joster, aregon. In ables ment week + by a road.



Vermivora luciae

March 18, 1947, Bill Williams R. Canyon, Ariz: 8 seen and heard. White below. Orange on crown and rump. A loud clear call from the brush.



Virginia Varbler

Vermivora virginiae

Journal Was Comment of the Comment o

Spansloi Wader - Lallag Wa.

2549-2554-

Grace's Warbler

Dendroica graciae



earchman - Time ca

Feb. 8, 1972, Up from Hitchcock Campground Canyon - 7:45-10:35 a.m. 28-40°F, 1 full male, singular melodic note w/ 3-4 rythm following. Another at lower end at 1130a.m. w/G.Monson

May 11, 1975, Rustlers Park, Chiracabua Ttns, beautiful views of them.

Calls - das di-di-di das di-di-di

Autorite In the service of the Sandy following the Surger, Mid.

		•

april 20, '41 Convalling First span this garage is to the transfer of the conjunt

July 20, 1946 Stewart Lake, "Corvailis. I gut next to an open tricket or willows und "Equeeked my Lips" and before long I had attructed well over a dozen of these birds and lumbling Vireos, both adults and young. It was a thrill indeed to have them all perched there in front of me with that "curiosity-pitch" to their heads. They were feeding every here from the mud under the willows, in the willows, and out on the filly leaves.

March 26, 1947 Berkeley Hills: "(saw one and heard 2 of them

Apr 7, 1947 OSC Campus: "seem to be singing everywhere on the campus this a.m., from 0830 on. In all of the elms, etc. April 9th - none around or up to the 20th.

May 13, 1947 Stewart lake - several pair in the are - one has territory and chove out a male that tried to enter.

July 50, 1947 - Noodburn Cadults recaing to no depable of James team, in our back, and.

Aug. 18, 1948 - Woodburn, home: adults and young in walnuts, and on our lawns, particularly bout the water sprinklers, but they do not seem to sing any more.

5/1/19 Dyke Marsh, alay a Many classey excelation (204)

Observer in a remaen, Jr.

W Huber of fiche trips of mich objectives:

cencroica aestiva rubicinosa

Location and observations

Comment of the second

Observer Fred Evencen, Or.

2235-1237-2238-2272-

. Unidel of field tro coll where epochyed:
104-599-683-874-1853-1856-2219-2220-2222-2226-2227-2229-2231-2232-3-4

Lenaroic coronata

Location and abservations

Nov. 30, 1941

Philometh Prince specimen sho erved to me he was a one case. The throat p ten as distinct or is that. I so wint to a line we nearly the nearly of the chiral of the chiral of the chiral transfer to the chiral transfer transfe

1 The state of the s The state of the s

Mary's liver: Whin to an all lither on a low in a line of the rch 25, 1942 in where we waith income the first time in the first time. table the ground and armed to make, but our control be councilly to eximitation and a thought to the form impected to the care a protect of the contract of of deckin, but ar which is the mest or ear, a son to be for him in not the formal location of the decomposition of the formal larger than the formal larger than the distribution of the distribu

> wib. ton a raint as case is not on all installed a ratery. They slip the colding not s.

a noble four two case end in equation of the true of the larger than the state of the larger than the state of the state

Sept. 13. 1942 Corvallis: Many young Audubon Warblers were in evidence feeding in the elm trees on the campus. The only outstanding mark was a brilliant gold rump patch. Underparts were comparatively light white or gray. Upper parts were streaked, with no other gold patches.

Walla Walla, Wash . - Immatures . Jan 6, 1944

11 4, 1942

Apr. 21, 1946 Woodburn, home There was one pair nesting in the Arizona Cypress.

June 1. 1946 Summit Mary's Peak - Several working through the Noble F.r. just below timberline on the rast side of the peak.

Oak Grove S of Philomath: more than 50, mostly immatures, feeding thru Jan. 21, 1947 the oaks, and in the underbrush.

12-mile Swamp? 3 p.m.- common in ash, and in seage, and on the ground near Feb. 8. 1948 water, and over it.

129mile Swamp: a few in ash, and feeding on gravel in road, close company Feb. 16, 1948 with the W. Bluebirds.

March 11, 1948 OSC Campus, 6 p.m. One giving forth its louc spring song.

Mar. 23, 1948 12-mile Swamp: dozens and dozens of them present. Lost very busy catching gnats and mayflies that were common in large swarms today.

Owl Creek, hir: Co. SE of Corvallis? For the first time I have had what April 4, 1948 must be a similar reeling to that or an ornithologist in the cantern states during the height of the wardler migration, ecause in the oun-ash-fir Owicreek habitat this near I was thrilled for many minutes (till I decided to move on) to line myself with huncreds of bires all arould me, recaing, many within arms reach, and all entirely oblivious to my resence. From 50-75 Uregon Chickadees, I Rea-breasted Sapsucker, a Stellar Jay, 4 or 5 Reabreasted Buthatches, a few inter Trens, and a couple of Seattle Trens, a hermit Thrush, over a 100 Puby-cromed Kinglets, with 50 to 60 Golden-crowned Kinglets, and well over 30 Augubon artylers. That a treat!

Mar. 20, 1949 Russian R. near Geyserville, Sonoma Co. - 1st ones heard singing this year. Feb. 2, 1950, Monroe-12-mile Swamp, Benton Co. Julong Hiway - picked up 2 dead ones.

Nov. 2, 1952 Tomales Point, Marin Co. Calif. A very, very abundant bird in the soft chaparral and bush lupine growth on the west side of the point. Not so many seen on the east side.

Oct. 16, 1955; To N Farallon Island from S. group. I came aboard a ile we watched albatross. Jan. 28, 1966 tt of Mev. campus, Peno. they were insection under 3rd story haves of bldgs.

and the second s

•

Late Locatio and observation.

april 19, isa' Cascalia de outh castina de sint or serve. The is say into

Apr 25, 1946 Dixon Creek Ridge, north of Corvallis. Saw one or the ground under the dense growth of fir. First one for the year.

25 Aug '46 Avery Park, Corvailis two acults, and two young without black throat

Apr. 21, 1947 Avery Park, Corvallis: Saw one in the small firs at the south end of park. first of the year.

June 25, 1947 Fren Fidge area one mi immature bird seen.

Aug. 18k 1948 Woodburn, home: adults and young raised in hedgerow common in the trees now. Fight over food, and chase each other boldly.

Aug. 22, 1948 Woodburn, Home: at least 4 in our backyard this a.m. 1 feeding consistently on the ground in wet grass of backyard. One preened 5 minutes in cypress. First the body, then the tail, and then the wings, finally stretching wings overhead and spreading the tail while extending first one leg and then the other.

Sept. 4, 1952 Silver Creek Falls Park, Marion Co. Oregon. adult feeding young in alder. Cct. 28, 1976 T. Incto. Callil. Total or in confinition a reprise to the land to long them.

Jeb. 9, 1960 - Now Ellows Jun, U.S. 49, Suz E G. Celife I single cetterwood

•

Observer Freu Lvenden, Jr.

Townsend's arche 143-16-237-567-642-686-818-831-867-989-1160-1167-1185-1186-1202-1582-1662-2392-2305-2344-2421-2421-2437-2696-

Lenaroica townsenai

Late Location and observ tion.

May 31, 1947

Abiqua Camp, Milk Funch area 2 saw one working thru a clum; or small fir and alders by the edge of the creek, that drains the jond. Had a swell view of it. I ng phile I watched.

August 7, 1947, Mclonala forest: in a small thock among with the result of the oraller through the type of the firs.

Feb. 25, 1948 OSC Campus: 73 p.m. 2 seen in firs, etc. at "Bonton Hall". The, have been seen off and on in Corvallis all winter by Phil Dumas - these are my first ones seen this winter. In with a flock of kinglets.

Oct. 30, 1948 Golden Gate Park, N. Chain-of-lakes: in pine woods. The brightest yellow color I have seen.

May 22, 1949 Al Wool Panch, Hamilton Pange, Sauta Clura Co: 6& in live baks. One was streaked below, but with no black throat. Drive-green color body and yell w throat and chest, but dusty band lower down.

April 3,1005 reilie met, itti. bet meire i men et ... mil 2.



Observer Frea Evenden, Jr.

numbur of field trips (n. 1 1.10. 00. V. 20-725-8;

numit implem 1-2-3-6-7-17-143-168-171-419-652-656-668-670-672-686-704-707-725-8;

402-915-929-1565-1568-1583-1622-1662-1674-1695-1726-1920-1859-1927-2122-2123-5-28-2318-2319-23656-2411-2437-245

Lengroica occidentalic

Late | Location and observations

June 15, 1947 Seal Focks, Lincoln Gode one male seem or may to accepent, recting in Spruce and Hemilock

June 19, 1947 - Maclonala bolest saw three of them in tall and small lirs. tolerful.

June 30, 1947 - Maclonala Forest - 850 a.m. - several pairs were observed feeding in the firs, and they kept up a continual conversation hile in the area. To young were seen.

July 2, 1947, MacLonala Foresto Summit and east boundary - Smales seen - other heard July 12, 1947, MacLonala Foresto near Peavy Cabin - in with Trock or other birds working oaks and firs.

August 7, 1947, Lacionala Forest orking through the tops of the fire.



4926 Strass Drive Austin, Texas 78731

March 6, 1968 MAR 8 1968

Mr. Fred G. Evenden
The Wildlife Society
3900 Wisconsin Ave., N.W.
Washington, D.C. 20016

Dear Fred:

I'm a little late in acknowledging your kindness, but thanks for the letter concerning the Golden-cheek Varbler on the Rio Corona.

I'm very much interested in the migration route of the Golden-cheek, particularly in northern Mexico. If I had the time and the resources, I'd cover a lot of ground at this time of year in an effort to learn more.

We've been going up to a little rancho in the chaud forest above Gomez Farias, Tamaulipas, for several years. Last year I planned a trip for late Fabruary and darly March in order to have a chance at the Golden-cheeks, although there was no previous record for this particular area.

On this occasion, migrants were few, and it was not until the last day of our visit that our companion saw, in a small group of migrants, what he was sure was a Golden-cheek. This was on March 6. Since John White is from Austin and knows the bird, I took his word for it. Next day, walking down to Gomez Farlas, we saw a probable Golden-cheek. I think it was, but we were looking up at it—at close range—and against the sun, and couldn't check on the black upper parts.

I went very much to have another try at the species in this area, which has the northernmost cloud forest and continerimost tropical semi-evergreen forest. The cloud forest is about 3500 to 4500 feet elevation; above that, up to 6500 feet impiheoak and pak-pine forest. On the west side of the range, an arid area which superficially resembles the Edwards Flateau! In amazing diversity of habitats in one small mountain range.

Sincerely,

Fred S. Febeter, Jr.



University of Dallas

UNIVERSITY OF DALLAS STATION

TEXAS 75061

11 July 1964

Fred Evenden 2000 P Street N.W. Suite 615 Washington, D.C.

Dear Fred :

Your kindness in providing me with your Mexican sight record of the Golden-cheeked Warbler is deeply appreciated. I don't have many records for Mexico so yours comes in handy. The date tends to confirm its early migration movements back into Texas.

Although the A.O.U. check-list indicates the species winters in Mexico I have no data (specimen records) to confirm this. t is surprising a number of specimens in leading museums have been mis-identified as golden cheeks.

I have been doing research on this species for five years and now in the process of writing up my findings. It is a slow job trying to complete a degree while teaching full time. However, I have enjoyed the change of pace since I left the F. & W. S. and find the research on this species most interesting. I have learned alot about the species which will make a fairly original thesis.

I am in hopes of being able to present a paper in September at the A.O.U. meeting at University of Kansas. I believe I have alot of new data and I am going to stick my neck out and project a population (entire) figure for the golden cheek.

Again my sincere thanks and best wishes.

As ever,

Warren Pulich

•

•

•

• L

,

William I ... Charles of the same of the sam Dear illamin Trie of the second of the seco Local of the second of the sec They dollar in the proof of the Union of Suitan Time and Market Contract to the suitable of th Control of the second of the s Les 230 Brandanie Victoria, Transcriper Marine Charles and Charles 3/ January Company Laft of Carlos Company 12 2 de production de la company fly of the second of the secon elected to the the same

PURCHASE ORDER

PLEASE SUBMIT INVOICES IN TRIPLICATE

Sherman Kelly and Associates, Inc.

STEATLUSMOS ROTTASMOS

314 MADISON / P.O. BOX 293 . JEFFERSON CITY, MISSOURI . 5-3021

No 1526

типомА

SMI

Will Ecker & Company 1718 Washington Avenue St. Louis, Missouri

Attention: Frank Belovo

TNUODDA

May 2, 1963

....

AIV GIHE

DESCRIPTION

CONFIRMING ORDER

(nulo .M naol.)

5,000 Letterheads 5,000 Envelopes

YTITMAUQ

Please ship to: Speed-O-Type 1003 East Broadway Columbia, Missouri

Please bill: The Wildlife Society 5921 Anniston Road bethesda 14, Maryland

SHERMAN KELLY & ASSOCIATES, INC.

Please send invoice to: Sherman Kelly & Associates, Inc. P. O. Box 293 Jefferson City, Intssorti

Apparaguant

Dendroica pinus

Fine Warbler

Feb. 15, 1953, Greggton, Gregg Co. Texas. In pine-oak woods we observed a full-colored adult for 10 minutes at a #istance height of 10 feet. Heard it call several times, and had plenty of time to check Feterson's descriptions.



2233-

Dendroica discolor

Prairie Warbler

6/4/20 - One sing of Ept/6, 495 + Liver hand 2 pm Feltand. Mid.

Live and World part 7497 and singer, and a find the server of ground de course of ground de course of the best word surgery of colorly per process of sources.

Live in horay in a source of the course of the first word surgery of the first word of the foreign of the course of the co

Hilland

4/4/19 Ist Tall la. Star.

Global Colered bright made weeking Novement the Devidence of Surger,

Jolland field colered bright made weeking Novement say fellowing surger,

were tops fis your - your, Dandy en and begand may fellowing surger,

Parale W. .
5/12/80 Wherealer, (+0 Count, 14d. Freeligen Town contegribles.



- Lete | Location and observations
- prik so, seek Corveksia, no massa prik to make a seek to make to make a seek to m
 - May 24, 1944 Payzant's at Woodburn, Oregon 10 a.m. to 1/2 3 p.m.

 Saw one adult and found a nest in a hazel bush at 7 feet. It is lined with moss and fine grass stems. Outside is covered with moss and lichens. Nest laid in a 3-fork erotch of a limb. Nest cavity is 2" in diameter and 15/4" deep. Contained two eggs. 3/4" long and 3/8-2" wide. They were flesh colored with scattered reddish-brown spots, denser at the blunter end.

 Eggs are slightly pointed or tapered.
 - June 3 1944 Mtn. Home, AAB, Idaho. Brks 905B 620 a.m. As I walked into the wash room a bird ran across the floor. I caught it, after several minutes of difficulties. It turned out to be a female. What she was doing in the barracks, I don't know, but I turned her losse, outside, under the porch of the barracks, as it was raining.
- June 24, 1946 Shoutland Ferry: Fam an acult carrying a bright green catepillar about "long to its next, near the river band.
- June 50, 1947 Maclonete Forest North i, whiten rose committee the state, in the had a nest in a Oak, at 4 fest, on a 8' slope, in area of thick undergrowht cover. One parent scouded all the time I was near the nest, bleggs in it.
- June 29, 1948 Avery Park, Fels 27 7 a boult binds on busy section and so joung that were at least person, if not more. Tell-isotopers.
- June 23, 1948 Cottum Crove leservoir ? c and it carres to communities in ordan area in cascains.
- april 17, 1952 Near Basa Lake, El Dorako Co, Calif. Full male, quietly whing live oaks.
- Mly 24,30,1952 East Creek, near Patterson G.S., Modoc N.F. Calif. Plenty present in dense willow thickets of the open valley.

•

America in the law works



Pacific Lellow-throut

ril 20, 1941 Corvernia, erean: limate nathic cor.

Apr. 11, 1946 Corvallis, Oregon Brook Lane, First seen and heard this year.

Mar. 20, 1947 12 - ile orozna. I many in Marine + Million.

Apr. 12, '47 Abiqua Camp- Milk Ranch area: 15 to 20 of them, calling all afternoon.

May 27, 147, 12-mile Swamp fone nest in Fora nutkana along fence you from the swamp, at 1; feet.

June 1, 47 Silverton to Stayton, Il a.m. One flew across the road during the heaviest part of a strong thunderstorm over the area.

June 13, 1947 Looka Hil., calem-unity - pair had a most in a five thrian plach, in one bush at 20" above the ground - contained a eggs, ell-along.

Tune 13, 1948: Ta-mile follo O2 combine overgunero - years bires to hold into 5.7.

fune 21, 1948, 12-mile : & p: very concent in the man crea. Felica, 75 to he present

Tune 25, 1948: 12-mile to amp: 615 p. iii.e at the st. I rot in anover aron the current of , include the Erect with at a child . The typical matera Figure the points are to the terms of the content of heard before, the reverse statisfit into the circle ut of feet, sin her all

the way, coming of many back into iso buse three it has the circuit.

July 16, 1948 Fern Fiage Fereny in Chocked include Finite at all magna.

Sept. 6, 1952 12-mile Swamp 2 feeding in gravel on road. Several others seen. No full adults.



bservel Fred Evenden, Jr.

Long-tailed UL t

umber has a shart light in third op. gaves; 64-74-76-81-149-152-153-156-161-237-319-341-381-390-391-345-398-

Late Loc to manu observations

moril 20, 41

reoria Ferry, or trade: ringt I'v : none finct in this actuality May 10, 1946

23rd and Harrison, Corvallis. 1030 p.m. Clear & warm, & moon out bright. In the brush nearby was one giving forth with at least 4 or 5 different types of call notes. It has been over 4 years since I heard this vocal chorus, but it came to me, the second that I heard the first notes. It is marvelous, the variety of notes they can give. So far as I could tell, there was only one present at the time.

May 12, 1946 - 23rd and Harrison, Corvallis. I rode up here on my bike and sat still for a while listening to them call, and before long I could see two of them at the same time. One was perched in the top of a small tree, and the other was hopping around in the brush, near the ground.

Corvallis. Checked the chats this p.m., but no sound or sight of them, May 17, 1946 the pair may have moved on.

hay 24, 1946 Kiger Island 8-1130 a.m. Quite a few of the, and they gave a great variety of calls this a.m.

May 6, 1947 12-mile Swamp - Dave and I heard a call from a willow-ash-spirea clump in the swamp that might well be this species, but we didn't get to see it, so we won't back it up too energetically (Seen for sure on May 9th, so perhaps this ob is O.K.).

May 17, 1947 Marion, Miller Butte, U found two pair located on a NT slope, old pasture h heavily invaded by Poison Oak, and a few small oak, too. The nest of one pair was located at 22 fe t, in the center of a dense clump of P. Oak, and I dian't bother at all. The males of both pairs were perched atop bushes or small oaks, calling, and they weren't over loo feet apart.

May 30, 1949 Natomas, Sacto Co. Il a.m. One doing "butterfly flight" in riparian growth.

· Monroe, Benton Co, Oregon - giving varied calls at 1015 pm. May 31, 1959 amador Co, Cald. Rigearian growth 5 W oleans along sutte Creek. 4 pm.

June 28, 1962. Bear W. mouth near For her 1. Tuba Co. Calif. h or ', I abble 3 tub in cottonword in open hern area.

July 23, 1974 / Caglos/tolly of hid weath L'Em Ch. Peter of com

2606-2607-

Mar 3, 1960. If . Termina Grow Towl, it is the from the consistors of the consistors

Cvenbird

May 30, 196h, Podemoke 7. Soft Dolline, Jordester Co. id. several adults and some fodding roung.

Morel 16 Cat well with the to the to the wind on the state of the to the



Observer fire v wen, er.

Northern Fileolatea arbla

humber of rienc this on thich obtained; 327-543-545-1226-1235-182232-

Alsonia pusiel pireolat.

Later Local on and objective thouse

3-18-47 Bill Williams R. Canyon, Ariz: one male seen and heard. This is the 1st arrival for the year in this area.

1/1/67 Perding yeg in ned in hale in voeter 1 stores.

1/1/67 Perding yeg in ned in hale in voeter 1 stores. Sten W. B. Vo.

Bruck Colore Doste Hallow Fells, Sten W. B. Vo.

5/25/71 Turner, in mind in the formula per magnature.



Turner or lield with on Hickobserveu:

2669-73-

oril 28, 1941

Location and observations

replaces filed see these to a sect to be measured or four differe t el trans et the constinue of

25 Aug 146

Lvery Park, Corvailis: Adults and a young were seen. The young

July 24, 1947 Sept. 25, 1949

had the black cap, but it was a right tray-white below. No yellow. 4 miles get or 'lmirat Lone Co: I squerked roll abults up to a rect away

Sacraments - 2 228 3 & uno - Saverel seen past 3 days, worthing large wite online

June 18, 1950

Echo Lake, Iluorado Co. Calif. 10 a. . many present. latched hale carrying any grass to nest site in cravico in non-nade spenite stone wall about 8 feet high. Mest Located 15" from littor of wall, where seepage from Icho Lane was leaking out. The walk laced coutheast. A thicket of alder, not-ye t leafed out, grove near the mann, and it was through this bare thicket that the rake brought ment naterial each tire. In 5 minutes he cade 4 traps to the nest. The nest as made of grass naterials, almost excausively. Outside come innegular, but roughly &" x 4" outside. The inside cup was about 1" in diameter and Ag" deep. It was of the same natorial as the rest of the lest (probably not jet linea). Perhaps the depth calla be accounted for a the addition of finer material for the cup links, as lest additions

neared commettion. Along will shade the most early in the a.m.

liay 7, 1955

when they are leafed out. No female seem. Sacrame to Emphso, Tale Se. Cubif. dozens in re.,



Observer frac Evenuen, Jr.

.merican heastart

number of rield trips on lice observed:

320-

Lecopia a ruticidle

, a i e	Location and observations
May 30, 1.65	Pocemoke Forest, Wordester Co. Md. I feed no young in downed nest at 12-13' ht. and another pair building nest on 3" dia. limb at 1).

2604-2613-2611-2613-

e'oringe the again

19. 1960, Lodon Con, a, color and a family of the control of the c

9/14/65 - Goodice Stronglold, Cochicelo cory, and on faming Training Training Training Training Training Training



49-1850-1851-1852-1853-1860-1864-1298-1890-1868-1893-1905-1906-1807-1913-1924-1934-1949-1961-2032-2088-2352-54.5-Observer Fred Ivenden, Jr. Apr 12, 1944 Mtn. Home, Idaho - I observed a "colony" of 24 nests in two 30' locust trees in front of a house near the edge of town. All seemed to be occupied There were others in the area, as well. Mtn. Home, Idaho - 100's, and their nests in strips of Poplar trees Apr 13, 1944 used as windbreaks. Also one nest in a cavity 25' up in a locust tree. apr. 23, 1946 Corvallis It for the first line I saw these winds seeking on young bettice A radisk shoots in a jarden. Most of the plants we rejently well from up. aps. 4, 1947 Newberg of as we drove thru the main himag atreet in the jays, we saw a main of these May 5, 1947 | nest with young at 35 feet on the north side of the Tomen's Gym or Museum Building, urder the eaves, on the end of a raiter. Both parents were May 23, 1951 " IL was with 25. sky. formy left not tolan for male some front pel. 10/26/11 (cecesy/ the Correction Overyon - I will write promery in winter 1974-5 Blonde vel or buff & how e aparrow at Parross. Dec. 15-26, 1975 7005 realish May, retroods, Blonde forces as refore. (Taby 2 of them)

1975-6 Blande House gravon all as \$7500 Englishery, all 12/25-6/2000 3/6/16. 2. end at our con law, only.



Observes lines ave on, &. colink . olichor, or . iv. nr.

numer or libble blajs on thick but elven:

Statting : 315-346-

Liti Location of available

7 min

fred to things in and the

By the ob . : A. . . 1 . .

Fastern Meadowlark Sturnella magna (hoopesi)

Feb. 20, 1951, So. of Las Cruces, N. Mexico - song differs from the westerns.

Contract of the Contract of th

· ·

794 - 795 - 796 - 796 - 796 - 796 - 796 - 796 - 796 - 797 -

lept to '46 Avery Park of one sengine from the ground, and also after it took fright.

Jan. 2, 1947 - Stewart Lake, Corv., 330 p.m. Flushed a flock of 35-40 from a stubble field beside the road and they all lit together in the next field.

Feb. 6, 1947 - Stewart Lake, Benton Co; they seemed to be everywhere this afternoon, and most of them were singing from wire lines, treetops, or fence posts, and from the ground, eas well.

March 23, 1948 12-mile Swamp to Corvarlis Pol singing from 50' perch.

12-mire Swamp: 3 avarnah Sparrows flew into a rose clump beside the FF tracks, and perchia on the up or twiss. A meadowhark flew in with a rush to chase them away from this clump.

Sept. 25'48 Noseville-Lincoln: 745-745 a.m. PDST: 8 or 9/mile

Oct. 23, 1948 Grey Lodge Refuge, Calif: 3 or 4 seen.

Roseville-Marysville: 10-15/mile.

Nov. 6, 1948 Clay-Sheldon, Sacto Co: one flock of 75-100 birds kept ahead of the car at 35 m.p.h.

Mar. 25, 1949 Milis-Fair Oaks, 5 p.m. common everywhere thru the gravel-barrens. I flushed one riock of over 300 birds.

May 19, 1949 Farmington Fes Site: Stanislaus Co: com on, feeding young, although I could not locate any mosts.

May 22, 1949 Al Wool Banch, Banilton Bange, 2000 a, Senta Clara Co. Trests had 6 eggs. May 24, 1949 Merced rauls-Coulterville, Mariposa Co. Young & adults - 10/mile.

June 21, 1949 Hill range S of Elko Kovada: some up to 2001 above the ringe, hovering, and giving a singular, deep note.

June 22, 1949 Mary's River, Fiko Co, Wevada: nest covered on Juncua and Potentilla gracilis, on ground. Pad just 3, 2-day old young, and one ego. In short vegeta ion within 3 feet of ditch and marsh area.

aug 1., 1. to 11 of Penverten, Forano 60. Ushif. 1000 adong this unimproved a dark grass along tencerous.

Nov. 16, 1949 8 miles N of Butte City, Calif. very common in dry-farmed areas, but few in irrigated area.

Jan. 30, 1951 Farmington Calif. - one bird sailed ahead of the car at 35 mph.

June 13, 1954 Sacto. Weir, Yolo Co. Calif. adults and young cormon.

Feb 15, 1959 Wilton, Calif. 125-160 in one Taght flock in gesting area.



Observer Fred Evenden, Jr.

Y€1-0 -13 - 130 -

late

Location no outer v sink

limy It, 14

Is mile samp south or corveilig: One solitary in recensult in the cut in water. Class he amade the near house of metal and broom the median pater in the amade the over unattapent to feet distance. The unit pater is one fore-margin of the wing. There were 8 c 1 one invertor of a sum this.



On May 10, 1941, the Field Zoology class at Oregon State College observed a pair of yellow-headed blackbirds (Xanthocephalus xanthocephalus) at the swamp south of Corvallis. We first observed the male hopping around on the smartweed which grew a little above the surface of the water in the swamp. Our attention was attracted to the bird by its brilliant head and shoulders; and a minute or two later it obliged us by flying directly overhead and alighting on another patch of smartweed, where a female was seen. Later the birds flew away together, and were not seen again that day. Although we have positive identification of the male, all we could do was assume the identification of the female.—Fred G. Evenden, Jr., Oregon State College, Corvallis, Oregon.

May 6, 1947

12-mile Gwamp, M & F - male flew from Tence row across the rown not 15 feet in front of me, and into the swamp. "e saw hum from tile to time all the rest of the afternoon, and heard about 3 different call notes from it. It fed in the smartweed close to the water, and occasionally took to the air to catch an insect the way reawings do. Plumage was in pretty bad shape, but still quite brilliant, for redwings chased it. We watched it hold its own arainst one redwing-however. Lave spotted the female on a leafless limb in the fence row by the road, near where the M had first from. She was a rich dark brown, with yellow on face and breast. No mistake. The nest we found April 22 that "keyed" out to this species was completely torn up when for we checked it today. It could be that the Redwing competition tore up this nest. Just a theory, for there is a pair of them here, even if we aiddn't see them on April 22nd. This wair still will have a hard time getting a foothold at this swam, because of the large number of recwing, present. We found over to mosts without haraly tovering the biggest part of the swamp. If the Yellow-heads nest, it will be at the very edge of the swamp, for it is quite unlikely that they will be able to "stake out" a territory within the swamp proper.

May 20, 1947 12-mile Swamp: while we were still at the Jeep before starting out, the pair flew over us from the swamp area, and right along the fence row, at least to the area of the RR tracks, and then we flushed it farther. Just before we quit I flushed the F from the same area (which they may have chosed for their feeding area in the swamp), and it again flew along the road toward the hiway. Perhaps these two birds have managed to establish a nest that for from the swamp.

June 25, 1947, Fern Flage lam Area - one male seen at south end.

July 20, 1947, 12-mile Ewamp, one advent male seen flying from south to north cross the swamp road, and it headen towards I a large floc. or leavings.

August 8, 1947 Fern Riage Land flushed 8 from cattail area along Mr cike, and there were others heard but not seen. Later, g-mile away, I saw several makes maked in with a flock of some 250 reawings. They are a beautiful right to see!



lern Fiege: Freatily increase and man combined but I visited here. June 11, 1948 and about 15 localles of color in the about the above terms many lemmer one found of or in the origin, the I consider total of o5-4 birds in this small disclosure, the vibrate linear Harron $_{\rm c}$ others in the cuttail assertions the own it was to the section to I sign't make to study the fact that tage of wer william, but I did fine one seen are not till on cattains about it over them, and The TOT Crop. In the restriction of the Country of Lawrence, in with a lawrence to the country of the country o not opened. In this I there were the covered win to began Targue alout " mone, and Warfaloud, a subject to my in a se charge in (ic A., the i.e. $\pm -c + v + i \gamma_{i}$, in cottain in , i.e. its this special map because of the special and by LSC-10, in those area. July 16, 1948

For a linge here voir of no file wouldness to the Dollar, but many you a une leader part, and makes meaning in tall plumase. Thay more it could no in catterils. Pathos I or altow them. For des seen carrying force to nexts in cattail. At south two real rich to be a value of Just and some

July 10, 1946

ast sice, Klarkti Jose ? to cher in rose. The six of the one July 27, 1940 area - they tend to sight in a doming the flow terms.

Lake Washington, Yolo Co: Lst I have seen this year. They moved in since April 30, 1949 my last visit - about 6 pair seen. In cattair areas, in deeper water, only.

June 3, 1949, Grass Lake, Fiskiyou Co. just building their mest.

Putah Sinks area, along & side of Yolo By-pass. I p.m. Flocks of Apr. 11, 1950, 10, 20, 15, and 50 seen - all males, feeding on grassy slotes of

by-pass levee.
U.S. 99 near Galt. saw 4 M feeding on gravel in open farm country. May 8, 1951 June 4, 1952 SWMA, Churchill Col Nevada - observed males in feeding flocks on area, and in p.m. about 75 males in flock near flooded woodland feeding on base of old hay stack.

Jan. 29, 1953 4-5 mi. N of Tudor, Sutter Co. Calif. 9:30 a.m. Flocks of 35-40 male yellew-heads flying over farmlands at 50-200 feet heights.

Pope Beach Earsh, SW Corner Take Tahoe, 5 p.m. I full male goshawk May 30,1953 took a yellow-headed blackbird mule. Other blackbirds set commotion. The hawk carried the bird directly west across mainsh to binds.

Pope Beach Marsh, Lake Tahoe, Eldorado Co.Calif. Acults and young common. June 27,1954 Pâma Dand , It é luine, C Mil. 2 nd I ami diza o al Plan mañng. Aug. 6, 1955 Aug. 11, 1 56 - Tope Prach Tarst, Totre Tallon. The thres, no Sull moles pern

May 17, 1958 - Pone Reach, Take Tahoe, Calif. 150 or so in marsh, with some males not just jet in full alumage. Many carrying dry grasses from hine forest edge out into marsh vegetation (last yearss) since new not yet up. Males perched often in vellow pine-lodgenole pine forests and fed on lake beach.

May 31, 1959 Pope Beach Marsh, Jake Tahoe, Calif. 35 present. Watched male give very high-pitched "chatter" while mounting a female.

May 30, 1959 Pope Beach, Calif. Watched I male chasing black-bil ed magpie, and watchedMredwinss chasing yel ow-headed blackbird M May 12, 1963 Marse Esile 4999, So of Dillard Lead, facts 6 ! Calif. I'm sun

AND THE RESERVE OF THE PROPERTY OF THE PROPERT

Observer Fred Evenden, Jr.

7 48-70-75-77-18-81-96-101-184-106-11-112-119-120-122-134-135-142-148-152-161-

- May 24, 1941 | la-mile stang . outl. of corvolation of took pict of the stand of the standard Singers in such, is about your firsts. The residence of the master in slots, surles, -tc.
- pril .: , and the main and a whole promising the contribution of the to an ... In the compa
- le-sime and provide the variety of the vector of the near the state of the state of
- Jan. 17, 1943 lk-mile swamp south or orval is and to Lagner's atte. one solid plack bird had white down the center of the tail and white wars primaries, and a buff at bend of wing Chewer's??? It is an albino of one of these two species.
- Apr. 24, 1946 | 12-mile swamp south of Corvallis. Along the west side of the main swamp I found several freshly made nests, some still rather moist inside, but none with eggs in them. On the east side of the swamp I found fresh nests, but also over half a dozen of them with full sets of 4 eggs in them. The bluish tinge was washed out in some of them. Al in new nests.
- Jan. 21, 1947 12-mile Swamp, none at all last week, but this week the air was filled with their varied calls, making this visit seem like old times. Most were males in full plumage. In one flock of 13, just 4 were females.
- Jan. 29, 1947, 12-mile Swamp none seen. On Jan 16th Dumas and party were there at 3 p.m. and no Redwings were present, but a large band came in while they were there. On the 21st, Dave and I were there late and the swamp was full of them. Today, early in the p.m. there were none. Where do they spend the day?
- 12-mile Swamp when we first hit the swamp, there were none to be seen or Feb. 4, 1947 heard, but about 3 p.m. the first ones arrived, and by the time we left, the stragglers may have amounted to over 100 birds in the area.
- Stewart Lake, Benton Co: equal M & F flocks seemed to be everywhere between Feb. 6, 1947 the hiway and the pond, feeding in the flooded pastures of the area. Calling
- Feb. 18, 1947 12-mile Swamp - as we left they were beginning to flock up in the tops of small trees around the swamps. About equal M & F.
- Feb. 20, 1947 12-mile Swamp: few at 3 p.m. but many more pair drifted in by the time we lat
 - April 8, 1947 12-mile Swamp: many, apparently paired up now. Saw one female that had a very prominent line over the eye, as well as having the throat, chin, and upper breast a clear yellow. Reddish on the winds, a wing bar present, too. Found only one nest in short clump of Carex obnupta on the edge of a "Thicket" of it. Freshly completed, and very wet.
- April 15, 1947, 12-mile Swamp: well-paired up now, but we found only one newly constructed nest, and the one that was wet and new last week, now is dry, and contained one egg . It is about 10" above the water.
- April 22, 1947 12-mile Swamp: nest with one egg last week has 4 this week. New nest last week has 4 this week. (Tom took pic of it).



Page 2.

- May 6, 1947 12-mile Swamp: all paired up, it seems, and plenty of them. The following nests were found:
 - 1. 3 young and 2 eggs in Carex objupta clump at 18". Large set.
 - 2. 4 eggs at 25 feet in Ash tree or bush
 - 3. 4 eggs at 35 feet in Spirea
 - 4. I young and 5 eggs just hatched at la fe t in dead ash. Open site
 - 5. 4 eggs in Carex at 2 feet
 - 6. 4 young in Carex at 1- feet
 - 7. 1 nest vacated already. No young seen today
 - 8. 1 nest at 12" in Eleocharis
 - 9. 1 nest at 15" in
 - 10. 1 nest at 13" in
 - 11. 3 eggs in Carex at 18"
 - 12. 3 young and 1 egg inCarex at 24". Pin feathers developing
 - 13.to 18 6 new nests in Carex at from 2 to 3 feet
 - 19. 3 eggs at 28" in Carex
 - 20. 4 eggs at 30" in Carex
 - 21. 4 eggs at 3 feet in Cattail
 - 22. new nest at 2 feet in Carex
 - 23. new nest at 2 feet in Carex
 - 24. 4 eggs at 52 feet in Spirea, sheltered
 - 25. 3 eggs at 12 feet in Spirea
- May 13, 1947 12-mile Swamp: phentiful most paired up. Nests in various stages of construction and destruction, some just being built, and others already deserted by the young. The nests were found principally inCarex objupts with 2nd abundance in small, protected ash trees; brd in Eleocharis, and 3 or 4 in a clump of cattails along the west side. Height ranged from 6" above the water in Eleocharis to 6 feet in one small ash tree. Most between 2 and 3 feet, however. Perhaps a dozen nests were found empty already, and I managed to band two birds that were able to fly a little ways. Many nests had incomplet a sets of eggs, having just 1, 2 or 3 eggs. One nest containing 2 young at least 5 days old, and I dud egg, had the y young in retty bad shape, for the top of their cranium had been punctured by some bird, and open wounds were the result. I banded just one of these, and neither appeared as if they'd leave the nest. In case they do, we may be able to trace out some data on mortality.
- May 20, 1847 12-mile Swamp: many nests vacant now, and others just starting.

 I banded two well-feathered young in one nest that also commained an egg.

 The nest at 6 feet in an ash had 4 young which I banded. I also found
 4 eggs at 5 feet in Spirea, and 3 eggs at 25 feet in Spirea.
- May 27, 1947 12-mile Swamp: Abundant at Faling Swamp, too. Found one cautch of 5 eggs another of 4 fresh eggs, and anew nest at 6 feet in open top of Spirea.
- June 1, 1947 Silverton to Stayon 1030 a.m. Reddings out in a terrific thunderstom?
- June 7, 1947 12-mile Swamp: banded two nests of 4 young each, and found b very dirty and sick-looking eggs in another, and a set of 5 clean ones in another nest. All later nests eem to be in the Ash and Spirea, rather than the Carex, etc. (Anticipating the May-June heavy rain rise???)
- June 17, 1947 12-mile Swamp: plentiful in the area, and young were abundant and flushed from almost every bush in the area. Found several new nests, and others with sets of 5, 4, and 5 eggs in them, about 9 such nests; Others with young just batched.
- June 25, 1947 12-mile Swamp many birds carrying nesting material.

	•		
			,
			•
		•	
			•

la-mile swamp: sometimes scattered over relatively small areas of the July 20, 1947, swamp, and other times in large a coss of of to 550 binas, in the swamp, and a nearby field. Trocks composed most you female, and importances, although there were some audit males. Evidently this Plocking hour persists at the close of the resting scason.

Aug. 29, 1947 li-make flamp: after all this past month, trese and well over 1 of them in the second this wama, both young one aunch, and U. A. coming everywhere, flying around, and erched on the tope or spirea, etc. This brings roward the thought test the bires that makes here left the last of July, the ortion of the billion are one, but the term of the fitting of the second of the second

March 6 & \$7, 1948 - 12-mile Swamp: came in around 4 p.m., as usual. March 9, 1948 -12-mile Swamp - they were at the swamp when we arrived at 1330. Mar. 23, 1948 12-mile Swamp: none present when I arrived at the swamp, but at 1815 a llock of about 50 came in all at once, and they soon started to "kokalee-Some conflicts took place, possibly over territories.

April 13, 1948 12-mile Framp: many pre ent, and well-scattered over swarp area, but not a single not we found under construction, or co preten.

12-mile Swamp: altho there were quite a few birds in the area, there were April 20, _948 not many nests found under ay:

1. base only, in Carex obmupta at 5" over water

2. one at 18" in Spirea gourlagii - wet inside

3. one not quite complete, made of lichens in Cares obnupts at 14"

4. one complete, and cr. it it feet in Carex

5. one at S' in "Ford Conary Grass - nost S irea - nest set inside

6. one complete, wet, in Carex, 2' off water, later depth 1'.7. One considete, set, in Carex, 1' off water, where so er depth was 9". of Carex and gras.es.

8. one con Lete, let, in Chirca douglasii, 1 ! off water where was I! deep

12-mile Swamp: found many nosts with eggs, most in Spired, send in Feage. May 18, 1948 2 nests with 4 eggs each were not over a rest apart. One nost empty wast Saturday (May 15th) had 4 eggs this pen. One new new being constructed in sedge so close to a last-year's nest that the sides of the 2 nests touch

June 13, 1948 1 - with Compared to an ivec to date for the service of the minute hatching in the atea and its of fracture recaings. The ever, I will find that we see to nothing pariod is purely a certain with $\hat{m}_{\rm s}$, i.e. nosts con suctor, or old or a removated, for one I medical a opin I month aco, me has a men indicated and the property to have been accounted as a such 4 ergs, other sit. : or 5. in a commet with 4 comments we said habined to seem to be a sense to be subclice to seem, the relating to gife in the north hear are in spires at from a to 4 feet, thate those of the west side of the couth half are an Chiem not wir at a above the fire

June 18, 1948 12-mile Camp: Plantifel. Then full of young pines. A cond neg times really under by ith many no north, most y in some or ash - the first note and usually built in Calex obnupts, bards there is now load out. I banded 5 more nothings, and there are o or so too joung to band yet. I hatched a until cate he large diagonanies. - canenaulias., to take to the nestlines.

June 21, 1948 12-mine Stamp: many new wests, & or \$10 with her set, or age, a few with young still is nest, others just a taken. Nost no mests are in leaved out ash and opines. In a clump of cettails there are 5 nexts, 4 containing b, 1, 4, and beens, and bottle by your birds is it.

All are at about 85 is to height, and lithin a circle of 12 foot diameter. Cottago Grove Feserv. 🕅 a few nest flound in cattail are the ne your June 25, 1945 or full sets of case, however .

July 16, 1946 Fern Fiego Perervoir? very set in the creat, as a time of the state o

Aug. 30, 1948: 12-mile Swamp: not over 75-100 in the area. No typical calling - just short notes. Not scattered over the area. In center thicket.

953-1104-1105-1110 1114_1201-1265-1478-1579-1630-1633-1636-1799-1884-1885-1897-1900-1901-1903-1904
Agelains shoeniceas mailliardorum

San Trancises Redcoring.

Jan Diego Redwing-1037-1056-1055-1058-Hatt-1105-15 32-1542-1544-1746-1887-1888-1889-1890-

European Starting

Essten - 2219-2225-2229-2231-2235-2237-2238-2239- 3543

Observer Fred Lvenden, Jr.

July 14 1944 Stanley Basin, along little Salmon River Nesting in very small willow bush, about 2" above the middle of the river.

May 30, 1959 Pope Beach and Spit, Take Tahoe, Calif. 70-80 present. Watched 1 Male chasing yellow-headed blackbird Male.

May 16, 1970, N. Beach Park, Md. a "white-wing" in marsh NW of MSH261, opp. Cypress Av. full adult male, very striking in f ight because of pure whiteepaulets, w/ no red. They were full size of normal red ones. Voice was somewhat off normal calls.

And the second s

Dec. 29, 1948 Gray Lodge Refuge, Butte Co: about 750,000 in the refuge area.

May 19, 1949, Rock Cr, Farmington Pes. Site, Stanislaus Co. hest in 35 Foot growth of Rumex occidentalis in open at 22. Cup 32" dee;, containing / 4 eggs. Yest of wild oaks and other cry grasses.

Another nest on MI side of old willow at 10 feet.

Littlejohn Creek, same site:

nest at 12 feet on T side of dead Lombardy popular nest 18' over water on Scide of Large Willow on horizontal limb. 4 eggs. Nest cup 22" desg. For nest at 350 p.m.

nest in willow coppies crotch at ll'above water. Acrt cup 3: " deep.

nest at 14' on side of willow just 11 feet from nest just above. nest on horizontal limb of willow just 2' over water in open on E side.

Some young recwings ago already flying about the area.

May 19, 1949, Woodward Reservoir found two nests in willows outside center of Brewer Blkbd nesting "colony":

#1 nest on east side of slim will ow at 8 feet. Had three orange-skinned young, that had down tufts on spine, head, and wings. Eyes barely open.

#2 nest at 10! in villow. 4 eggs. (banded 2 - 40-250401 and 427.)

#3 & #4 - 2 fresh nests near to these two nests (6 feet array), but no eggs yet.

Aug. 12, 1940 Lake askington, Yolo Co. Calif. in the floors with the at we calcute.

Aug. 16, 1949, butte Creck on Gridley hour, butte Co. 4- Flochs com an in area.

Jan. 4, 1950, Gray Lodge -efuge-live Oak, Bu Butte Co. Unlif. 415 j.m.

dixed flock of Bi- and tri-colors heading into the refuge from the Live val-Fennington area, with a flight live several miles long, zin-zag in shape, and many birds thech. 10,000's in line.

May 19, 1950, Moodward Res., Stanislaus Co. Calif. many adults and flying young over every tule" area this a.m.

April 29, 1951 Gravel dredge pools SE of Folsom - Cattails growing fine,, about 2 feet above water - several nests seen. All in old cattail clumps, and one in willow at 8'. Some without eggs, a few with eggs, and at least one with small gray-downy young.

Jan. 29, 1953 4-5 mi. W of Tudor, SutterCo. Calif. Watched male redwing take perch at 35' in willow away from Mourning Dove.

Near Bridgehouse, Sact . Co. Calif. 1030 a.m. dozens of pairs present, with nests in willow over or near water, with 1 to 4 eggs in many. Yellow-headed Blackbirds also present, but lo sely paired, and cattail and Scirpus still very low over water.

5-43-546-547-548-1939-1843-1866-186-

Sonora Redwing

Rio grando - 1854.

Thick - billed - 1846 -

Agelaius phoeniceus sonoriensis

March 18, 1947 Bill Williams R. Canyon, Ariz: quite a few seen, more M than F.

Observer free . venuer, Jr.

Tri-coioreu : 60-wing 1548-1617-1626-1669-169-1813-1893-1908-1919-1928-2035-2033-2035-2097-2119-2300-2313-2322-2345-2363-2419-2420-2457a-2596-2663-

Agelaius tricolor

Location and objety dicrs

July 11, 1949 N. of Lunnigan in Columa Co. Cabif. . . . h or berkin at case of rice areas and in wallow thickets.

615 pm. 5 mi. 5 w of 5 acraments, calif., in Golo Co. - Farge works of them in willow - cottonwood arease bordering Scirpup - choked clought + dities. Lecned to be attended an oring of to the 5 w. Perhaps a root.

to 50 0 (Loose stanceurs) in relaboration or a /along installation outdoor cuttails and scines slips in area. The flock of 75% to not Grap tought leinge tie ...

Sutter Co. SW of Buttes, 5 p.m. 350-400 in flock flushed from willow thicket Oct. 13, 1949 at edge of marsh.

Nov. 16, 1949 about 8 mi. N of Butte City, Glenn Co. 4 p.m. about 250 perched in dead tree along the highway, with a red-tailed hawk in the same tree, but they flushed when a prairie falcon flew over. Observed one flock of 7-8,000 dipping and wheeling almost in unison over open country, landing in willow thickets and on the ground, nearby.

Mar-20, 1950 3 mi. due W of Sacranents Wildlife Refuge, Glem. Co - Flooles feeding on burned stubble fields adjacent to the ever needed willow strip at edge of field.

May 16, 1952, Tulare Lake, Kings Co. Calif. E side - 1,000's incolony of cattailwillow along drain ditches. Young in some of nests in cattails.

Woodward Res. area Stanislans Co, Coly 5-600 in flock gae hillo. March 21, 1954

June 27; 1954 Pope Beach, Lake Tahoe, Eldorado Co. Calif. Two males identified with others.

Feb.1,1955 NW of Friant Dam, Madera Co.Calif. 2p.m. An unusually large concentration af about 2500-3000 tricolors in cattle yard area along road. Brewers also. June 5, 1955 Sacramento Bypaso, Joho Co. Calif. 7-600 in flocks to the

Oct. 1, 1956 - N of Ft. rlon Cald. Missy 1, 2:30 p. r. pot. 7-606 of these/md trewor Electrication almost bare fileld and shifting in the cir waves!

Apr. 0, 1958 - C.S.W. 16 - Small flocks S of Delaney's Corner and also N of Iona, Amador Co. June 2, 1,00 implijat tila la saliuli la ufitamba uutatatatiraj, usamaata en la tulaj sajamulitau. Aalemma la purrusal siis sa sasian lunguna saliusatu sa sasia sa sasia kaimuun ka did not gow in often floopen them of now and ald, interloot ellow. now and ald, into all root all new about 1000 to the property of day or and a control of the property 200 of the property of the following the property of the about 3 Seet over it (orthodis grow to 7 or 6 Seet chove wher) teste Sortherest along were in denser growth away from edies and in the inside of Saut occupied mosts were in which some there side to side, with a silvery dost a flow indicate were in with the most immediately oblive or them. I dult a would not come of see that i in fleet to fleet to fleet to fleet to fleet.



Audubon Oriole Icterus melanocephalus auduboni

Feb. 22, 1951 Olmitas, Cameron Co. Texas - Milored first found this one in a clump of trees and later found it again to show me. Differs from the Scotts in that the black does not extend down around the back.

Baltimore ricle

July 6, 1963, Tethesda Id over. after driving 105 miles in 1 Cors, one a hilt was seen.

5/4/68 - angless fan , & to , Mid. 15-20 in pageamenter 9 and

5/4/12

5/13/14 - and time emile, at they had been Mid.



Hooded Oriole

Icterus cucullatus nelsoni

March 23, 1947 Upper Coachella Valley (near Palm Springs) Calif: One male was seen this a.m. in open cactus country in the Devil's Garden area. A beauty. Mar. 29, 1950, Chula Vista, San Diego Co. Calif. 7 a.m. 3 pair seen along U.S.101 this a.m., all playing with each other by chasing and scolding, and all males were fully colored.



Icterus parisorum

March 24, 1947, Joshua Tree N. Mon, 3500' elev., 915 a.m. one seen atop a small Joshua within \(\frac{1}{4} \) mile of the main hiway. Had an excellent view of its yellowish and brack plumage and Ir. Famuna C. Jaeger verified the identity.

May 13, 1952 U.S.93, 16 miles N of Pioche, Lincoln Co. Nevada - 1 pair of adults in desert shrub and brush near juniper woodland.

4/24/67 - Chises Miller Tepes - Linging in links was

Orchard Oriole

Miss. R. SW of Baton Rouge, La. 7/19/67. 12's feeding in rain on short-grass levees, etc. no full males seen. family groups?

5/13/79 Seven Ald. Zin 19 wale Change Ederg

. •

Observer Fred .venden, Jr.

11-76- 319-320-322-324-405-405-672-691-874-875-922-088-1095-1176-1180-1191-

Location and observations

ne 15, 1940

Payzont's to couburn: " las male ilying cross rout.

June 4 1944

Todal Gate, on Road to Dixie, Idaho 2p.m. Saw two males. They were brilliantly colored. I did not see any females. Located a last years nest 10' above the ground on the inside of some draping limbs of an apple tree. The nest hangs cup-like and woven of grasses and long horse-hairs. It is 6-7" long, and 3" in diameter. Cavity is 4" deep. Upper edges are woven or suspended from small limbs or twigs. The male bullock scalding call is similar to a Brewer Blackbird call notes.

June 7 1944

Mtn. Home AAB, Idaho, to Snake R. Saw male, and a female carrying nesting material. Found start of new nest just 3 feet from an old nest.

March 6, 1949 March 9, 1949 Clear Lake, Lake Co, Calif. old nest at 16 reet in Populus fremontii. Lovelock, Perhsing Co, Nevada - old nests common in Populus Iremontii along

May 30, 1949

irrigation ditches, and in locust along the hiway. Folsom Dam Site: In Live oak at gate on Folsom-Auburn Poad I found an oriole nest made of very fine material at a height of about 9' above the ground. The cut outside size was 35" deep and 25" wide. There were a young in the nest and I dead one found on the ground below the rest. Up to 22" long. Primaries 2" long, still sheathed. The young were very noisy when a parent came to the nest to feed them, but they kept very quiet after the parent gave a low churring note upon departure from the nest. While I watched the male made 4 trips to the nest with roce, but the female seemed very hesitant to approach the nest them I was so near. Her hesitanc affected the made is well, and both spent much time just perched with food in their mouths, chirping. Visits were spaced about la min., 2 min., 15 min., 2 min., 7 min., and 5 min., and 5 min. Following the female's one delayed visit, she hung now the next, chirping, and preening at least 8 minutes. The mane was not seen curing this time. I observed them to bring insects and ripe cherries to the nest. The feeding on is of the young attracted the California Purple Finches each time, for they had a nest at 11' on the same main limb of the live our. just 7' from the Oriole nest. This nest had 4 you g in it. A lark sparrow adult, carrying a grasshop er, lit in the Live bak, and acted as if it had a nest nearby, but I could not locate it. In moving through the tree it got within a foot of the Orions ferals, and the most, but no action took place, then it moved over and was practically on top of the purple finch nest and the pair of addits made passes at it, but lost out, however, the cries blought of r nearby linches into the tree. The com otion als attracted some about male English Sparrows, and these were criven away by the Lark Sparrow while he still held the grasshopper.

April 18, 1951 San Ardo-long Valley, Monterey Co. Calif. 2 males seen - one near abandoned barn and water tower, the other near the only ranch along the road. Clocked one flitting f om fence post to post ahead of the car at 30 mph.

april 17, 1952 Mark 31, 1953 april 7, 1953 June 13, 1954 Appeared to be as small as the lark sparrow which was flying with it.
Near Cool, Places Co. Colf. I full about sair, a. d. I full make seen.
along c. S. H. 73, o mi. S of Justin, Moved Co. Colf. Sair Late of the seen. 1/2 way from Colusa Weir to Colusa, E of Sacto. R. in Coluse & Colif. Phyinginto orchand.

Sacto. Weir. Yolo Co. Calif. 7 a.m. 5 pair, several with nearly fullsized young. They were the noisiest of birds.

ang 22, 1954

facts wais - 2 imm of F.

Capay Valler along Cachefr. -Volo 1 Colusa Co. Colif.

Apr. 23,1058

June 9, 1959 E. Cuitecore Let Sixtool's Calif. - 3 mets 10/9/7/ Eginger my present y my Contelose Calif - 12 Dec. This gold

and the second s

Juphagus carelinus


Rusty Blackbird



192-1744-1795-1746-1770 Nest #7 - In apple 12' above ground. 1 egg, mostly gray-green, but with concentration of brown at the blunt end. Nest #8 - In apple at 6'. 5 eggs, very little brown spotting. The brewer blackbirds returned to the nests as soon as it started to rain. Mtn. Home, Idaho, Area II, Found a nest along the edge of the road on way May 30 1944 to the hawk nest. It was in a pile of dead Russian Thistle that had accumulated against a fence. The nest was about two feet off the ground. The nest cavity is 32-4" in diameter and 22 to 3" deep. The nest is of grass stems and lined with horsehair. There were 5 young. Body and head about $2\frac{1}{2}$ " long. The skin on neck and chest is orangish. Gray down on head, back, chest and wings. Very fine wing quills 3/8" long. Eyes open. Mtn. Home. Observed female taking a mouthful of worms to her nest of young May 31, 1944 (mentioned above). Mtn. Home, the nest found on the 30th was empty tonight. All young were June 1, 1944 gone. I heard movements in the tangle of tumbleweeds along the fence, but couldn't see anything. It may have been the young. Saw several adults carrying worms in their bills. Sept 19, 1946 - Poison Oak Lake, Linn Co. Ta flock of 25 -300 flew by near the lake. Nov. 20, 1946 Monitor-It. ng 1, noor to tone wind at e required "flight hand" of the same Group, and autor oppoint the car, no waiting 1 to 20 or 25 minute, a total of upwards of become a c.7 or ser purcea over the road. They were both working their ray the of a valuation character for noting out into a recently jurged field; it will a free the rese. Altoget in these must have been 1000 in so incivious in appoint in Tith sac . this. Corvallis to Poison Oak Lake: Ta mixed sex flock of 150-200 birds flushed Apr. 9, 1947 from one grain field. May 17, 1947 - Marion one nesting in isolated scrub oak in fence row by the FR tracks. Nest at 3 feet above the ground, well-stacea. 1948 5 waile Baldy - 3 mi. Wy Corvallis O. d. agr. 30- 4 eggs - in isolatel R. rubiginosa on open pastas 55 W slope. Nest at 3' hai ht. well sladed except in a.m. 3'4" deep, 4" dismete. Horechair lined Outside of dry grasses.

May 7. 5 eggs heavily isotted.

June 23, 1948 Ben Built's place, Thurston, Lane Co. Next 5'over water in Kincelaya Grackbarry - 3 your off.



Crater Ling in , to a vine to noon. I the and because. July 26. 1545 Thying aron on came in with spanies and to asset in There are A very stream are in a comment of the training of the contract of News over the rest of the first of the att come have be use to the stagin of up here. Sept. 25, 1948 Roseville-Lincoln: 745-750 a.m. PDST: about 150/mile in singles to flocks of 25-30. Øw Mariposa Dam Site, Mariposa Co: several in small flocks - one Sept. 28, 1948: partial albino seen. It had 2 pair of the next-to-outer tail feathers pure white, with irregular white on the body, wings and October 23, 1948 Roseville-Marysville: 30-35/mile Marysville-Gray Lodge Refuge: dozens of flocks of 100's along the way. Gray Lodge Refuge: 3-400 Perkins, to Slough House, Sacto Col 815 a.m: 7000-7500 of them! Nov. 6, 1948 Feb. 6. 1949 facramento-Gray loage Tefuge - one flock of at least 15,000 in area of rice stubble. Goodward Feservoir, Stanislaus Co. Found small nesting colony at end of May 19, 1949 peninsula in scattered villows near the high water line. Grast hillsides around the area. I found that one pair of birds had the following two nests, which were in isolated trees about 17 feet apart (by pacing): #1 - nest cup 3_2 " deep, rim 6_2 ! above ground. 2 Treshly hatched young, and 5 eggs ere in this nest. Bright orange skin. Horsehair-linea. #2 - nest cup 3" deep, rim at 7' above ground. 5 nearly fully-feathered young in this nest. Parents were bus, feeding them. Largest young was nearly 4" long, and the smallest 2 3/4" long. It looks as if all these young will leave the nest. Primaries were 2" long, the tail up to 3/4", and the young all had brownish eyes. Banded with f's 41-152107, 8, 9, 10, and 1). Lorsehair-linea. Other nests nearby were as follows: (al horsebuir-linea) #5 - at 7' in will ow. Chelterea. 2 eggs and a young with primaries over 1" long, but still sheathed. Mostly downy. 4's 41-152112, 3, & 4. #4 - an old nest (at least last year's) on I side of Villow at 91. Two young, well-feathered (#'s 41-15216 and to) #5 - another old nest just \mathbb{S}_2 -4 feet apart from #4 contained 2 wellfor hered young, m ch the same at in #2 and #4. # to 41-152115, & 19 #6 - nest at 95° in willow, on N° side. For orange-skinned young. Primaries still sheatred. Tail about 1/16" lo.g. #'s 41-152118 & 21. Apr. 17, 195, Corvallis-12-mile swamp, Benton Co P Brewers carrying mesting material. May 17, 1950, Biawell Park, Chico, Butte Co. Ca-if. 1 p.m. Very common. Fleding along creek edge, and carrying food up to 200 yards. Saw male twice drop fecal sacs in the creek as it returned from carrying food to the nest, and before alighting on the bank. I did not see fehale carry fecal sacs to creek. They hit with a resounding splash. Also saw a female carrying & freshlyhatched dragonfly adults, picked up on vegetation at the edge of the creek, where the dragonflies had not yet even their wings stiffened. Both males and females appeared to carry equal number of loads to the nest. Woodward Reserv ir area, Stanislaus Co. Calif. many pults and flying May 19, 1950 young over the countrysiae. May 19. 1950. Bass Land, 1100' elev. quite a few z-b/4 grown jourg. June 2, 1950 - Boday Ministers Gilf Con rax, Herando & W. A with 5 ages in yollan princt briefly Nov. 16, 1950 - Home + in Anget into I from sets ide of lot 130 a.m. Story 30- 40 m. p. h.
Usually se I fore 10. m. in from sets in and in 150-200 felling m Expot invascall SE of Sacto. Calif. I nest with 5 big eggs, another w/ 4 eggs, only 1 young. silver L, Amador Co. Cali. about 8 p.m. flocks of 6-15 S along west side and around S end to roost in willows. Except for 1, would not fly over open lake. May 8, 1951, Aug. 9, 1952



Great-tailed Grackle Cassidix mexicanus monsoni

Feb. 20, 1951 Las Cruces, New Mexico - first thing out of the Dona Ana Motel I saw a pair of them at a garbage can nearby!

Feb. 19, 1953 Audubon Park, New Orleans, Touisiana. noted that they make a thumping noise with their wings against their body.

I' up in "bulrusia" over strattor water Juffer: Corvallis, Oregon: 6 aggse: 4-19-21 11 1, 4-24-21 12 " " a fecloset 6' " old fligher bale which had sidestation out. Une went construction. 4-27-22 6 11 18" 6 " 4-22-22 6 " 32 6 " 4 1 " " took 4-19-22 5 " " 7 " 5 2 11 day 1411 11 7-18-22 6 11 " clarge of washes apr. 20, 1940 - Barlow, Oregon - 4 in rest at 2' in blockfarry cuttions. May 5, 1912 - Micoraukee, Use. - 1 agr. at 12 in stantis for 195 mesto in our tice of large, and by Dec. 18, 1952 - Woodward Res NE Stanisland Co. 195 mesto in our tice of large, and by Dec. 18, 1952 - Woodward Res, NE Stanislaus Co. Calif. 3,000 in sprouting grain field. Tay 30,1953 - S. Jend, Jake Tahoo, Idorado Co. Calif. Lany nobjed immature sparrow hawk that lit in ousture on ground. June 4, 1985 - Banded 4 ying in rosebuck next at 7'- Chainers. West completed May 16, 4 suggesting May 23 + Jng Stated June 1, 1955. Kay 7, 1955 Sacramente Prisans, Italiano. Carif. 2 tes principilitare. Ter hours, (1 4 22). May 16,1955, and tour , it displays 15. 3 sec. I will be a more of the most to May 19,1955 Cardon it , icvada. In the collaboration Oct. 16,1955 To darallens - ? over boat it southerly Breetin while we were west of lightship in a.m. F.B. 4, 1956 - 100's on Wire lines w/ H. Fincles new Leave Point, Napa Co Calif. ret. 2, 30% in temper and and , temper is not in a manage of a manage of the manage of forthe win while Mainly on wings, tail + some on budy, May 31, 1958 - Base of Kingsbury Grade, S of Genoa, Douglas Co. Mevada. Found several nests.: 5 eggs at 22 feet in Antelope Rrush 5 eggs at 3' in desert neach h eggs at 3' in wild rose 5 yng at $3\frac{1}{2}$ in sage = $\frac{1}{2}$ 5 yns. at $1\frac{1}{2}$! in sage on open ground by hiway. May 21, 105%, Sacramenth Rymans, Tol. Co. Calif. Mard and with mest material May 30, 1958, Take Tahoe, Tono Teach, Calif. 150 in area. 3 nosts on curund in open. 3 2-day young ' I ear: 6 ears, and K ears in early of low thinted under sines. april 26, 1959 Under Bridge 4 mi 5 of White Hook, Seito Co. Calif. Teggs in nect on bridge timbe "Land over" May 30, 1959 Pope Beach Marsh and Spit, Take Tahoe, Calif. 25 present. 1 egg and 5 eggs in nests. May 31, 1959 Pope Beach marsh, Lake Tahoe, Calif. On ground, W side 25 pine, 5/30-1; 5/31-2 eggs; E base 18" lodgepole-5 eggs. W. base 7' lodgepole-6 eggs. S base 8" pine - 0 eggs. S side 18" pine - 2 young and 2 eggs. hune !!, 1960 - Edite ye Fa. Saits &. une in yark + 6 eggs in 1 met. Dec 30, 1961 - Brokerik, yolo Co, Colf. Hooks, rock go had one I with white pethen it wing to conclain to was northern extract explained process can be found from the form such and from such and fro

are 3. Brever - Eltd.

Har. 1, 1912, 2000 colfan, placer co. calif. lover to 1, rue c. l noe each two furris d'winebéats.

June 9, 1974 Deven tode, Desel NFOregon. Send. Westerin seathereficellow Thicket in your grows prairie were outlet. I, 1, 1 + Eyry. No westernes & his.

7721-1224-2215-2226-2227-1229-2230-2235-2236-2237-2238-

Juiscalus quiscula

Common or Furble Grackle

Feb. 15, 1953 - Sw of Shreveport, Caddo arish, Touisiana - 3,000 or more in oak woodland on ground, but would flush into trees.

6/19/69- Confort Co Journal of Children of the 100 g/16 & go.



2219-2221-2229-

Quiscalus versicolor

Bronzed Grackle

Feb. 16, 1953 E. Baton Rouge Farish, Louisiana. U.S. 65 & 61. 10 0's and 1000's in long strings to W and SW, and several 1000 in plowed fields along hiway too.

my.

Upsciver free Evenden, Jr. Nevada: 1230-1236-2262-2264-2350-2753-2755-2358-2436-2589-2605-2613-14-18-19-20-2636-Location and observations Sacrando Post office, Calif. May 2, 1952 alder Creek at Nimbus, Calif. May 3, 1952 June 17, 1957 Present in Jam cleaning at Parific House, Ellowards & Caly U.S. June 1, 1958 - Homewood, Elacer Co. Calif. 12:30 noonPDST - 12-20 seen in this conifer forest area near the lake, with white-headed whodowr and W. Tanager. Spr.1958 - my opinion on the Cowbird is that we are witnessing some sort of a population erruption, for they are very common in Carson Valley Mevada, about L. Tahne and other mountain territories, and extremely abundant in the Sacto. Valley, both in rural and residential and business areas. This visital observation is in comparison to other years in same areas. It Pleasant a Brussille Rd, Suts G. Cald. 35-40 w/ BBB / cating in farmered on rice hall, wile. Bed. 15, 1959

Mes. 16, 1959 At Disneyland, Orange Co. and May 26 at Barstow, San Bernardino Co. Calif. 7/13/66 Gambrill Tk, Fred. C. Td. Fed-open viro a Coefficient of Combined Statistics site of virons.

/11/11 C+0 men Source hid. Tong fil feeding young Court.

Observer Fred Evenden, J.

Number of little traps of a dict objector:

in, 10, 1941 | 1:-miss of appropriate of conversion of an include a finite of the policy.

- Sept. 26, 1942 | McMinnville: Watched a male for several minutes feeding upon the ripe reddish berries of a large Mtn. Ash tree (Sorbus)
 - May 12, 1944 Mtn. Home, Idaho. near edge of town. 3 males and 2 females, in locust trees in cemetery NE of town. And were those males beautiful! One of them gave call not unlike that of a robin, but weaker. All gave the familiar "pittock" call.
- May 18, 1946 MacDonald Forest, Lewisburg Saw and heard the first of the year.
- Sept 18, 1946 Avery Park, 4-5 p. . Several young ones seen chasins e houner about the ash tree and catching insects now and then. The black wines of the males were just setting their richer colors.
 - S. Spur, Maclonala Foreston at least 3 males in the vicinity of the area. One erched on several trees in an area of one acre, calling and singing lightly. A beautiful specimen, inaeea.
- MacDonlad Fore, t, Pedvy Cabin of calling everywhere one pair chasing a July 12, 1947 Coast Jay which may have been trying to rob their nest at lot on the south side of a I. Fir.
- every Park, 80 d a.m. im thees, forth, in flock resource in fire, and Aug. 23, 1947 chacing each other, as in Ne, t. 1946
- Woodburn, home: immature males and females have been in tall, old walnut Aug. 18k 1948 trees for several weeks. Males acquiring full adult plumage now. They are particularly partial to a over-ripe cherry tree. Also birch trees.
- Aug. 22, 1948 Woodburn, home: at least 8 or 10 have been around the yard, and 2 F's were here this a.m. Others in neighbors walnuts and one cherry tree where they were feeding on the last remaining fruits. Others feeding in tops of 100' birch. Have a singular note, rather nusical, partially similar to the R-b. Thrush.
- Aug. 20, 1949 hithia Park, semano, oregon. Tendres and/a instants on o. in park
- some his side cruce. Tone deciment nemberit nervice.

 The May 8 1950 3434-57 th Sacto of full of on our back lown of 3 p.m.

 Sept. 20, 1950. Stony Creek, below east Park lumbly Many feeding on with grapes in white oak

 April 22, 1951 2 mi. 5. of Giloro Anota Class 6. Calif. T 1020 3. m. 1 3 mind fine.
- May 5, 1951 Vicinity Bass L. Eldorado Co. Calif. about 6 or 8 males seen in dense live oak woodland as well as in open woodland. Few females, I believe.
- uly 24-30,1952 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. adults around camp and elsewhere - one male particularly calm in flying to our fireplace and into kitchen area and foraging on ground behind fireplace, perching on table whele we were there. Natched it take bath in spring and preen in willow afterwards. It appeared to have a nest in the conifers east of the spring and camp area, and had regular foraging route downstream to the west, and east thru our camp. Female came to camp infrequently. Male carried food on eastward trips.
 - June19-20, 1954, Silver L. Amador Co. Calif. pairs common. Male defending territory about our camp which appeared to be about kite-shaped, 75 x 150 x 120 x 100 in size-feet.
 - Aug.7,1954 Camp Harvey west, Upperacho L., Addorado Go. Calii. feeding on red elderberry. Tay 18-21,1955 immentate laire laire, Celii. a few common on the late with the late that the same class of modern and secure at which the same along the modern and secure at

everywhere. Usent estimate of 15 conservative.

Sept. 18,1755 Samston Rane, santa. Calif. NF 2 eliment of Trave to older true.

Yay 30, 1959, Kingsbury Grade, Douglas Co. Nevada. W. Tanager fastest respondent to owling calls here. Mtn. Chickadee next fasted.

3/26/67 - For Sun Ma Druste, 7838 Kent 194, alganiale, There rever weeks 6/29/29/19 Pleased with St. Call Theory of it for ground of the saids. 2541 -2604 - 2613.

Hepatic Tanager

Piranga flava

June 23, 1959, Malnut Canyon Nat. Mon. Coconino Co. Arizona. 7:30 a.m. nest with young on E side of yellow pine at 181 ht.

Nay 5, 1975, Madera Canyon, S. Cruz Co. Ariz. pair after calt on parking lot.

June 5. 307, 100 mm july 100 mm and 100 mm and 100 mm.

2545.46- 1618-

Cogeror comment / surger

Observer Erro rvonden, Jr.

Scarlet Tenegran

lino i di Misie Viljenjer (Le ebberre). 14-

Piranet enthro L.

Location ... of advitable: You find day, comes along: in the action to the state of IN CONT Bethosda, d. Losa. female feeding a baby combind on mound. July 6, 1963 8/27/68 Quellin Rec. Mass, I motfled Made. Cowers Gof C.C. Ful " West 6. Delever Mark Olich and old orgest 8/20/10 5/11/80 Rock CARR, D.C. Sucu Male patery.

Arizona Cardinal

Richmondena cardinalis superba

Feb. 17, 1951, Colo. R. Indian Res., Parker, Ariz. Had a poor glimpse of a female flushed from a fence row. Saw the pinkish-red wash on the up er tail coverts and tail as it flew away. No more sign of her, even with detailed searching. No male seen or heard. Cale says they are quite secluded in their habits since they are at the edge of their range.

Feb. 13, 1953 Phoenix, arizona. Full male singing merrily outside mote.

7/27/74 Hugher Holles Ald 20070 y land the foreign again of track

1850-1851-1853-2217-2241-2242-2246-2599-2609-2618-

Eisten - 2219-2224-2225-2226-2228-2229-2230-2231-2232-2233-2235-

Gray-tailed Cardinal
Richmondena cardinalis
canicauda

Feb. 20, 1951, Carrizo Springs, Dimmit Co. Texas - saw almost a dozen males perched on bushes this a.m. some singing.



Arizona Pyrrhuloxia Pyrrhuloxia sinuata sinuata

Tepas 1851-1852.

Feb. 20, 1951, Carrizo Springs, Dimmit Co. Texas. First heard and identified later. Seemed to be paired, and they were very common to the south, in fact -- abundant.



. to bor of directors son a ich epselvea:

Location and object values Late

Test coacum frame ducting Liver: Temple it lucting fiver in in June 10, 1941

Ash clump. This is one lines as let the jet the search acDonala Forest, Lewisburg - saw and heard the first ones of the year. May 18, 1946

mug. 21, 1946 - Avery Park, Corvallis voung birds common. feeding on Big-leaf Maple samara.

25 Aug 146 | Avery Park Of adults and young were very numerous in the park. The orange-prown bally showed up well on most of them.

June 30, 1947' MacLonara Forest, I boundary - had a nest in a tarroam, on the north side

of a chump of fir, at 25 feet. I could not get to the hest.

July 2, 1947 MacTonala Forest, The boundary - in gravel at eage of road - getting grit. Aug. 27, 1947 Avery Park one iscaing on ripe blackberries.

Sept. 5, 1948 Griffith Park, Los Angeles: about 12 or 15 immatures seen high in trees.

May 13, 1950 Yosemite Valley, Calif. very common, and if not the most abundant bird in the valley, at least tied with stellar jays and robins. Singing heard all day long, everywhere in the valley, and many males, and a few fenales observed on the ground, beside the roads, and trails.

April 18, 1951 - Morro Bay-Atascadero, Calif. full male in full song at 40-50' in cottonwood at 8 a.m.

June 14, 1952 - Yosemite Valley, Calif. These grosbeaks Bluffed the stellar jays out of food around camp, and even came to edge of table when we were eating there.

Feb. 28, 1954 S. Fork, American River, Eldorado Co. Calif. near Mormon Island Bridge. 2 in river willow clumps, lM singing clearly.

July 1, 1962, S.Fk. mer. ". above yburz, "Idorado Go. Wif. nest at 30" on west side of mound black onk

June 24, 1974 Planes Glade of God Want to 40 2 and hard to be sure & sold & State & State & State of State of the State of

Sept 20, 1980 C+O Canal - Sensea, Mind Co. M.S.

1 tim. Lille while around blend. Strong dashed strends along fresh only.

Special color taway luminest, matroline.



Guiraca caerulea salicarius

California Plue Grosbean

- July 12, 1949 Butte Co. Calif. 750 a.m. Observed a make in full gruage, light bill, deep, rich blue body, and chestnut bars on wings, singing from sence post top at 4g'. Later sang at 21' on wire line, and 5' and 5g' in low willows. Head slightly or sted. This bebitat was marshy grants bordering a large irrivation drainage could about 10 feet wide. Nostly tall herbage, with only scattered villow and small cottonwoods. The birds territory seemed to amorace an area porcering about 15 gards along the SF 1/e/p side of the canal, and back 10 gards from the canal. This site was on the Grialey Colusa Road, 1.4 miles 1 of lutto Crosk, and 5.7 miles 1 of Pennington Ford Jot.
- July 17, 1950 Crow's Loanding Gustine, Merced Co. Calif. 950 a... I male perched on cattail beside road in ditch. Stagnant water, will ows, etc.

 Open agricultural lands similar situation to 7-11-49, above.
- Feb. 17, 1951, Parker, Arizona, Colo. R. Indian Res. new winter record for Arizona (Calif. & the U.S.?) I first spotted this winter-lumaged male (without crest, and with slightly mottled blue plumage) feeding on cockleburs, Johnson grass, and sunflower weed patch about 1-2 feet above ground Did not fly far from us. Chestnut wing patches and dark bill showed plainly.
 - Feb. 18, 1951 Parker, Arizona wintering male collected first thing this a.m. in fence row at edge of field where observed last evening. Gale mounted specimen and found it to be in good body condition, and the gizzard was filled with husked grain seeds.
 - June 30, 1952 Woodland hiway, Yolo Bypass-8:15 a.m. PDST. Imm. male seen along hiway. Some willow nearby along irrigation drainage ditch.
- July 18, 1954 Sacramento weir, Yelo Co. Calif. 730 a.m. 2 males, 1 carrying food to 2 young perched in poison oak thicket. 1 imm. male sang.

Tiaris canora (Cuban)
Melodious/Grassquit

4:15 p.m.PDST

July 12, 1959, 35th St. Sacramento, Calif./ Citrus orchard, berry vines, and thickets of tall Chinese elm and redwoods nearby. Two birds present, but only a good glimpse and study of the female possible. It had a plainly visible brood patch. Details obtained at eye distance of $2\frac{1}{2}$ feet inside branches of orange tree, where female sat preening, and giving singular faint lisp note. 4-5" long. Gray sides, slightly yellower on breast and with no bodycelor striping. Silky finishing overall. Some yellow to burnished yellow over eye and wider area behind eye and down onto sides of throat. Some o'live-green tint washed on back of neck and between wings. Dark red-brown slightly above heavy bill in front of Rest is gray-tan. eye and more in chin and upper throat area below bill. Pinkish feet. Song not given until it flushed from its resting spot, when in joined House Finches on wire line and shed roof, and went into neighboring yard. Song is 3-syllable, very faint and flighty like horned larks. Glimpses of male appeared to be like pictured in Bond's Birds of West Indies.

•

Observer Fred Evenden, Jr. Number of field trips of field serves;
76-83-7-149-150-154-161-237-311-314-315-320-322-325-390-393-405-Lazuli sunting Late Location in observation. schline: Of the server of the internal title title to the tender of state me 25, 1941 quite vin lint to the most security thank of . ruding liver, columnion relation in or this bearing to Lly 29, 1841 Middleton Idaho 6 p.m. Many of them giving strange trills and chirrs, July 2 1944 and they acted as if they had a nest in a nearby locust tree. Corvallis, 17th and Harrison, 0730 a.m. Saw the first ones of the May 14, 1946 year. There were 4 of them feeding on dandelion seeds.

June 15, 1947

May 9, 1947

June 20, 1948

Aug. 12, 1948

Pudding R., M of Mt. Angel, 7 p.m. singing from wire lines along the road

Nest in alder-cottonwood forest. at 22 feet in Snow Berry Auch. - 3 eggs.

French Prairie, near St. Louis on vire lines at least very 100 yas or so.

N. Cemetery Hill - Lave Marshall and I heard the song, and located the bird on the east side of an oak, and it gave its call at least once a minute while we were in the area. There were several of them.

9/14/69 Sonoita Cok, Stegore Coig - 3-4 in Vasued Brutings on Johnson grow!

Ben Print's place, Thurston, Lans Co!

Tate Location an

- ieb. 25, 1941 · Corvallis: 750 or 40 in this flock. I got within thor a feet of some of them. They make contracting the costs from the majore contracts to ϕ and ϕ_0 incost the ground and in the reverse the core of the thire. In the time several Would be coming into line as other were applied to the trees. The the white the core living to twang ramilian "corrector" to some oute. Good description accompanies that report.
- Into I can some are all after in ا علم وبلا را blu curds. The endough wires to very but to
- april 1, 1946 Corvallis, Ore. They are around in large flocks. April 5, 1946 , still very common in the trees around the campus.
 - May 14, 1946 Corvallis. The Grosbeaks are in huge flocks, feeding on the ground lawns of the campus. Terhaps the sinus of last night blew the elm seeds out on the lawns from the tree. Up to now they have been feeding in the elm trees, themselves.
- The flocks seem to have been greatly reduced in numbers the past d ; or so, May 17, 1946: and there shouldn' be any left around at all in a very few more cays. May 26, 1946 Corvallis. There are still a very few of them around.
 - June 1, 1946 Corvallis. They were here on May 28, but seem to be none here as of this date.
 - Hov. 2, 1946 Pacionale Poisset, Corvalais. Small illoca in the timber, ell in .
 - Jan. 4, 1947, Mary's Peak, noon, many flocks of 10-70 flew over the summit above timberline from the Noble fir on one side to the other (E-W, and W-E). Calls given in the air .
 - Feb. 15, 1947, Woodburn: Tabout 8 a.m. a flock of 250-300 were in the Big-leaf maple, and oaks and cherry trees at the corners of 2nd and Hayes, in town. Weather cloudy, and rainy.
- Apr. 2, 1947, Corvallis: feeding on Big-leaf Maple blossoms about noon. Apr. 16, 1947, OSC Campus in great numbers now, in the elms
- June 19. 1947 MacD onald Forest, watched a pair reeding in the .. Tir tops, and other pairs flew over.
- livery Parl, Corv A = 6 flow into lis-leaf nebus, the ts was on the
- Feb. 26. 1948 OSC Campus: Of scattered individuals and small flocks, and one of up to 150-175 birds seen.
- Car. 25, 1948 Corvallis: still scattered individuals flying about.
- Epr. 8, 1949 Woodland Calif- noon - feeding on elms and sycamores.
- ypr. 11, 1949 Lalen, aregon - In alma. also at Woodburn. Exil 14,1949 Sacramento, Calif - Feeding on elme and excamores also april 18,25, and 30 th
- Sept. 4, 1952 Silver Creek Falls, Marion Co. Oregon. several feeding on maple samarae. Sept. 17, 1952 Camino, El Dorado Co. Calif. Adults and immatures on sugar pines.

 April 1, 1954 Compleye 10+1 ff Saits Colof & Rolls in Electrica.
- aug 12, 1995 U. S. 40 at Blue Canyon Jet. Calif. 4 adulto seen.
 - ang. 10, 1956 4.5.50 et tananch sines above Carp Sacraments in gravel at edge of road.
- May 30-1,1959 Tahoe Valley, nearArgante's Cabin. 6-10 M and F in area. Watched F carrying pine needles from ground early in the a.m.
- July 21, 1962, Chapman Camp, Those MY, sierra Co. Culif. fairly common, with 1 F or imm. feeding regularly on the bare(?) litter in our campa rea. Thewhere I watched a M & F mating???

m. J. C. C. P. J.

ich 19, 1942 Fordeum: Prima de no father fite a page. Take prima en prima des tat is just prvim limit un remain rout. El mine to a father to un young de la comient we coalle, tip to it has been to be tender jours de well and.

Oct. 19,-42 Corvallis, North Cemetery Hill: A large flock of these feeding on the berries of Cascara (Rhamnus Purshiana)

Oct. 15, 1942 Corvallis: Watched several of these as they were feeding on the berries of the Blue Elderberry.

kept 19, '46 Poison Oak lake, Jinh (s. 6 of them on a wire line. mistly impatures.

copt. 4, 147 8 mi El of istborg; recorre en laca no service.

to the arounc.

oct. 7, 1947 Reside Calpertinal crops toaking of transfer a narray table of the ort.

Mar. 25, 1948 Corvallis: been around the campus most of winter. Several have been singing past month.

Oct. 15, 1948 Folsom Res. Site, Calif: 100's feeding with Lark Sparrows on Turkey
Mullein (Eremocarpus setigerus)

May 30, 1949 Gate to Polsom Lam Site, Sacto College Bullock Oriole): The feeding cand of the young Orioles attracted the purple finches e on the, for they had a nest at 11' on the same main limb, just 7' from the Oriole nest. This nest had 4 young in it.

on top of the funch nest and the pair of actuals made passes at it, but lost out; however, the cries brought other nearb, finches into the tree. The commotion also attracted some acult male English Sparrows, and these were criven away by the Lark Sparrow while he still held the grasshopper.

Feb 17, 1951, Parker Arizona - 14 F or imm. feeding on lawn. A record number for this area.

June 19, 1939 Mulwauke, Ore. - Degys in rest of free trage bytes lined up stage of Earle + Konnel.

May 10.1954 Asilomar, Monterey Lo. Calif. Rest on rafter under eave.

Ob. arver Fred avenden, at.

Late Location and L. v turns

Lay 30,1953 Take Tahoo-Ner Alpic, Allif. com on and signific everythere. Also many courting, giving courting ancies.

July 20,1958 Upper Velma Take, Aldorado Co. Calif. nest at 221 in Indoepole sine.

Jeph. 17, 1001,



Mar 30, 1944 Mtn. Home, Idaho. 100's of them, and they all were singing from the tree tops and occasional pairs were observed to be "billing and conting".

Apr 12, 1944 Mtn. Home, Idaho. I observed one pair building a cotton-lined nest in a honey-suckle vine on the porch of the Hamb place, in town. On April 9, my wife observed 2 greenish (or bluish) sp tted eggs in the nest, but the were not there today. However, they may have disappeared is a mystery to us. At any rate, the pair of finches were carrying more building materials to the nest when we left.

Apr. 13, 1944 - Mtn. Home, Idaho Wind 15mph, very sultry, cumulus, cumulonimbus and Sc clas 12 noon to 4 p.m. Today my wife, Joan, and I decided to census the House Finch population within the limits of Mtn. Home.

We divided the town into five divisions, because of convenience of environmental conditions. The divisions were not of equal size.

Section 1: The took in that minor part of town south and west of the RR tracks Area of approximately 16 blocks, 4 of which were business district.

We saw 46 males and 36 females.

Found nests in Poplar trees at 8 feet and 10 feet.

" " Apple trees at 12 feet and 13 feet.

" " " White Birch at 15 feet.

Section 2: Consisted of a strip one block wide and 10 blocks long running between the RR and main st. Mostly buildings. 3 blks of park Saw 7M & 4F Section 3: On the N and W side of town with many open lots and rields within the area. Perhaps it was an area total of 30 blocks.

We saw 120 males and 109 females.

Found nests in forks of limbs in Elm trees at 15' and 15'

Other nests at 23', 20', and 18'.

One nest in honeysuckle vine on orch at 62 feet.

Section 4: Consisted of a strip 3 blocks wide, running NE from Main St. There were four blocks of business dist. in this section. Total area 30 blks.
We saw 87 miles and 59 females.

One nest in a locust at 25 feet.

Section 5: Consisted of the rest of the town. NE of Main St., and SE of Sect. four. Total area in this is about 32 blks. We waw 115 males and 77 females.

1001	, IU ball	or or TH	ULLS IS	about ox	DIKS.	we saw	115 males a	na 77 females
SUMMARY:		Males	Females	Total				
Section I		46	36	82				
11 6	2	7	4	11				
11 2	3	120	109	229		14 Nests	with total	ht.: 209.51
11 4	L	87	59	146				: 14.96 feet
II E)	115	77	192				22700 2000
Totals:		375	285	6 60				

According to all laws, we couldn't see them all, if they were all active, and this was definitely their quiet person (e.rly afternoon). I venture to say that there are over 1000 House Finches in the city of Mtn. Home at this

May 14 1944 Mtn. Home, Area II, 6 p.m. Nest in poplar tree between crotch of large limb and the trunk. Two pale, sparsely brown-spotted, blue eggs about 3/8" x $\frac{1}{2}$ -5/8" in size, and one young hatched. Body had a little fuzz on it. Eyes blind. Body $1\frac{1}{4}$ " long.

•

Page 2

House Finch

Aug. 19, 1946 - Corvallis, oison Oak L. Linn to. There must have been at least 50 young of this species in the area this a.m. They would be in groups of 4 or 5 on top of every small L. Lin. They would chase each other, or all feed on Cascara berries together.

Mar. 17, 1947 - Needles Funding over d'hijjele l'Uns - all. 4 + 1 som ing. They feed a great Beat now on Indian Wheat - Plantago ignota

Eug 28-1949 - 9a.m. 2223 Third are: House Finch in fell song - overcast

May 10, 1954 ... silomar, Monterey vo. Calif. Drank and bathed regular at bird bath.

June 4, 1955 - Cheuner. Noot in injust 4 ft. Compeleted May 23, 2 eggs May 25 4 on May 27.

On 1954 ... Said calef. (lattled a.m. fune 9, 2 Lattled 40 m fune 9, 8 am. June 10,3 y

June 19, 1955 - 3330. Potter Lone, Chouse, Sacto calef. (Latched a.m. June 9, 2 hatched 40 m June 9, 8 am. June 10, 3 yay of June 11,1 p.m. 4 yaya, Bended today.

July 1, 1955 Stranston farch, Sacranente Calif. Reedling on the titel and endemberra.

Feb. 4, 1956 100's on wire lies of Br. Blacks at 1/30 new seas Pt, Negaco. Calif.

Sept. 27, 1956 amond Et 3. Santrack rills #3, saits Coly. 616 gan POST 250- 300 still freeling in weed field of with an wirthing 25 miles of 23, 1958 along w crest Vaca Pittas - Jake + Nagar Co, Coly- il freedant & still in lage might broke.

Next full of eggs in Sacts at this time.

Carl 21, 1909 Continge, your Contract of Break, end was a superior of the first of

Tille 19,1939 & astern Ril, sate a large Bond Hang or mortilet 741/un,

June 11, 1950 - I Tarrier 12, Said 3, Call. - Aradal a to Syong some and 22 said the things in Indight thing was about to sy, some mide, I dring this, Emiliar 2-3 hours by 1.14.

July 10, 1777, the control of the co

.

,

Observer Fred Evenden, Jr.

Alaska Pine Grosbeak

168-772-1492-1495-2131-3134-2262-2314-2321-2324-23152-654-2411-2412
2 417-2452-2462-2472-4-5-8-2488-2565-2560-2631-32-55-2668-2680-

Pinicola enucleator alascensis

Date	Location and observations
Fov. 29, 1947	Timber inc Louge, 't. occ. direct of its seem, our
Aug. 4-5, 1951	Silver Lake, Amador Co. Calif. 7,200' elev. M and F in lodgepole pine, and then many more heard calling, and a few more seen flying about the
	hill northwest of the lake. Usually were perched pretty high and flew
August 9, 1952	high. Call similar to "yellow-legs". Silver Lake, Mmador Co. Calif. several in camp area. One observed while
nuguo v , s i ,) i	eating green berries of Lonicera conjugialis.
May 30,1953	Glen Albine Trail and camp area, Lake I how, Calif. several adult M & F
	seen feeding singly or in small crowns on willow buds, asiet unchence - wuch show still on ground. In late forch, villic in ante shu toop feeding on Jeffrey bine comes on open or und, with show of laround.
June 19-20,1954	Silver Lake, Amador Co. Calif. 2 pairs seen. Nest on SE side of live
	working on nest several times, accompanied by male who stayed away from nest and preened while female worked, etc. Nest cup about 3" across and
Nay 19, 1955	of fine dry grass, twig base to nest. Grass Take, nutter ass, Calif. Temale feeding on aspen buts.
8/15/60	N'and Kingwele, 4.5.40 - adults Jeding 2 ying (BU)
100, 123, 1001 000	



Objetver free willing T.

Mesburn's rosy Finch

umi i or lier trips on ich opervou: 151-879-910-2412 -

n-ucostict to Characti Libra Li.

7: L te	Loc tion are objecty bions
iay 1., 1.41.	Miy's a sold in a second of the second of th
	transministration to the and by the meaning of the wilder of the company of the c
	oul, a particle in the output of the first and in the curve of the contract of

May 18, 1948 Mary's Peak. Trocorded purely as an "ear record" for the call sounds similar to those seen and heard around it. Ir od by lave larshalm. Only had a gli pse of the birds, but it isn't too certain. However, they occupied the same "rocky-alpane" area in which they were seen before the par.



Observer Fred Livenden, Ji.

Gray-crowned hosy Firem

Number of field than on a fell offerved:

	osticte tephrocoti: te krocoti:	
Late	Locati no ne objervation	- • • • • • • •
		_

Observer Fred Evenden, Jr.

Black hosy Finch

number of riesa transform Rich controls

2332-

Leucosticle atrate

late Location ind observations

ct.2h-8,195h Little Munboldt Canco, lko Co. Vevada - first ver seer.



Observer fred venden, Jr.

Common Feapoll

unosmos Michetra on the traction 1994:

Acanthia lineri lin ii

Pate Location no ub. sv tar.

Aug. 8, 1942 - Finting Falc: Of Estate the cline and incompanion of the Fig. 1942 - Finting Falc: Of Estate the control of the fine control of the

Hoary Redpoll - Carduckic hornemachi. At impokings S. J. Modelichi close-we view of ? or 3 im strubs near deciero as Johnsons. The row from growish to a ite, sittout barries on striving a tre 3 or 4 mined down.

The state of the s

·

2676-80-81. . ocation . Tobactv Jich.

ct. 25, 1940 | bookburn: Many of them in large abooks receing in the as jier birch trees on 4th; tre.t.

leb. 28, 1943 . Cumus in lington or rosk to upler lackmes blace: The resent in the st di jammaa in un uji. tame nour tus roud.

Woodburn Or While cutting limbs off one of the maple trees in our yard Jan. 20, 1946 this a.m., two Pine Siskins came into the upper limbs of the tree and picked off samaras that were still hanging from the twigs.

May 23, 1946! Avery Park. Fi saw severaladults and two young ones the hadn't been out of the nest too long. However, they appeared to fly quite well for their age.

lov. 50, 1940, Gervair, Podans liver - I wind a river of 15 to a relate to the typical ien feuta trechant y circles un remarca to to mich. I refeatea.

Jan. 27, 1947, Jack's Bridge, Butte Creek 225-230 of them busily and noisily feeding on Alder "sones" of a large Alder tree growing at the edge of the creek. They paid no attention to my presence, and allowed close approach to those on the lower branches.

June 15, 1947, Agate Beach, Yakuina Head one feeding on this the illowers in an a clump of jack pine on nearly open gouth slope.

Feb. 29, 1948 Mary's River above Corvallis ? Il a.m. a flock of 50 or so birds feeding on Alaer cones at the eage of the river.

June 23, 1948 Cottage Grove Reservoir; Of in the contact of a contact of a con-

april 11, 1949 Salen, + Woodburn, Ovegor - feeding in birches, alma etc. Dec. 26, 1949 US99 - Douglas Go - Camponville - Walferell Of Flocks working alders along the creeks. 1 p.m. July 27, 1952 Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. small flocks in

arca and I observed mating of one pair. It took place on an aspen limb.
May 19,1955 Carson City, levada. Dezens or elm and manles at carit lard in term.



Observation variety Jr.

Pale Colcline

777.12

te Lucation and absenvetlers

1100 1 .1 1200 tri, a ich 1100: 289-292-295-298-203-319-



115-1935-1957-1963-2022-2031-2264-

Observer Fred . venden, Jr. Northwestern

2-3-5-6-19-61-64-67-70-75-77-80-81-83-90-42-96-97-101-103-146-149-150-151-LlowGoldLinet

Woodburn Prudding R: saw a few actually feeding on Willow buds. April 12, 147

OSC Campuse the elms on the campus are full of them, singing and feeding, Apr. 15, 1947 both matures and immatures.

Apr. 16, 1947 OSC Campus: this species in company with Pine Siskins and Evening Grosbeaks are in the campus trees in great numbers. The air is filled with a regular blurr of bird notes.

May 27, 147 - 12-mile Swamp, Corvallis a flock of 10 or 25 seen on the way back into town.

July 12, 1947 - Macionald rorest - in cleared area, working on Canadian Unistle and Yarrow. July 13, 1947 - Middle Santium river of the alongside the car, in open area at how map.h.

August 7, 1947 Coffin Lutte near Camp Acair: fecuing on this ties - very common.

August 8, 1947 Fern liage lan: Duncant everywhere in small to record or 50 to 75 biras. moults and immutages present.

Gray Lodge Refuge: 1200-1500 in large flock in the bulfush. Oct. 23, 1948

Dec. 26,1 5h Brito, Ale Ce. 12if. 100 or so in the folding a superior May 7, 1955 Sacrane to Dr. as., Note Co. Calif. lest well-lawer of Dr. wood (corposite) June 5,1955 Sacrane to Byeass. Lest found on Law 7, still uruser, and an eared deserted. July 4.1951 Swanston Much, Sacto. Chif. Medding on star this de wid olderberry.

8/15/16 Hugher Holica 1911 - 4 DATA One fall about with my beach back to trongs any got would



Conserved and the transfer of .

1011-2013-2015-2035-2307-2554-

- ron 14, 1842 Brown in no. Offin work to the composition in it is to a community of the closif to me ty registing it call bott.
- Corvallis A I banded a very young one, just out of the nest. It was Nay 19, 1946 fully feather ed. but not over la incheslong.
- Corvallis, OSC Campus: pulling dry grass stems near the Administration Apr. 7, 1947 Bldg and carrying to about 33 feet in a tall D. Fir, on the east side at 10 a.m.

Sept//8//1948//Sacramento/Reinger/fiock/

- Sept. 18, 1948 Twitchell Island jct, Isleton-Antioch Bridge: saw small flocks, and also saw one pair feeding near-adult sized young.
- Feb. 12, 1949 Natomas, Sacramento Co. Tflocks feeding on new white alder catkins.

,

Lawrence's Goldfinch

November 6, 1948 Pardee Reservoir, Mokelumne R., Calaveras County, California.

A half dozen in with a huge flock of Green-backed Goldfinches, and some of them came to a small rain puddle just 5 feet in front of the car. All were very wary. A grayish body, with black face and throat on the male. Heavy gold wing bars. Olive-gold breast. Another life-lister for me!!

Observer Fred Lyenden, Jr.

Sitka Cross 111

778-921-925-924-970-1076-1082-1073a-1091a-1154-1157-1178-1186-1438-1688-2264-2319-2324-2412-2437-

Lorie curviron was interple

i Late	location on objective thou
npril 19, 1942	Carellia and into dentities of the second of the first of the second of
May 18, 1946	MacDonald Forest, Lewisburg. O. Saw a flock of 10 or so at close range.
Sept. 7, 1946	Ecola Park, Clatsop Co. Lanc Chort-sand Greek, Tillamook Co. al. day. dozens and dozens of them, very tame and curious. They were madity young birds, I believe.
Tov. 2, 1946	le Conde Tor et, Corven d'élim up or le light et à d'ingare ever la re-
rec. 5, 2.47	There is the second of the sec
Feb. 20, 1949	Oregon State College Campus, Corvallis. saw two flocks today, one of 23 birds and one of 14. The appear to be feeding on the fruit from the white pines along Jefferson St. north of Central Hall. Saw llock of 14 also on Feb. 17. (LBM).
March 4, 1949	OSC. DBM has seen them everyday through at least this date.
April 30, 1949	3 mi. T of Gruce Sta., Benton Co (IBM) flock of 15 working over logged-off
1257/37;1253	area. In scattered lifts that were left. Argantes, il sahoo, hail. saveral Acediam hallule are aceds. 2 males in top of sino.

The state of the s •

Texas Sparrow Arremonops rufivirgatus

Feb. 23, 1951, Brownsville, Texas. One singing from the brush and weeds back of the motel at 7 a.m. Bouncing ball type ! (As in Irby Davis' recordings)

6/19/80 Kentedalo DV, Rolleche Ms. 6-7 an. Linging from wind clery top in yard procorow myst to weady field.

rander of ficial transcribed transcribed:

Green-tailed Towhed

Obstholseric chlorure.

- July 27, 1948 Fine to consider that on the converge thint, on the trace of the consideration of the converge o
 - Feb. 18, 1951 Agency lands, south of Parker, Arizona I found this full-plumaged brilliant adult feeding on a levee top lesward of a mesquite-screwbean fence row. It would feed ahead of me about 25 feet, finally flying into the brush. Gale also saw this bird. This is a first winter record for this part of Arizona.
- Aug. 10, 1952 Silver Jake, Amador Co. Calif. several in Ceanothus and huckleberry-oak area. Full-sized young followed adult through brush, on the ground.
- June 19-20, 1954, Silver Lake, .mador Co. Calif. Chasing wood pewee. Singing at 20 feet in juniper in open.
- June 25-27, 1954, Camp Harvey West, Upper Echo Lake, Eldorado Co. Calif. common n brushcovered south slopes.
- Hay 21, 1955, immedate allerant, blif. For ded one in the combine "March" just behind other, tend to bave territor, but to be well-holter, order a seen, or a point of the prosection and it of stars.
- May 30-1, 1959 Tahoe Valley, near Argante's Cabin, Eldorado Co. Calif. severalpair in neighborhood. 1 adult carrying dry grasses to nest on ground on north of short barkless old log in bitterbrush-open Jeffrey pine area.



Pipilo erythrophthalmus

Eastern Towhee

Feb. 15, 1953 9 mi. ESE of Marshall, Harrison Co. lexas. in riparian brush



781-782-783-786-789-796-802-805-806-810-813-814-817-819-822-823-827-831-836-839.844-845-816-848-849.862-851-853-859-861-863-864-865-766-867-862-873-871-876-877-880-883-884-887-888-840-893-895-901-4010-802-404-405-432-933149684-fred Lvender, Jr.

Oregon Towhee

itintio ma oni the

ivo 1 01 .i. 1 ti . 1 io. 10. 1. 4. 48.48.1. 1-2-3-5-6-7-18-19-22-23-26-29-30-31-32-33-34-36-39-41-44-45-46-48-50-

19, 1940

thru the spece, continually meaning, chirpling, in according, the to hear vould get within a rest or that a till bloom him ever italien.

.ept 17, '46 Avery Park, Corvallis Poreening at 6" over a 3' high class or perry vines, on a twig.

May 13, 1947 Stewart Lake - came across just one pair, and one of them was on the ground, and when I approached I knew they had a nest now where I was standing, but I coulan't locate it, so I moved away and watched, and soon had it located within a 5 foot radius, for the parents never left the nest very far, just into the nearest trees and shrubs. The female went up an oak to a height of about 30 feet. The male had food in his bill, and kept giving warning chirps. Both increased their tote intensity when I got close to the nest. It was located on the ground at the base of a clump of grass, with a canopy of grass, Rosa gymnocarpa, and snowberry up to 18" ligh over it. No trees or shrubs were within 8 feet of the nest site, although the oak canopy at 30-35 feet just about covered the area, there was plenty of light. The nest was made of coarse grass stems, and lined with finer stems of mass, etc. There were 4 pinkish-gray-skinned young in the nest, each of different

size, indicating the incubation began with the Laying of the 11 st egg. Their eyes weren't open. A bluish-gray down of a straigh in turn was on the top of their head, and down part of the buck. The wings were gettly down-covered and pin feathers we re beginning to develop. The majority of the body was abdomen, completely bare. Inner mouth readish. Largest length up to 22 inches and the smallest le to 1 3/4" long. Tarsi were pinkish-llush, and the gape

was yellowish. Banded 41-52101-104 inc.

June 13, 1947 Ecola Hills, Calen-Amity, Pair still feeding a 3/4-groun jourg bird, on the ground, and I faushed it, making it ally some 5 fort.

Aug. 10, 1947 Stewart Loke, Tol Corvallis - saw one with leg band - could be joung I banded ob! away from its present location this spring.

June 29, 1948 Avery Park, Corvilli: "lol5 PFT - Watched act t male with mout. Lull or small earthdorms, and liter are sing for 5 m mater it end to the left. I had trouble loc time it or the salurd made the dense herbal verduction under will handredy and bigle in a pla coppier to the There were a paint in the est, so the bit chimes, but elightly grey-imag. Moult birus came within two rest of modelable I than in the first next. The transfer made of strain, to the a distribution of the Indian - distribution - a copth - a ". at in all at a cont.

Newal 2000 - ? egg, 2246-2554-

Observer Fred Lvenden, Ji.

-3. of -2318-2596-

Folsom Res. area: most often seen at least 10 feet above ground Oct. 11, 1948. in brush and/or trees.

Feb. 12, 1949 Natomas, Facramento Co. Mostly above 12' in live oaks today.

Mar. 27, 1949 Folsom Dam Site, & p.m. paired and in territories.



San Diego Towhee

Nevala: 1241-1277-1935a,1935f-2215-2352-


Pipilo maculatus megalonyx

March 23, 1947, Joshue Tree Nat. Mon. \$\infty 5000 \text{! Elev. One male - same notes as our ssp.

May 17,1055 Gadoa, evada. Leveral in tall sine areas.

May 31, 1958 N of Fredricksburg, Alpine Co. Calif. Mest on ground under low sage (15") in heavy brush area - 2 eggs. Tined with fine grass.

May 31, 1958 Carsor Valley, On clas Co. Levada - 2 ears in pest amount order publishmus.



Observet tree lyemen, 31.

Gren in those so has

83-344 20?-

12 12. 0 21. 101 Dr. tr. Ken - 1051.

1: te 1 00 time 1 7 til 1.



in small scattered flocks as they flew from the road into the 1806-1807-1808-1809-1914-1815

2335 -2345-2346-2574-

Nov. 21, 1959 MormonIsland Dam, Folsom Lake, Eldorado Co. Calif. several perched and feeding among tremendous boulders of Dam fill no shrub or tree cover nearby -- small herbs only.



Abert's Towhee

Pipilo aberti

March 18, 1947 Bill Williams R. Canyon, Ariz: a couple of small groups in the brush. Quite a variety of calls were given, and they were hard to see. Reminded me of the Common Babbler flocks in India.

and the second s

Feb. 20, 1951, Carrizo Springs, Dimmit Co. Texas - First flock of 35-40 perched in very low bushes at eage of open field. No full black males in the flock.

May 14, 1952, MeadowlValley Wash, N\$ //of Caliente, Lincoln Co. Nevada - at 840 a.m. PDST, we saw 4 males or more northwest of Panaca, and saw at least 24 males SW of Panaca - most in saltbush-"greasewood" flora about 3 feet in height. Males were giving spring song, hovering or soaring in flight, etc.

april 3, 1953 2-1 mi NNW of Sycamore Colusa Co. Calif. 11 a.m. In al sedy once workering drying litch I worked with the solden rown bits into open in care when I foster. One of them im medially caught very once make early burning attaining for I breeding burnage While wing satch plain, I since on face most of tail white tip sed like lash aparrow, felly t chest black, with inequilar patches on hard and back t Wings.

ESTEIN ELVERNICH 6-94-101-112-129-136-149-161-178-189-386-431-434-465-465-466-482-496-482
6-94-101-112-129-136-149-161-178-189-386-431-434-465-465-465-482-496-482
500-507-518-522-583-595-598-851-881-002-723-734-739-743-747-750(756?)

796-813-817-823-827-839-859-851-851-857-861-868-869-880a-848-723-429-933-1068-1069-1073

1079-1083-1098-1120-1139-1164-1177-1189-1186-1187-1346-1362-1365-1367-1392-1326a
1435-1436-1462-1568-1763-1768-1777-1338-1781-1867-1797-2011-2015-2270

ate location and or, my thous

- ept. 17, 1991 conburn, Chyment some: Youngui, rid on he are in this case of the print Tag are in a large.
- Feb. 4, 1947 120mile Swamp: at least 2 and probably more seen in Tielos on road into the swamp. Gave call notes from the grass, or small trees whereever they are.
- Sept. 25, 1947 Find Fide Land the march and riedulate to the contribution over by this species for the meson with a simples, is the form the product of up to 15 simps.
- Oct. 23, 1947 Corvallis 95 p. m. Clear the cool. Sparter (Lavannals?) migrating que south overnous. That to dimension call not southeast the avannal plants.
- March 23, 1948 12-mile Swamp. in stubble field. 3 flew into rose clump beside the FF tracks, and perched on the upper trigs. A membership in with a rush to chase them away from this clump.

			-		
				•	
					1

Eastern - 2231-

Observer Fled Twenden, Jr.

Large filled

1045a - abention - 1329 - 1332.1334.

Parterculur, no debensis con ist di

Loc di tama administrationa

Jan. 20, 1949 Corvalis-12-mile Swamp (IBM) picked up a dead Aleutian Savannah Sparrow along the hiway. Identified by Jewett.

Oct. 3, 1949 Seal Rocks, Lincoln 6 o. Oregon: Aleutian Savannah feeding on wave-washed rocks in tidepool areas, etc. Seen next couple of days along coast, too.

Oppolive file v r et, er.

. SVJC

1043-1044-1053-1239-1243-1273-1290 (309-1311-1383-1385-13904y-156/2-158/2-158/2-158/2-16/3-16/3-1/31-1/926y
Expected 538-543-545-549-423-924-989-484-994-495-996-10/1-1021-1032
1839-1046-1948-2008-2009-2356
Expected for the first of t

.arcel



Observet Free vincer, Ir.

prook's avernal apares

rassor cults and internal liveragi

Lotte Lostel name of the

•

•

.

•

1189_1230_1230_1232-1445-1462-1466-1512-1520-1541-1714-1763-1768-1822_1834-1864.1989-2008-2003a48-2019-1210.22253-2335-2457a-2663Western Grasshopper Sparrow
Ammodramus savannarum

- April 30, 1949, Lake Massington, Yolo Co., Wof Sacramento. 1830 a.m. saw & pair in dense herbaceous vegetation at cage of alfalia riellos along west side of lake.
- June 21, 1949 hill range S of : 1ko, Nevaca moting in jumiper-same area sang several times about michielt.

.

.

Observer fred Evention, Jr.

Oregon Vospon pairo:

2-6-7-11-18-19-13-26-50-51-52-55-59-64-10-74-77-81-135-135-135-142-146-149
151-15-155-159-161-170-178-184-208-219-257-379-386-389-439-464-524-527-564
-105 CCC 289-613-616-179-188-889-889-889-889-893-885-888-9010-933-965-1052-1085-1085-1085-1085-1085-1086-11256-1139-1166-1179-1185-1186-1220-1282-321-1323-1322-1507-1865-2094-1130-10860-

Lute incution and observations

Max. 2,1943 Corvallis & miles south of Philamath. First ones seen today

rid Ferry and on rate. Obsting itself in or veloce the idea, and else i weaker and deliquated berg jetel.

Sept. 11, '47 sin Laxe, Fin (o - septer - in nearons at the end of the life, it & a. . . . observed one butto min the admin at the end on the life, the clinical includes.

1,0

€. . 2242-

Observal income verses, al.

6. 06-1: Vergel perrol 1280-1444-1445-1462-1819-1828-2008-2356-8-2485-2529-

L'oocette emineur cominis Belding: 1031-17391

Thus leaving to be in a con-

The state of the s

ayzanto 1940

Observer Free . vencen, Jr.

- May 12 1944 Mtn. Home, Idaho. Reservoir. Adult male perched on sagebrush 10' from me for quite a while, all the time uttering a rather pretty song, but interrupting it with gutteral "churrs" or "buzz". The breast appears almost white and with a black spot on the center. The tail seems rounded out and is white edged near the rounded corners. Head is chestnut-colored, with white stripe thru center of crown, and with white stripe thru each eye and with a white line angled below the cheek patch. A pair of black marks on the side of the throat.
- Feb. 6, 1947 N. Cemetery Hill, Corvallis: just down the open slope north of Witham Schl, northwest of town I flushed a small flock of 5 or 6 birds taken to be Savannah or Vesper Sparrows until one of them gave a sort of buzzing note, and then I decided to check more closely to see if they were Larks. They were, for the outer tail feathers tips were white, and the tail was generally black-brown. None had black and white head marks, for all were immatures. Before I left them, all had given the characteristic churr notes I learned in Idaho.
- June 26, 1947 Twin Buttes, Linn Co^{θ} 3 or 4 were seen perched on Fence posts along a littleused road, and their carls were given while I watched. Only one was a runn : ac to
- Sept. 25, 1948. Pensington, Sutter Co: several seen flying, and one perched on wire line by the road. Chest spot barely developed. Head pattern fairly well-developed. Immature.
- Oct. 11, 1948 Folsom Res. Site, Calif: many scattered small groups and individuals in open, sparse grasses. One flock of at least 40 of them seen to fly from the ground into a live oak.
- Oct. 13, 1948 Folsom Res. Site, Calif: 100's seen, in trees at edge of oak woodlands, on wire lines, and in open pasture and range areas.
- Oct. 15, 1948 Folsom Res. Site, Calif: 25-30 in flock with 100's of Purple Finches feeding on turkey mullein. These two species perched in flocks as well, in trees, when flushed from the ground.
- May 30. 1949 Gate to Folsom Fam Site, Sacto Co.7 (see Bullock Oriole): A lark sparrow adult, carrying a gres-hopper, lit in the live oux, and acted as if it had a nest hearb, but I could not locate it. In moving through the tree it got within a foot of the oriole fenale, and the nest, but no action took place, then it moved over and was practically on top of the purple linch n st and the pair of acults made passes at it, but lost out, however, the cries grought other nearby finches into the tree. The commotion also attracted some adult male English Sparrows, and these were driven away by the Lark Sparrow while he still held the gras hopper.

aug. 27, 1949 S. Fa. demice 1., delico Co. Calia. Eary in mars succes above

april 27, 1958 W Rim, Vaca Mora, Fafer + Nyas Cos, Calif- Still in logs flores.



yeth neutrool .

Feb. 6, 1972, E side, Wilmont Road, ungrazed area. 12 mi. N of Ilo. 1-1:40 p.m.

Feb. 6, 1972, E side, Wilmont Road, ungrazed area. 1/2 mi. N of IlO. 1-1:40 p.m. 4 sparrows called quickly to song played from tape. 2 pr. when none calling at all prior to running tape. Stimulated to continuing call even after we left. Grace Gregg of Tucson had tape.



Colf 1202-2401-

Page 1.

Aimophila ruficep: ruficeps

Garif. Fufous-crowned & arrow

May 22, 1949, Al Wool Fanch, Hamilton Fange, Santa Clara Co. gave testering cambs - on rock wall of open hillsides. Black Whisker (gellow wash below).

May 22, 1955, Old Placeville Rd - Baso L- Mormon Estand. Ecdorado Co Calif.



Obse v III. v ..., ... Le. L.

ilu la racciona tri, en la character, ;

2313-2458-2476-2525-2535-2556-2601-09-10-2620-21-22-

•

5 48 - 997 - 1137 - 1448 - 1450 - 1607 - 1743 - 1745 - 1836 - 1895 - 1931 - 2000 - 2169 - 2762 - 2628 - 2669 -

Bell & Sage Sparrow

belli

Amphispiza/nevadensis

Amphispiza belli belli

March 20, 1947 Cienega Springs north of Parker, Ariz: 1 seen on the ground and in 8! bush. Grayish, with eye-ring. Spot on breast. Very little black on the throat mark. A very shy bird. Fed principally on the ground. Sage Sp.

November 6, 1948 Pardee Reservoir, Calaveras Co, Mokelumne River, Calif. 10 a.m.
Very small sparrow. Two prominent streaks on sides of white
throat. Heavy brown patch on breast. Head sooty; wings
ruddy. In open rock and chaparral area just below south skirt
of dam in toyon, buckeye, and adenostoma. Full species?????
Bell's Sparrow.



Pink-sided Junco

Junco mearnsi


Jume 30, 1959 South Wir, Grand Canyon Nat, Park, Prizona. Feeding young.

2544 -2550-2553-2558-2549-2553-2558-2606-2607-2611-

istrija ilgad († 11.). 18. grada – La der Togere a dan strik sen ra-Abbert appara

Mexican Junco

Junco phaeonotus



2219 . 2224-2226-3228- 2233-2237-2242-

Aunce hyemalis


Mate-colored Junca

5/1/11 - Change and some to horange considered and produced by

2132 2332 - 2554-25

druch carie bu Imprice to the Empa

ict. 21-1,700 - Titting only net to mo, the faller, from the second of the con-



661 - 666 - 668 - 669 - 762 - 769 - 709 - 709 - 708 - 716 - 720 - 721 - 723 - 727 - 733 - 737 - 74 - 743 - 749 - 750 - 751 - 754 - 755 - 758 - 760 - 761 - 763 - 765 - 768 - 769 - 772 - 774 - 779 - 771 - 780 - 781 - 783 - 151 - 790 - 797 - 901 - 802 - 803 - 809 - 810 - 812 - 813 - 814 - 814 - 815 - 812 - 812 - 813 - 814 - 8 Saw a pair with young about half grown, that flew OK, white outer tail

feathers are prominent. Jan. 10, 1946 Salem to Woodburn on back river road. I saw 130's and 100's and 100's of them in small flocks in the roadside brush today.

Avery Park, Corvallis Of I came across a single young one perched on & fallen May 23. 1946 tree trunk. It was hardly half grown, but the two white outer tail feathers were plain. When I approached, it flew away OK. The adult bird was nearby at the time, "clicking".

August 5, 1946 - Camp Pioneer, Line Co. On July 29th, 3 eggs how hatched in the a.m., and another by noon of the 29th. I found the nest, on the ground, under trees and shaltered by the blades of a Equal Grass clump. Hest linea with needles and dry grass. On Aug. 5th they were well-fathered out, but all feathers and grayish down were short. I banded all four young.

Mar. 1, 1947 - Stewart L.: quite a few busily "hawking" insects in flycatcher fashion from the trees and bushes around the pond this p.m.

Apr. 9, 1947 - PoisonOak Lake, Linn Co. Pair building a nest on the ground in moss at the base of a Rosa rubiginosa on the SE side, close to the stems, with a full canopy over it. They allowed very close approach as they were so engrossed in their activities.

May 16, 1947 - Tombstone Prigrie, Santiam Passor a pair in the spruce and fir. Tead one found on the ground in bog area containing several Blue-bottle flies (Calaphora) and a very large and pretty Carrion Reetle (Silphidae - Silpha) with red-orange spots on a black background

May 22, 1947 Noti Bog, Lane Co. - a pair had a nest we collan't to se, mur the bog, in open L. Fir area.

June 16, 1947, MacDonald Forest, 5 p.m. several pair in the deeper Fir woods, all flushed from nests, under 6-15" herb growth, in open areas between the large trees.

Sept. 4, '47 8 mi ill or hydren: "lesting on base me bernier ith furthe lincher and

Cong (partor). March 26, 1948 Cak Riage, 2 mi. " of Corvallis" many working the brush; slopes, and I observed one courting pair in a clump of ear near the fox den. Hew songs and notes were heard, and each tire the one (male?) would approach, the Temale would utter another set of notes, and hop or ally away. They eventually

parted, while I satched. No contact made.

May 15, 1948 Avery Park: young birds already out of the nest.

June 20, 1948 Ryest Park: Oraquits it clime houl, full-establicate that was since and int barree on the wings.

Mumbe Viking, Couter L., P.F. pains various various a nest considers July 26, 1948 the order of the born of historia-real size out the size of the

May 22, 1949 At Wool hanch, Hamilton Lange, 2000 th, Canta Clara Co. Point Pinos Vregon

July 24-30, 1952, Patterson G.S., Hodoc N.F., 7,200' el, Modoc Co. Calif. On July 29 we watched a pair chase a pine squirrel across open ground and spirally to the top of an 80-foot yellow pine, where the chase ceased. Junco young seen cccasionally, some could barely fly. Also Juncos chased chieping sparrows, but were chased by mountainbluebirds.

•

10 4 22

4-35 V.59

- December 23, 1953 Corvallis, Oregon. Benton Co. 3905 W. Fills Doad. Flocks of Juncos absent from this area most of day, and all day on foggy days, but on just cloudy days they arrived Dec. 22 and 23 at 11 to 12 a.m. When several were trapped by me. Does this suggest flock feeding routes, that hit one soot on the route only once er day?
- June 19-20, 1954 Silver Lake, Amador Co. Calif. 7200' el. Many pairs, and observed M feeding nearly 2/3 grown young bird, the only young bird f any species seen this weekend.
 - Nest in low bank overhand of dirt and grass F on evening and at 7:30 and 10 a.m. and noon. 4 eggs. (Small creek bank).
- Camp Harvey West, Upper Scho Lake, Eldorado Co. Calif. 2 nests with June 25, 1954 3 eggs each, and 1 with 3 very small young. Allin wet meadow under shelter of thicker grass and rush cover. Depression of cup on ground about 2" in dia. and 1 1/8" deep. Lined with fine grass and hair. Banded 3 young on the 27th. Also caught and banded one fledgling - one of 3 species (Hairy Woodp. and Wh-brst Nuth.) seen.as young.
- May 16-22, 1955 inche toto his wilkle, in this in the big of the entire time. I can't i u to foto timituri is un en.
- July 9, 1955 Aright's also, I or do C. Calif. very come 1/1 o murds of readeverywhere.

 SEPT. 25, 1957 Kg/mg 1 of Melana Element of mile of the Control July 20, 1958 Wober Welma-Montinalis T, Eldorado Go. Calif. Cup 31" dia, dry-grass lined nest unler granite rock slab. I you about to fly. Pauded 3.
- Sept.10,1961 Summit, Lassen Peak, Shasta Co.Calif. 2 on trail up, and 15 or so within

the crater peak area. All showed chestnut.

July 21, 1962, Chalman Co., Paleo NE, Sierra Co. Collie. Ewabout, but I nest with 3 ongs (since 7/10) in 10-12" hi Juneus open coadew.

July 30, 1977 whateh I will for the first of the first open coadew.



Western Tree Sparrow

izella arborea ochracea

1 Apr. 24, 1946

12-mile Swamp, south of Corvallis: I saw four of them, two males and 2 females. I do not know what other species they could possibly be. They were buffy and brown-black streaked on the back, and the underparts were gray-white. The crown was bright rufous, and there was a similar patch on the side of the chest. There was a distinctly plain shall blackish dot in the center of the chest. I do not recall the females as having the spot on the chest. They were in a briar and ash fence row, or stunted growth. The brightest male I saw wer perched on a fince post just 15 feet away.

Clay-colored Spanow 2108-

•

2558-60-

cometer, will, prvakricion, a several shall croup of them for the first appearance unit pain.

Corvallis: Tr. Steen and I sort directain a magazine, the same of the depression of a charge about the mediu.

newborg, & mile wast. Attracted to it by the mailing rotal und upon Looking Library Look was to single induviously for the appendent prunch of a linear easi to thee.

July 13 1944 Wood River, above Ketchum near Easely Hot Springs. located pair and their nest in dense grass clump in a willow thicket along the river. There were 3 young in it.

Mar. 7, 1946 Woodburn, 0 2 of them in our yard. First for the year.

June 20, 1946 Corvallis, They have been exceptionally common this year. Pars of them can be seen feeding on the lawn, just about anywhere on the c ampus.

Sept 11 '46 - Stewart Lake, corvancis of a pair of them feeding on the camped grain at the eage of the fone.

Apr. 13 '47' Woodburn. back in the English Walnut in our back yard, as always. Seem to be choosing Cypress for nesting site. ????

May 9, 1947 N. Cemetery Hill 0- male carrying nosting material - grass, into an oak

May 17, 1947 - Marion, Miller Butte of many pairs in the area, in scrub oak, yellow pine, and pasture. Many nesting now, one nest at 3 feet in hosa nutkana clump, another in Rosa rubiginosa, and one in snowberry, on ENE slope. Young were 3,4, and 4.

August 8, 1947 - Yel. Pine - Incense Cedar forest and park-land in Cascade Foothills I ME hane Co, a para: a glock of 50 to 75 saults and in a res serving thru the sweetbrian, etc., on this dry set shope.

July 84, 1946 Chalielo Peur, truto Don d. 22 jeury bird ee ee to be tee oul! i clumps of litt, the

July 31, 1949, Grass Lake, Calif. nest and young at 18' on south side of yealow sine on so, the side of open grove are. Green hand and rargh nearby.

June 27, 1952 Pilot Creek House, Eldorado Co. Calif. nest at 22 feet in Ceanothus lined with hair.

July 24-30,1952 Patterson G.S., Modoc N.F., 7,200' el. Modoc Co. Calif. chased by juncos. They fed their young in snowberry bush with green caterpillers and I watched one once as it carried a green caterpillar and followed a bluebird with food to the mountain bluebirdnest, but it went on with its food later.

Hay 17,1955 - impleme contributionance in mid-week, and observe on the price. diani a rei aller ev propore.

June 30, 1959 Grand Canyon Nat. Park, Arizona- South Rim - saw them feeding young.

5/9/67 Derbin John Park, Mont Co Md. 16 billets in 1 out the feeding on bridge



Spizella pusilla

Field Sparrow

Feb. 15, 1953 Greggton, Gregg Col Texas. 15-20 in weed patch beside road and pine woods.



brever's aparron

AUMOFIT OI 1161. TI. 10 II 1110: 111. 17. 1840-1843-1938-2000-

2104-2352-2523

Location and dislivitions

1 miles SW of Bouse, Ariz. One in a wash. Rather a nondescript, grayish 3-21-47 plumage to this bird. Not very wild, and we had several satisfactory looks at it.

Aug. 31, 1949 Lovelock, Never: 15-20 in loose slock in med. To a take along the stavel 1000, bui. of ton. In tures? singing and ily, one otten.



Observer Fred vencen, Jr.

.nite-erokack aparrok 2006-2006-2019-20108-2213-2217-Lonotrichik L.L.ec hr. : Brien laya 84-25-265-277-278-280-288-292-293-294-305-327-328-337-339-344-1839-1843-1846-1847-1848-1850-1851-1551-2000-2001-2004-

July 29 1944 McCall Idaho, Payette, River. Saw one adult with feeding materials in its bill.

May 14, 1952 - NW of Panaca, U.S.93, Lincoln Co. Nevada - several in tall greasewood

5/12/67 - Owen Graf, Calocfin Illine M.A. Z Male adults.

1798-1888-1897-1901-1903-1904-1912-1918-1955-1956-

May 21, 1949 Coast S of Carmel, Monterey Co: common - singing and carring food to unfound young. In woodlands, br sh, and on open slopes above the sea.

The second secon

Observed Fr - Fventon,

Puret ounce purious

1-6-34-45-48-51-59-64-65-67-70-73-11-1129-133-135-136-138-142145-146-148-149-150-151-156-161-16-184-186-192?-197-199-312-237-242
590-591-593-594-602-604-634-642-641-652-658-661-660-672-702-712-718-734-743-744-747-767-781-518
590-591-593-594-602-604-634-642-641-652-658-661-660-672-702-712-718-734-743-744-747-767-781-518
795-806-813-848-549-851-859-851-859-861-863-863-863-863-863-863-879-883-844
795-806-813-848-549-851-859-851-859-861-863-863-863-863-863-863-879-883-844
133-1034-1039-1040-1043-1028a-1047-1061-1051-1061-1106-1110-1114-1129-1130-11318-1131-1146-1154-1159-1161
86-1219-1328-1334-1356-1755-1360-14194-1436-1838-1456-1466-1469-1478-1484-1486-155<-1567-1038-269-2614

Oct. 9, 1942 Corvallis, North Cemetery Hill: S everal of them feeding on Cascara berries (R. Purshiana) and Flowering Dogwood (Cornus Nuttallii)

June 1, 1946 Summit of Mary's Peak A pair of them acted "residual" just below the top of the peak, on the south side.

June 14, 1947 - Machonale Tolest, The pair carrying look to joung in next in Poison Oak are Manel tricket near case of the firstump, on top of bank beside the road in exposed clearing.

June 16, 1947 - Maclonalo Porest - pair still in same vicinity, around nest, and scalded me loudry when I approached the site, on the south slope of the hill.

July 18, 1947 - Maclonia a logest, mesting in open area at case of Hoges clum in Briars.

Aug 29, 1947 - Grenbrock, Trace of the includificing paten, 1986 12.

Sp? -2559- 2560-

Observer free evenden, Jr.

June 19-20, 1954, Silver Lake, Adador Co. Calif. Many sallying forth for bugs to distances of 50-60' or so from willow thickets.

July 19, 1958 Fontinalis Take, Tidorado Co.Calif. 8000' elev. Adult feeding recently fledged young in bush beside lake edge.

NOTES FROM CORRESPONDENCE ON THIT EN CHANNED THAT DEM-CHANNED SPARRAY HYBRIDS

5/10/5\$ - From T.E. Balch, Glenn Calif .: These hybrids have the casual appearance of the Gambel's, but a study of them at a distance of five feet shows that the white crown stripe is definitely golden and on one of the , the forward end of the left eye stripe was also golden, while the right hand eye stripe was white. The bills of these birds are dark like the Golden-crowned. They are larger than the Gambel's and their backs are striped in warm dark brown and light brown as in the Golden-crowned, not blackish brown and whitish brown 5/12/55 FRF to Pussell Pray - "It is my understanding as on the lambels. that the Gambels and Golden-criwns do not nest in the same locality, but the nesting grounds o fGoldens do overlap other species of Thite-crowns.". 7/2/55 From Howard I Cogswell: As to the sparrows, there is a very complete account of a hybrid between the GS and Mc. Timer, Alden W. 1040: A hybrid between Zonot. comonata and Zonot. leumanhrys. Gordon, 42(1):45-48. Dr. Willer points out that Tembe's (which his Mybrid was most closely related to) and golden crowns do overlap in their breeding ranges in Br. Col. central and northern coastal Alaska.

•

ot. 7, 1046 OIVERILE, The I ntive moter of the second on a wire line at the bottom of the

Mar. 23, 1948 12-mile Swamp: Fraw 30 or 40 in tence row t ickets, and feeding on the ground.

arch 30, 1948 12-mile Swamp: just one seen near chin - ma, he the last one to leave.

t. 17, 195h | Sacramenic | trians, or its on which is the instruction of the last one or regist. Fith the control of head of the life of the last of the last of the control of the last of the control of the last of the l

But the second of the second o

Zonotrichia albicollis

April 2, 7, and 9, 1950 - 3/104 - 57th Street, pacramento Capif

Teb. 15. 1953 -SW of Shreypport Carlotter acramento Capif Feb. 15, 1953 -SW of Shrwveport, Caddo Parish, LQuisiana. seen definitely and several times.

4/10/67 Thurstatal Va. Combant. Still singing.

1972 adult nick hopertor plate a choice allowing a land many months of many and or many and or many and the contract of the co where the same in the with the same for the same of th me I bullet land of wing.

Dec. 14, 1975, 7305 Fralish 'ay. 'ethesda, 'd. partial'y albino. Pasic porture and activity more like a write-crowned sharrow than a white-whroated. Head, cann and throat white, with 2 intense black head strings, but wider white between than unito-throat, Wider and longer yellow beofre and over eyes, than in white-throat. Crowish washes on chest, underside white, but tor-gray sides to vent, underside vertical scare odde forward. The dar, legs pink. per solder write, back between wines brown, with some pattern of longitudinal stripes showing. Thite schoolers and tentials, tan-gray 2nd and primaries, with one lime show no across wing tolded - line dotted. Plack head stripes not joined. Furn and tail brown cray.

12/21 added notes: Wid back has core longitudinal patterns. In man toil brown.r. vert white. Pack brown. Thite on socialeries and earth itertic's, Black lines (dotted) enteneded onto white mane, lineart and atmongest Troish blotches in chess. Pelley and vent white. on right side.

Present thru 1/3/76

.

Observer Free Lvenden, 31.

location are construct,

Aug. 19-20, 1950. Manzanita Lake area, Lassen Nat. Park. Chas to Co. 5500! elev. The Yosemite Fox Sparrows very very common in Canothus velutinus and Arcto. patula in camp area. Especially active early in a.m.

ay 21, 1955 Arranto's lake this continuation of the standard free in the contraction of the hill writing of the crastal and the large trace.

Aug. 8,1961 Homewood-Tahoma area, Eldorado Co. Calif. Ik Tahoe. 1 ad with 1 young fledgling.

cotted way up too of pumps from nost from

2522 -Fox-Song Sparrow Hybrid ? ? ?

May 30, 1957, Size and brown-tone coloration of Tox, with wedge marks on throat, but lower breast clear, with single large spot in center of it. Song was a very strong one, but similar to Song Sparrow. It was perched 15-30' up in incense cedar in open park-with underbrush area. Bruce Swinehart and I observed with 7x binocs for 10 or 15 minutes.




2349-2350-2365a-2411-2415-2437-53-2455-58-60-65-2657-2692-1959-1959-1959-1959-2122-2131-2270.2276-2272-2314-2324-2324-2324-2324-2326-2365a-2411-2415-2437-53-2455-58-60-65-2657-2692-

ide de monte Sing

	entroperature productive after the special and
t	
****	gre
ladde kt, sid:	The state of the s
	active in the contract of the
	with the contract of the contr
Sept. 30, 1047	I'-mile compositionship by lave also be - o per-
	. Lower spectrom and the transfer to the transfer of $100\mathrm{M}_\odot$, also the constant $100\mathrm{M}_\odot$
	o tan indicate of the company of the contract
	. Line short the result of the figure $ ilde{v}$ is $ ilde{v}$. The specific $ ilde{v}$
	Time new with the the one with a Medical Cartes of the contribution of the contributio
	Instely it eged ion violation, and theorem.
	the same the same that the Carlotte the same and the contractions of the Carlotte the same that the same that the carlotte
July 20, 1948	Tune on Walker, Consoler and, i. Print in the like - Consider -
July 10, 10120	one charter to be a constant of the best o
1.7 01 20 7050	
July 24-30, 1952	Patterson G.S., Modoc N.F., 7,200' el., Modoc Co. Calif. Pair lived in
0-1 1 2200	a willow thicket near the spring, and would sing only in the morning.
UCT. 4, 1 73	Tutch Gr. agra, 6.0 mi. 1 mi distanc, Tolo . This. 2 is willows

alout creek, and driving out edge of reads.



Melospiza georgiana

Swamn Sparrow

		•

one in a clump of brush at the swamp. Its tail was exceedingly short, and it could fly only a short distance at a time.

Sept 11, 140 - Poison Oak Lake, Linn Co? (quoeks like a minglet with the bill wice open. Terding on Polygonum hydropiperoides.

Sept 17, 146 - Avery Parko several singing at a lout a four-folt height. Gras. cover a reet high.

2-12-47 12-mile devang of intected on immature mult a improved never swange at 1/2. on.

July 24, 1947, 12-miley (wasp. Conting in role a few feet and or the coldination and Barn Swanlows at 5. " a.m.

Sept. 4, 147 8 mi. M. or scheere in circum comment berrief with runger bracen a suc Junco

Mar. 9, 1948 12-mile Swamp: Tat least a dozen in one little clump of brush. Some scolding and others giving their spring song and display - a buzzing-like series of notes.

May 8, 1948 Coodburn, home: nest land in April by the range has large going that git the next this diternoon. I bended the or them.

to one nest the I community hearte.

Apr. 29, 49 - 3 mi. T of Pruce Sta. Flanton Co. 2 p. . 3 young in nest it rose bush at quarry. Young appear about ready to leave nest.

358-2360-1-2407-04-

Eastern - 2219-2228-

Lept 24,1949 Marches w + N of Vallejo, Calif. Density of Samuel's Long &p. about 1/30 feet of ditchsike or wateredge that was lined with Backaria.

Oct. 3,1953 were one Or. 100 decise, Oction continue white-crowns sevitine.

Apr. 6-10, 1956 in down, and English ration of several control white-6/10/11 40 and Severa mid English localing young Cookint Apr.6-10, 1956 in dip ma



March 10, 1951 E of Lordsburg, New Mexico - few mixed in with lark buntings.

June 30, 1970, SW of Laramie, Wyo. common. beautiful song and w/ floating flight.



Observer Fred G. Evenden, Jr.

Eastern Snow Bunting:

Number of field trips on which observed:

Plectrophenax nivalis nivalis

·		Location and observations
n	.6, 1942	Protection Island (3 miles offshore from Point Townsend) - Washington. Seen in a clump of brush on the center of the slateau on the island in mid-afternoon. Jim Thraillkill saw it too.





		,





